



# PRODUCT DATA SHEET

Red Grease, 11 Wt Oz  
 No. 03079 | Item# 1003339 | Case# 1003338



|                           |   |
|---------------------------|---|
| Product Description       | Heavy-duty lubricant that withstands high temperature and high pressure. Red color allows for easy visual inspection of film coverage.  |
| Applications              | Bearings, pillow blocks, U-joints, heavy equip., 5th wheels, electrical motor shafts, roller chain, pulley, hinges, latches, overhead door track, open gears, chains, cables, slide conveyors, guide rails, cams, pistons, machinery, tools, & equipment. |
| Unit Package Description  | 16 Ounce Aerosol  |
| Brand                     | CRC   |
| Generic Description 1     | Aluminum Complex Red Aerosol Grease   |
| Net Fill                  | 11 Wt Oz  |
| UPC Code                  | 078254030791  |
| Unit Dimensions           | 7.75H x 2.63W x 2.63D in  |
| Units Per Case            | 12  |
| Case Dimensions           | 8.69H x 8.44W x 11.31D in   |
| Cases Per Pallet          | 133   |
| Case Weight               | 12 lbs  |
| I 2 of 5 Code             | 30078254030792  |
| Appearance                | Red Viscous Grease  |
| Base Type                 | Aluminum Complex  |
| Flash point (F)           | <20°F   |
| Flash point (C)           | <-7°C   |
| Flammability Class - CPSC | Extremely Flammable   |
| Spec Gravity Concentrate  | 0.72  |
| Plastic Safe              | Yes   |
| Film Type                 | Grease  |
| Film Thickness            | Not Determined  |
| Evaporation Rate          | Fast  |
| Dielectric Strength       | Not Determined  |

Last revised: 11/28/2017  
 Page 1 of 2



Customer Care: 800-556-5074  
 Technical Assistance: 800-521-3168  
[www.crcindustries.com](http://www.crcindustries.com)

CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair professionals serving industrial, electrical, aviation, automotive and marine markets. CRC is ISO 9001:2008 certified and adheres to the strictest guidelines for quality in all facets of research, development and production.



CRC®, K&W®, Sta-Lube®, Marykate® and products denoted with ® and ™ are trademarks of CRC Industries, Inc.



# PRODUCT DATA SHEET



|                                 |                                       |
|---------------------------------|---------------------------------------|
| NLGI Grade                      | 2                                     |
| Working Temp (F)                | -25 to 300°F                          |
| Working Temp (C)                | Max 260°C                             |
| Propellant                      | Hydrocarbon                           |
| Military Specification Number   | Not Determined                        |
| Federal Specification Number    | Not Determined                        |
| Aerosol Flammability Level      | III                                   |
| DOT Proper Shipping Name        | Aerosols, Flammable, Limited Quantity |
| VOC % (Consumer Product def)    | 63                                    |
| VOC g/L (Consumer Product def)  | 453.6                                 |
| VOC lbs/gal (Consumer Prod def) | 3.78                                  |
| VOC Category                    | Not Regulated                         |
| Removal (How To)                | Remove with Petroleum Distillates.    |

Last revised: 11/28/2017  
Page 2 of 2



Customer Care: 800-556-5074  
Technical Assistance: 800-521-3168  
www.crcindustries.com

CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair professionals serving industrial, electrical, aviation, automotive and marine markets. CRC is ISO 9001:2008 certified and adheres to the strictest guidelines for quality in all facets of research, development and production.



CRC®, K&W®, Sta-Lube®, Marykate® and products denoted with ® and ™ are trademarks of CRC Industries, Inc.



# PRODUCT DATA SHEET

Red Grease, 11 Wt Oz  
 No. 03079 | Item# 1003339 | Case# 1003338



|                           |   |
|---------------------------|---|
| Product Description       | Heavy-duty lubricant that withstands high temperature and high pressure. Red color allows for easy visual inspection of film coverage.  |
| Applications              | Bearings, pillow blocks, U-joints, heavy equip., 5th wheels, electrical motor shafts, roller chain, pulley, hinges, latches, overhead door track, open gears, chains, cables, slide conveyors, guide rails, cams, pistons, machinery, tools, & equipment. |
| Unit Package Description  | 16 Ounce Aerosol  |
| Brand                     | CRC   |
| Generic Description 1     | Aluminum Complex Red Aerosol Grease   |
| Net Fill                  | 11 Wt Oz  |
| UPC Code                  | 078254030791  |
| Unit Dimensions           | 7.75H x 2.63W x 2.63D in  |
| Units Per Case            | 12  |
| Case Dimensions           | 8.69H x 8.44W x 11.31D in   |
| Cases Per Pallet          | 133   |
| Case Weight               | 12 lbs  |
| I 2 of 5 Code             | 30078254030792  |
| Appearance                | Red Viscous Grease  |
| Base Type                 | Aluminum Complex  |
| Flash point (F)           | <20°F   |
| Flash point (C)           | <-7°C   |
| Flammability Class - CPSC | Extremely Flammable   |
| Spec Gravity Concentrate  | 0.72  |
| Plastic Safe              | Yes   |
| Film Type                 | Grease  |
| Film Thickness            | Not Determined  |
| Evaporation Rate          | Fast  |
| Dielectric Strength       | Not Determined  |

Last revised: 11/28/2017  
 Page 1 of 2



Customer Care: 800-556-5074  
 Technical Assistance: 800-521-3168  
[www.crcindustries.com](http://www.crcindustries.com)


CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair professionals serving industrial, electrical, aviation, automotive and marine markets. CRC is ISO 9001:2008 certified and adheres to the strictest guidelines for quality in all facets of research, development and production.




CRC®, K&W®, Sta-Lube®, Marykate® and products denoted with ® and ™ are trademarks of CRC Industries, Inc.



# PRODUCT DATA SHEET



|                                 |                                       |
|---------------------------------|---------------------------------------|
| NLGI Grade                      | 2                                     |
| Working Temp (F)                | -25 to 300°F                          |
| Working Temp (C)                | Max 260°C                             |
| Propellant                      | Hydrocarbon                           |
| Military Specification Number   | Not Determined                        |
| Federal Specification Number    | Not Determined                        |
| Aerosol Flammability Level      | III                                   |
| DOT Proper Shipping Name        | Aerosols, Flammable, Limited Quantity |
| VOC % (Consumer Product def)    | 63                                    |
| VOC g/L (Consumer Product def)  | 453.6                                 |
| VOC lbs/gal (Consumer Prod def) | 3.78                                  |
| VOC Category                    | Not Regulated                         |
| Removal (How To)                | Remove with Petroleum Distillates.    |



Last revised: 11/28/2017  
Page 2 of 2



Customer Care: 800-556-5074  
Technical Assistance: 800-521-3168  
www.crcindustries.com



CRC®, K&W®, Sta-Lube®, Marykate® and products denoted with ® and ™ are trademarks of CRC Industries, Inc.

CRC Industries is a worldwide leader in the production of specialty chemicals for maintenance and repair professionals serving industrial, electrical, aviation, automotive and marine markets. CRC is ISO 9001:2008 certified and adheres to the strictest guidelines for quality in all facets of research, development and production.