ELLIOTT ELECTRIC SUPPLY
We Deliver...Lower Cost, Quality Products, & Personal Service
2310 N. Stallings Dr.
Nacogdoches, TX 75964-0
Phone: 9365697941
Fax: 9365604685



078178 1" PVC TYPE T CONDULET

MULTIFITTINGS/KRALOY

Catalog Number	078178
Manufacturer	MULTIFITTINGS/KRALOY
Description	T10 1" PVC TYPE T ACCESS FITTING KRALOY
Weight per unit	0.4100 (lbs/each)
Product Category	Boxes & Covers

Descriptions

Description	1" PVC TYPE T CONDULET
Features	PRODUCT LINE: Kraloy Rigid PVC Fittings includes adapters, couplings, elbows, access fittings, boxes, cover plates, expansion fittings and conduit spacers - virtually any fitting required to complete the PVC conduit system. Easy installations, the ability to perform in demanding environments and labor savings are the reasons nonmetallic conduit fittings are increasingly the fitting of choice. FEATURES: Lightweight yet offers high impact and tensile strength;Chemical resistant to a wide range of acids, al
Long Description	T10 1" PVC TYPE T ACCESS FITTING KRALOY
Product Type	1" PVC Type T Access Fitting Kraloy
Extra Long Description	MFIT 078178 1" PVC TYPE T ACCESS FI

Manufacturer Information

Brand	Multi Fittings Corp
	Kraloy
GTIN	00622454781788
Manufacturers Part Number	078178
UPC	888636

Taxonomies, Classifications, and Categories

Category Description	PVC CONDULETS
Type	TYPE T ACCESS FITTING

Packaging

Carton	1
Package	10
Weight Per Each	0.4100 (lbs/each)

Uses, Certifications, and Standards

Standard	CSA C22.2 No. 85;UL 514C



PRODUCT CODE	PART NUMBER	NOMINAL SIZE		C		E		F		K	
		(in)	(mm)	(in)	(mm)	(in)	(mm)	(in)	(mm)	(in)	(mm)
078176	T05	1/2	16	1.312	33	1.898	48	4.843	123	0.883	22
078177	T07	3/4	21	1.500	38	2.204	56	5.640	143	0.920	23
078178	T10	1	27	1.750	44	2.635	67	6.743	171	1.188	30
078179	T12	1 1/4	35	2.450	62	3.246	82	8.409	214	1.359	35
078180	T15	1 1/2	41	2.468	63	3.546	90	8.839	225	1.360	35
078181	T20	2	53	3.190	81	4.535	115	10.880	276	1.970	50
078182	T25	2 1/2	63	4.500	114	6.240	158	14.600	371	2.610	66
078183	T30	3	78	4.500	114	6.240	158	14.600	371	2.610	66
078184	T35	3 1/2	91	5.540	140	7.500	190	17.070	434	2.975	75
078185	T40	4	103	5.540	140	7.500	190	17.070	434	2.975	75
178044*	T05	1/2	16	1.312	33	1.898	48	4.843	123	0.883	22
178045*	T10	1	27	1.750	44	2.635	67	6.743	171	1.188	30
178054*	T12	1 1/4	35	2.450	62	3.246	82	8.409	214	1.359	35
178055*	T15	1 1/2	41	2.468	63	3.546	90	8.839	225	1.360	35
178115*	T07	3/4	21	1.500	38	2.204	56	5.640	143	0.920	23
178126*	T20	2	53	3.190	81	4.535	115	10.880	276	1.970	50

* Bulk packed for 075

PRODUCT CODE	PART NUMBER	NOMINAL SIZE		FILL VOLUME		INSERT CODE	SCREW CODE	REDUCER CODE	COVER CODE	GASKET CODE
		(in)	(mm)	(cu.in)	(cu.cm)					
078176	T05	1/2	16	4.1	67.2		072563		093106	072421
078177	T07	3/4	21	7.5	123.0		072264		093107	072422
078178	T10	1	27	13.0	213.2		072264		093108	072735
078179	T12	1 1/4	35	26.5	434.6		072264		093109	072736
078180	T15	1 1/2	41	38.9	638.0		072264		093110	072736
078181	T20	2	53	70.8	1161.2		072412		097966	097955
078182	T25	2 1/2	63	178.0	2919.2	072419	072420	097558	097957	097961
078183	T30	3	78	178.0	2919.2	072419	072420		097957	097961
078184	T35	3 1/2	91	338.4	5549.8	072419	072420	097991	097959	097963
078185	T40	4	103	338.4	5549.8	072419	072420		097959	097963
178044*	T05	1/2	16	4.1	67.2		072563		093106	072421
178045*	T10	1	27	13.0	213.2		072264		093108	072735
178054*	T12	1 1/4	35	26.5	434.6		072264		093109	072736
178055*	T15	1 1/2	41	38.9	638.0		072264		093110	072736
178115*	T07	3/4	21	7.5	123.0		072264		093107	072422
178126*	T20	2	53	70.8	1161.2		072412		097966	097955

- Bulk packed for 075

MAXIMUM WIRE FILL

1/2” + 3/4” + 1” (12 + 21 + 27)		1 ¼” (35)	1 1/2” (41)	2” (53)	2 1/2” (63)	3” (78)	3 1/2” (91)	4” (103)
MAX. WIRE FILL #6 AWG CONDUCTORS OR SMALLER FOR1”: PULLING COMPOUND REQUIRED FOR #4 AWG	U M D	2.550” (64.8) #3 2.680” (68.1)	2.720” (69.1) #2 3.315” (108.0)	4.000” (101.6) #1 4.250” (107.9)	5.000” (127.0) #2 /0 5.125” (130.2)	5.000” (127.0) #2 /0 5.125” (130.2)	5.750” (146.1) #4 /0 6.250” (158.8)	5.750” (146.1) #4 /0 6.250” (158.8)

U UL514 INVESTIGATION OF CONDUIT BODIES FOR THREE CONDUCTOR INSTALLATION WITH NO INVESTIGATION
M MAXIMUM WIRE FILL MARKED ON CONDUIT BODY
D DISTANCE BETWEEN HUBS ON CONDUIT BODY

Filename: KRALOY-09.doc
Directory: \\Bersrvbdc\bergen\QC MANUAL
Template: C:\Documents and Settings\joelau\Application Data\Microsoft\Templates\Normal.dot
Title: SOCKET DIMENSION
Subject:
Author: joe lau
Keywords:
Comments:
Creation Date: 1/2/2001 8:37 AM
Change Number: 17
Last Saved On: 4/14/2004 4:04 PM
Last Saved By: Joe Lau
Total Editing Time: 18 Minutes
Last Printed On: 8/8/2005 12:37 PM
As of Last Complete Printing
Number of Pages: 2
Number of Words: 416 (approx.)
Number of Characters: 2,375 (approx.)