

ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



0ELR1 1/2" Exprf LR CND BD & CVR *Crouse-Hinds*

Catalog Number	0ELR1
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Condulet Oe Conduit Outlet Body With Cover, Feraloy Iron Alloy, LR Shape, 1/2"
Weight per unit	2.0 (lbs/each)
Product Category	Bodies & Covers

Features

connection Threaded 4.8100 IN X 1.8100 IN X 2.4400 IN dimensions

Material, Color, and Finish

Finish Electrogalvanized With Aluminum Acrylic Painted

Dimensions and Weight

1/2 in Hub Size

Descriptions

Description	1/2" EXPRF LR CND BD & CVR
extra long description	CRS-H OELR1 1/2 CNDT OUTLET BODY CV
Features	OE and EKC conduit bodies from Eaton's Crouse-Hinds Division are installed in conduit systems within hazardous areas to protect conductors in threaded rigid conduit, provide an opening in the conduit system for pulling or splicing conductors, interconnect lengths of conduit, change direction of conduit, and provide access for maintenance and future system changes. OE and EKC conduit bodies are certified for use in Class I, Division 1 and Class II, Division 1 hazardous areas.
Long Description	Eaton Crouse-Hinds series Condulet OE conduit outlet body with cover, Feraloy iron alloy, LR shape, 1/2"
Product Type	1/2 CNDT Outlet Body CVR
Special Features	With Cover

Manufacturer Information

Brand	Eaton
GTIN	00782274552408
Manufacturers Part Number	OELR1
UPC	782274552408

Taxonomies, Classifications, and Categories

Category Description	HUB STYLE BOXES (GUAB, GUAT, ETC)
Туре	Conduit outlet body with cover



Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

_	-	-	ĸ	-	,		
	a	۱.	ĸ	•			

Carton	1	
Package	2	
Weight Per each	1.95	

Uses, Certifications, and Standards

Application	Ind Facilities & Factories - Industrial Facilities/Factories - Other
Enclosure	Class I Div 1 2 Group C D, Class II Div 1 Group E F G, Class II Div 2
	Group F G, Class III
standard	UL 886, CSA C22.2