

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



10250T714R RD 2POS Push/Pull 1NO/1NC Class I Div 2 Eaton Corp

Catalog Number	10250T714R	
Manufacturer	Eaton Corp	
Description	10250T, 30.5 MM, Class I Division 2, 40 MM, Nema 3, 3R, 4, 4X, 12, 13, Nec Class I Division 2, Groups B, C and D, Non-Illuminated, Two-Position, Maintained Push and Pull, Standard, Red Actuator, Plastic Bus, 1NO-1NC	
Weight per unit	0.4000 (lbs/each)	
Product Category	Push Button Complete Assemblie	
Features		
action	Red	
actuator	Standard	
Contact Configuration	1 NO-1 NC	
dimensions	4 0000 IN V 4 0000 IN V 4 0000 IN	
media	Yes	
Dimensions and Weight		
Depth	1.0000	
Height	1.0000	
Size	40 mm	
Width	1.0000	
Descriptions		
Description	RD 2POS PUSH/PULL 1NO/1NC CLASS I DIV 2	
extra long description	ETN 10250T714R Rd 2Pos Push/Pull 1N	
Features	Eaton's 10250T line of 30.5 mm pushbuttons features a heavy-duty zinc die cast construction. Reliability nibs improve contact reliability even under dry circuit and fine dust conditions. In addition, drainage holes prevent the buildup of liquid inside the operator, which can prevent operation in freezing environments.	
Long Description	10250T, 30.5 mm, Class I Division 2, 40 mm, NEMA 3, 3R, 4, 4X, 12, 13, NEC Class I Division 2, Groups B, C and D, Non-illuminated, Two-position, Maintained push and pull, Standard, Red actuator, Plastic bus, 1NO-1NC	
Product Type	RD 2POS Push/Pull 1NO/1NC Class I Div 2	



standard

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Fax: 9	36-56	50-468
--------	-------	--------

Manufacturer Information	
Brand	Eaton
GTIN	00782114505328
Manufacturers Part Number	10250T714R
Model	Pushbutton
UPC	782114505328
Taxonomies, Classifications, and Cate	gories
Category Description	OILTIGHT OPERATORS.30MM
Туре	PUSHBUTTON
Packaging	
Carton	1
Weight Per each	0.4
Uses, Certifications, and Standards	
Application	Commercial / Institutional Buildings / Structures - Power

Distribution and Controls

CSA Certified, UL 508, UL 1604, CE Marked, FDA 3-A