



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685



## 111 2" D. 1/2" Ko, 7.5 Cu, Cond SW Box W/Ears *Appleton/Oz Gedney*

|                  |  |
|------------------|--|
| Catalog Number   | 111  |
| Manufacturer     | Appleton/Oz Gedney   |
| Description      | Features:Gangable, With 1/2 In Conduit Knockout, Standard:UL E18095, Number Of Outlet:8, Material:Steel, Size:2 X 2 X 3IN, Cubic Capacity:10ci |
| Weight per unit  | 0.4600 (lbs/each)  |
| Product Category | Outlet Boxes, Etc. - Steel   |

### Features

|           |       |
|-----------|-------|
| Knockouts | 8     |
| Material  | Steel |

### Dimensions and Weight

|      |           |
|------|-----------|
| Size | 2 X 2 X 3 |
|------|-----------|

### Descriptions

|                        |  |
|------------------------|--|
| Description            | 2" D. 1/2" KO, 7.5 CU, COND SW BOX W/EARS  |
| extra long description | EGS 111 BX SQ CRNR SW 3X2X2 PLSTR  |
| Long Description       | Features:Gangable, With 1/2 IN Conduit Knockout, Standard:UL E18095, Number Of Outlet:8, Material:Steel, Size:2 X 2 X 3IN, Cubic Capacity:10CI |
| Product Type           | BX SQ CRNR SW 3X2X2 PLSTR EARS1/2 Ko   |
| Special Features       | Gangable, With 1/2 IN Conduit Knockouts, With Plaster Ears, 2 IN Deep  |

### Manufacturer Information

|       |                |
|-------|----------------|
| Brand | Appleton       |
| GTIN  | 00687855758654 |
| UPC   | 687855758654   |

### Taxonomies, Classifications, and Categories

|                      |                          |
|----------------------|--------------------------|
| Category Description | STEEL BOXES & COVERS     |
| Type                 | Square Corner Switch Box |

### Packaging

|                 |      |
|-----------------|------|
| Carton          | 50   |
| Weight Per each | 0.46 |

### Uses, Certifications, and Standards

|          |  |
|----------|--|
| standard | UL Standard 514A; UL Listed E2527; Nema OS-1 |
|----------|--|