# Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685




## 11102AF1213 11102A6513 W/12' Cable

*Eaton Corp*

| | |
|---|---|
| Catalog Number | 11102AF1213 |
| Manufacturer | Eaton Corp |
| Description | Eaton Comet 18MM Tubular Photoelectric Sensor, Photoelectric, 0.71 Diameter, Forward Viewing, Sensor Distance: 80 FT., Lens: Polycarbonate Cable, Jacket: PVC Body, 12 FT. ( 3.7M ) Cable, 20-264 Vac/15-30 VDC Input |
| Weight per unit | 2,875.0 (lbs/each) |
| Product Category | Photoelectric Sensors |

### Features

| | |
|---|---|
| connection | Cable |

### Dimensions and Weight

| | |
|---|---|
| Height | 2.75 |
| Length | 0.47 |
| Width | 0.71 |

### Descriptions

| | |
|---|---|
| Description | 11102A6513 W/12' CABLE |
| extra long description | ETN 11102AF1213 11102A6513 W/12' CA |
| Features | Eaton's Comet Series Photoelectric Sensors is a complete line of high performance, 18 mm tubular sensors with a variety of models and modes to solve virtually any sensing problem. |
| Long Description | Eaton Comet 18mm tubular photoelectric sensor, Photoelectric, 0.71 diameter, Forward Viewing, Sensor distance: 80 Ft., Lens: Polycarbonate Cable, Jacket: PVC Body, 12 Ft. ( 3.7m ) Cable, 20-264 Vac/15-30 Vdc input |
| Product Type | 11102A6513 W/12' Cable |

### Manufacturer Information

| | |
|---|---|
| Brand | Eaton |
| GTIN | 00782114023655 |
| Manufacturers Part Number | 11102AF1213 |
| UPC | 782114023655 |

### Taxonomies, Classifications, and Categories

| | |
|---|---|
| Category Description | PROXIMITY SWITCHES AND CORDSETS |
| Type | Tubular photoelectric sensor |

### Packaging

| | |
|---|---|
| Carton | 1 |
| Weight Per each | 2875 |

ELLIOTT ELECTRIC SUPPLY
We Deliver...Lower Cost, Quality Products, & Personal Service
2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

## Uses, Certifications, and Standards

| | |
|---|---|
| Application | Vehicles: On-Road - PickUp & Delivery: Food |
| Operating Temperature | -4° to 158°F (-20° to 70°C) |
| standard | Contact Manufacturer |