



I. Product Description

BEE BLAST® with Residual Wasp & Hornet Killer is a fast-acting, high strength insecticide that instantly soaks harmful insects and their nests with a high output 22-foot jet blast. It knocks down and kills wasps, hornets, yellow jackets and bees on contact as well as with residual action as they return to their nest. **BEE BLAST® with Residual Wasp & Hornet Killer** contains no chlorinated solvents and is safe on most plastics. It features a high dielectric strength of 47,300 volts.

II. Applications

Recommended for any outdoor worker around electric and power utilities, telecommunications equipment and installation sites, bridge and tower maintenance, cable and wire installation sites, industrial plant grounds, warehouses, farm structures and buildings.

III. Features & Benefits

- **20-Foot Jet Blast.** Dispenses product quickly to saturate harmful insects and their nests.
- **Kills on Contact.** Fast-acting insecticide provides immediate knock down and kill.
- **Residual Action.** Kills with residual action as wasps and hornets return to their nest.
- **Non-Chlorinated Formulation.** Replaces chlorinated solvent-based wasp and hornet killers.
- **Safe on Most Plastics.** Will not damage plastic connectors and other insulating materials.
- **S.D.[L.]™- Safety Data Label™.** Provides instant access to current safety information should an accident or OSHA inspection occur. Helps comply with **OSHA Hazard Communications Standard 29 CFR 1910.1200.**

IV. Physical Properties without propellant

Flash Point	178°F (PMCC)	Freezing Point	Not determined
Odor	Petroleum	Boiling Point	380°F (initial)
Appearance	Clear liquid	Solubility	Neg. in H ₂ O
Vapor Density	>air	VOC %	33.8%
Vapor Pressure	ND	Specific Gravity	0.791
Sara Title III, Sect. 313 Chemicals	Yes	Propellant	CO ₂
VOC Content (Fed)	267.4 g/L		
Prop 65	No		

V. Specifications and Approvals

- EPA Reg. No. 55809-4.

VI. Performance Characteristics

Bellcore Test (Plastic Compatibility)	Passed
ASTM D-877 (Dielectric Strength)	47,300 volts

VII. Directions

- It is preferable to apply this product in the evening after all the insects have returned to the nest.
- Aim valve opening at the nest and depress button, continuing to spray until the nest is soaked with the spray.
- This product is toxic to fish and other aquatic invertebrates.
- Do not apply directly to water.
- Do not contaminate water by cleaning of equipment or disposal of wastes.

VIII. Package Description

Part Number	Container Size
14009	20 oz Aerosol

IX. Disposal

Disposal requirements vary by state and local jurisdiction. All used and unused product should be disposed of in conformance with local, state and federal regulations.

X. Special Use Warnings

Aerosol Cans

Do not puncture, incinerate or store above 120°F. Exposure to high temperatures may cause can to burst. Do not place in direct sunlight or near any heat source. Aerosol cans will conduct electricity. Keep away from all live electrical sources including battery terminals, solenoids, electrical panels and other electronic components. Failure to observe this warning may result in serious injury from flash fire and/or electrical shock.

General

Use only in well ventilated area. Ventilation may be improved by opening a window or door or providing mechanical assistance. Avoid continuous breathing of vapor and spray mist. Avoid contact with skin and eyes. If ventilation is not adequate, respiratory protection should be worn. For more information regarding short term and long term exposure, review this product's Material Safety Data Sheet.

DISCLAIMER: This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. All products should be tested for suitability on a particular application prior to actual use. CRC Industries, Inc. makes no representations or warranties of any kind concerning this data.

CRC Industries, Inc.
Technical Service: (800) 521-3168

Industrial Products Division
Customer Service: (800) 272-4620

Warminster, PA 18974
CRC On-Line: (215) 442-6260



I. Product Description

BEE BLAST® with Residual Wasp & Hornet Killer is a fast-acting, high strength insecticide that instantly soaks harmful insects and their nests with a high output 22-foot jet blast. It knocks down and kills wasps, hornets, yellow jackets and bees on contact as well as with residual action as they return to their nest. **BEE BLAST® with Residual Wasp & Hornet Killer** contains no chlorinated solvents and is safe on most plastics. It features a high dielectric strength of 47,300 volts.

II. Applications

Recommended for any outdoor worker around electric and power utilities, telecommunications equipment and installation sites, bridge and tower maintenance, cable and wire installation sites, industrial plant grounds, warehouses, farm structures and buildings.

III. Features & Benefits

- **20-Foot Jet Blast.** Dispenses product quickly to saturate harmful insects and their nests.
- **Kills on Contact.** Fast-acting insecticide provides immediate knock down and kill.
- **Residual Action.** Kills with residual action as wasps and hornets return to their nest.
- **Non-Chlorinated Formulation.** Replaces chlorinated solvent-based wasp and hornet killers.
- **Safe on Most Plastics.** Will not damage plastic connectors and other insulating materials.
- **S.D.[L.]™- Safety Data Label™.** Provides instant access to current safety information should an accident or OSHA inspection occur. Helps comply with **OSHA Hazard Communications Standard 29 CFR 1910.1200.**

IV. Physical Properties without propellant

Flash Point	178°F (PMCC)	Freezing Point	Not determined
Odor	Petroleum	Boiling Point	380°F (initial)
Appearance	Clear liquid	Solubility	Neg. in H ₂ O
Vapor Density	>air	VOC %	33.8%
Vapor Pressure	ND	Specific Gravity	0.791
Sara Title III, Sect. 313 Chemicals	Yes	Propellant	CO ₂
VOC Content (Fed)	267.4 g/L		
Prop 65	No		

V. Specifications and Approvals

- EPA Reg. No. 55809-4.

VI. Performance Characteristics

Bellcore Test (Plastic Compatibility)	Passed
ASTM D-877 (Dielectric Strength)	47,300 volts

VII. Directions

- It is preferable to apply this product in the evening after all the insects have returned to the nest.
- Aim valve opening at the nest and depress button, continuing to spray until the nest is soaked with the spray.
- This product is toxic to fish and other aquatic invertebrates.
- Do not apply directly to water.
- Do not contaminate water by cleaning of equipment or disposal of wastes.

VIII. Package Description

Part Number	Container Size
14009	20 oz Aerosol

IX. Disposal

Disposal requirements vary by state and local jurisdiction. All used and unused product should be disposed of in conformance with local, state and federal regulations.

X. Special Use Warnings

Aerosol Cans

Do not puncture, incinerate or store above 120°F. Exposure to high temperatures may cause can to burst. Do not place in direct sunlight or near any heat source. Aerosol cans will conduct electricity. Keep away from all live electrical sources including battery terminals, solenoids, electrical panels and other electronic components. Failure to observe this warning may result in serious injury from flash fire and/or electrical shock.

General

Use only in well ventilated area. Ventilation may be improved by opening a window or door or providing mechanical assistance. Avoid continuous breathing of vapor and spray mist. Avoid contact with skin and eyes. If ventilation is not adequate, respiratory protection should be worn. For more information regarding short term and long term exposure, review this product's Material Safety Data Sheet.

DISCLAIMER: This information is accurate to the best of CRC Industries' knowledge or obtained from sources believed by CRC to be accurate. Before using any product, read all warnings and directions on the label. All products should be tested for suitability on a particular application prior to actual use. CRC Industries, Inc. makes no representations or warranties of any kind concerning this data.

CRC Industries, Inc.
Technical Service: (800) 521-3168

Industrial Products Division
Customer Service: (800) 272-4620

Warminster, PA 18974
CRC On-Line: (215) 442-6260