ELLIOTT ELECTRIC SUPPLY
We Deliver...Lower Cost, Quality Products, & Personal Service
2310 N. Stallings Dr.
Nacogdoches, TX 75964-0
Phone: 9365697941
Fax: 9365604685



31388 CLEARGLIDE, 1-QUART SQUEEZE BOTTLE

IDEAL

Catalog Number	31388
Manufacturer	IDEAL
Description	Lubricant, 1 QT Squeeze Bottle, Colorless, Slight Odor, Clearglide Lubricant, 1.09 Specific Gravity, +40 to +100 °F, 2.31 lb
Weight per unit	2.3 (lbs/each)
Product Category	Paint, Chemicals, Etc.

Features

Specific Gravity	1.09

Dimensions and Weight

Size	1

Descriptions

Description	CLEARGLIDE, 1-QUART SQUEEZE BOTTLE
Features	IDEAL ClearGlide Wire pulling lubricant is a polymer-based formula well suited for all electrical and datacom applications, and safe to use with all cable types. It is clear and colorless, and suitable for indoor as well as outdoor applications. This formula provides quick and easy clean up, and extraordinary lubricity for super-fast pulls. Its controlled evaporation rate is ideal for shorter runs. It remains stable over wide temperature ranges from 32°F to 180°F (0°C to 82°C) and dries to a semi-fluid fil
Long Description	ClearGlide Lubricant, Size: 1 QT, Container: Squeeze Bottle, Specific Gravity: 1.09, Plastic Safe: Yes, Slight Odor, Voc: 17.4 GPL (As Packaged, Minus Water), Working Temperature: 40 - 100 DEG F, Boiling Point: 212 DEG F (100 DEG C), Percent Volatile By Volume: Less Than 98 PCT, Percent Solid By Weight: Approximately 5 PCT, Clear, Colorless Gel, 7 - 8 pH, Solubility In Water: Infinite, Storage Temperature: 32 - 180 DEG F, Ul Listed, For Wire Pulling
Product Type	Clearglide Lubricant, Ideal, Clearglide, 1 Quat BTL Capacity
Special Features	Clear and colorless for quick and easy clean-up; Exceptional lubricity for super-fast pulls; Polymer-based formula perfect for all electrical and datacom applications; Safe to use with all cable types; Remains stable over wide temperature range; Dries to a semi-fluid film that won't clog conduit; Clings to cable throughout long pulls; Easy to apply by hand, brush, or pump; Environmentally safe - non-toxic, non-flammable, and non-corrosive
Extra Long Description	IDEAL 31-388 ClearGlide Lubricant,I

ELLIOTT ELECTRIC SUPPLY
We Deliver...Lower Cost, Quality Products, & Personal Service
2310 N. Stallings Dr.
Nacogdoches, TX 75964-0
Phone: 9365697941
Fax: 9365604685

Manufacturer Information

Brand	Ideal
	Ideal Industries
GTIN	00783250348152
UPC	783250

Taxonomies, Classifications, and Categories

Category Description	WIRE LUBE, MARKERS, & TIES
Type	Lubricant

Packaging

Carton	1
Package	12
Weight Per Each	2.3 (lbs/each)

Uses, Certifications, and Standards

Application	For Wire Pulling
Standard	UL Listed