


THE WALL OF ORANGE™

BUILT FOR WHAT MATTERS




BRIDGEPORT PRODUCTS FOR MC CABLE



MAKE SWEET CONNECTIONS

 **BRIDGEPORT**
BPTFITTINGS.COM




SEE THE DIFFERENCE
ORANGE MAKES™
[HTTP://QRS.LY/8K63SF7](http://qrs.ly/8K63SF7)

COMING SOON!

MC-FLEXFIT™ ADJUSTABLE MC CONNECTOR

ADJUSTABLE NONMETALLIC
END STOP AND THROAT



**INNOVATIVE AND LONGER ONE PIECE
ARMOR STOP AND INSULATED THROAT
PROVIDES GREATER CONDUCTOR PROTECTION**



- Unique two position, two screw hinge for quickest installation
- No need for separate bushings
- Heavy duty steel construction supports large-sized MC cable
- Fewer connectors handles more cable diameters
- cETLus Listed
- Patented


THE WALL OF ORANGE™

ORANGE CAN HANDLE IT

Go with proven products from
the Bridgeport Wall of Orange.
They can take tough.

MAKE THE S

EMT TO MC CABLE TRANSITION WITH DUPLEX STRAP



4157-DC MIGHTY-MERGE®
COMBINATION COUPLINGS

USD-4461 MIGHTY-HOLD®
DUPLEX UNIVERSAL STRAPS

PREFABRICATED MULTIPLE LIGHTING CONNECTIONS




4457-DC MIGHTY-MERGE®
MULTI PORT COMBINATION
COUPLINGS

590-DC2 CABLE SNAP
CONNECTORS

SWEETEST CONNECTIONS


MC FEEDER CONNECTION WITH ADJUSTABLE CLAMP STRAP



680 SERIES TWO SCREW STRAP CONNECTORS


UCS SERIES MIGHTY-HOLD® UNIVERSAL CLAMP STRAPS

SINGLE AND DUPLEX STEEL QUICK INSTALL CONNECTIONS



AMC-50QI E-Z LOCK™ CONNECTORS

AMC-52QI E-Z LOCK™ DUPLEX CONNECTORS




JACKETED MC CABLE CONNECTION AND SUPPORT



595 SERIES MIGHTY-SEAL® POLYOLEFIN COATED MC CONNECTORS

USS SERIES MIGHTY-HOLD® STAINLESS STEEL STRAPS

EQUIPMENT GROUNDED TRANSITION AND FLEX CONNECTION




281-DCG SQUEEZE TRANSITION COUPLINGS WITH GROUNDING LUG

407-DC2G SQUEEZE CONNECTORS WITH GROUNDING LUG

QUICK INSTALL SOLUTIONS IN ZINC

QUALITY, VALUE AND INNOVATION.




38ADS


New Work Time Saver!

**Double-Snap Connectors
No Tools Required!**

- Simple and Fast
- Reusable
- Robust Insulated Throat
- cULus Listed



**SNAP IN
BOX**




**EASY,
NO TOOL
REMOVAL**

38ACDS


Old Work Problem Solver!



SNAP IN CABLE



SNAP IN BOX



**EASY, NO TOOL
REMOVAL**

Zinc Die Cast / Insulated Throat – 105°C

| Catalog Number | K.O. Size | Flex Trade Size | AC/MC Cable Range | | Unit Qty. | Std. Pkg. Qty. |
|----------------|-----------|-----------------|-------------------|-------------|-----------|----------------|
| | | | Min. | Max. | | |
| 38ACDS | 1/2" | 3/8" | 14/2 (.40") | 10/3 (.63") | 50 | 500 |
| 38ADS | 1/2" | 3/8" | 14/2 (.40") | 10/3 (.63") | 50 | 500 |

3838ASP



**WHIPPER-SNAP®
DUPLEX CONNECTORS**



- Double snap in
- Easy removal from the box
- Reuseable
- cULus Listed
- Patented

Zinc Die Cast / Insulated Throat – 105°C

| Catalog Number | K.O. Size | Flex Trade Size | AC/MC Cable Range | | Unit Qty. | Std. Pkg. Qty. |
|----------------|-----------|-----------------|-------------------|-------------|-----------|----------------|
| | | | Min. | Max. | | |
| 3838ASP | 1/2" | 3/8" | 14/2 (.38") | 10/2 (.59") | 20 | 200 |

QUICK INSTALL SOLUTIONS IN STEEL



50% LESS TIME. 100% LESS TOOLS.




**AMC-50QI
E-Z LOCK™
QUICK INSTALL
CONNECTORS**

- Lever action
- Easy in; Easy out
- Rectangular design requires less effort to install
- No Tools Required




**AMC-52QI
E-Z LOCK™
QUICK INSTALL
DUPLEX CONNECTORS**

- Open pass-through eliminates damage to conductors
- Prefab alternative
- Made in the USA
- Patent Pending



Zinc Plated Steel

| Catalog Number | K.O. Size | Flex Trade Size | AC/MC Cable Range Min. | AC/MC Cable Range Max. | Unit Qty. | Std. Pkg. Qty. |
|----------------|-----------|-----------------|------------------------|------------------------|-----------|----------------|
| AMC-50QI | 1/2" | 3/8" | 14/2 (.40") | 10/3 (.61") | 50 | 500 |



Zinc Plated Steel

| Catalog Number | K.O. Size | Flex Trade Size | AC/MC Cable Range Min. | AC/MC Cable Range Max. | Unit Qty. | Std. Pkg. Qty. |
|----------------|-----------|-----------------|------------------------|------------------------|-----------|----------------|
| AMC-52QI | 1/2" | 3/8" | 14/2 (.40") | 10/2 (.59") | 25 | 250 |

FOR MORE INFORMATION, VISIT: WWW.BPTFITTINGS.COM

AC/MC Selection Chart

| Catalog Number | UPC Number | Trade Size | K.O. Size | Cable |
|----------------|------------|------------|-----------|-------|
|----------------|------------|------------|-----------|-------|

DIE CAST SQUEEZE CONNECTORS

| | | | | |
|---------|-------|------|------|----------------------------------|
| 403-DC2 | 15403 | 3/8" | 1/2" | 12/3 thru 10/3 (.58"-.61") AC/MC |
|---------|-------|------|------|----------------------------------|

DIE CAST SQUEEZE CONNECTORS WITH GROUNDING LUG

| | | | | |
|----------|-------|------|------|-----------------------|
| 407-DC2G | 17407 | 1/2" | 1/2" | .86"-.92" AC/HCF, FMC |
|----------|-------|------|------|-----------------------|

DIE CAST STRAP TYPE CONNECTORS

| | | | | |
|-----------|-------|------|------|--|
| 560-DC2* | 15560 | 3/8" | 1/2" | 14/4 to 10/4 (.44"-.61") AC/MC/MCI-A |
| 561-DC2* | 15561 | 3/4" | 3/4" | 12/4 thru 8/4 (.61"-.87") AC/MC |
| 560-DCI2 | 16560 | 3/8" | 1/2" | 14/4 to 10/4 (.43"-.61") AC/MC/MCI-A |
| 561-DCI2* | 16561 | 3/4" | 3/4" | AC/MC: 12/4 thru 8/4 (.61"-.87") AC/MC |
| 560-MCIA2 | 72560 | 3/8" | 1/2" | 14/2 to 10/4 (.38"-.61") MCI-A |
| BL-17* | 15567 | 1/2" | 1/2" | 8/3 AC90, 8/3 or 6/3 MCI-A |
| BL-17I* | 16567 | 1/2" | 1/2" | 8/3 AC90, 8/3 or 6/3 MCI-A |
| BL-18 | 15568 | 3/4" | 3/4" | 6/3 AC90 |
| BL-18I | 16568 | 3/4" | 3/4" | 6/3 AC90 |
| BL-19 | 15569 | 1" | 1" | 3/3 AC90 |
| BL-19I | 16569 | 1" | 1" | 3/3 AC90 |

DIE CAST 1 OR 2 SCREW CONNECTORS

| | | | | |
|----------|-------|------|------|--|
| 501-DC2* | 15501 | 3/8" | 1/2" | 14/2-10/3 Steel MC/MCI-A .43"-.61" Steel or AL AC |
| 545-DC2* | 15545 | 3/8" | 1/2" | 14/2 thru 10/3 (.44"-.61") AC/MC |
| 563-DC2 | 15563 | 3/8" | 1/4" | 14/2-12/2 AC/MC/NM |
| 565-DC2 | 15565 | 3/8" | 1/2" | 14/2 to 10/3 (.38"-.53") MC/MCI-A |
| 566-DC2 | 15566 | 3/8" | 1/2" | 14/4 to 10/3 (.44"-.53") ALMC/MCI-A |
| 845SP | 70501 | 3/8" | 1/2" | 12/2 to 10/4 (.43"-.61") AC/MC/MCI-A |
| 840SP* | 70566 | 3/8" | 1/2" | 14/2 to 10/3 (.44"-.61") AC/MC/MCI-A |

MALLEABLE IRON SINGLE SCREW CONNECTORS

| | | | | |
|--------|-------|------|------|-------------------------|
| 403-I* | 10403 | 3/8" | 1/2" | 14/4 to 6/3 AC/MC/MCI-A |
|--------|-------|------|------|-------------------------|

DIE CAST LOW PROFILE "U" SHAPED STRAP CONNECTORS


| | | | | |
|-----------|-------|------|------|--------------------------------------|
| SG38ASP* | 08570 | 3/8" | 1/2" | 14/4 to 10/3 (.43"-.61") AC/MC/MCI-A |
| 570-DC2* | 15570 | 3/8" | 1/2" | 14/2 to 10/3 (.38"-.61") AC/MC/MCI-A |
| 570-DCI2* | 16570 | 3/8" | 1/2" | 14/4 to 10/3 (.38"-.61") AC/MC/MCI-A |

DIE CAST COLOR-CODED LOW PROFILE CONNECTORS

| | | | | |
|---------|-------|------|------|---|
| 570-GI* | 75706 | 3/8" | 1/2" | 14/2 to 10/3 (.38"-.61") HCF/AC (Green color) |
| 570-RI* | 75708 | 3/8" | 1/2" | 18/2 to 12/4 (.38"-.61") Fire Alarm MC (Red color) |



403-DC2



407-DC2G



560-DC2



561-DCI2



BL-17



501-DC2



545-DC2



563-DC2



565-DC2



566-DC2



840SP



845SP



403-I



SG38ASP



570-DC2




570-DCI2



570-RI



570-GI
570-G/RI



| Catalog Number | UPC Number | Trade Size | K.O. Size | Cable |
|----------------|------------|------------|-----------|-------|
|----------------|------------|------------|-----------|-------|

DIE CAST 2 SCREW CONNECTORS

| | | | | |
|----------|-------|------|------|--------------------------------|
| 653-DC2* | 15653 | 1/2" | 1/2" | 8/2-6/4 (.675"-.90") AC |
| 655-DC2 | 15655 | 3/4" | 3/4" | 6/3-4/3 (.85"-1.1") AC/MC |
| 657-DC2 | 15657 | 1" | 1" | 4/3 to 1/3 (1.03"-1.31") AC/MC |





ADJUSTABLE END STOP MC-FLEXFIT™ CONNECTORS

| | | | | |
|---------|-------|--------|--------|----------------|
| 683-UI | 02683 | 1" | 1" | .78"-1.12" MC |
| 684-UI | 02684 | 1 1/4" | 1 1/4" | 1.00"-1.46" MC |
| 685-UI | 02685 | 1 1/2" | 1 1/2" | 1.36"-1.77" MC |
| 686-UI | 02886 | 2" | 2" | 1.70"-2.20" MC |
| 687-UI | 02687 | 2 1/2" | 2 1/2" | 2.10"-2.70" MC |
| 688-UI | 02688 | 3" | 3" | 2.63"-2.90" MC |
| 688-UIX | 02689 | 3" | 3" | 2.90"-3.30" MC |

DIE CAST LARGE SIZE 2 SCREW, STRAP TYPE CONNECTORS

| | | | | |
|----------|-------|--------|--------|-------------------------------------|
| 682-DC2* | 15682 | 3/4" | 1" | 3 #12 to 3 #6 (.525"-.875") AC/MC |
| 683-DC2 | 15683 | 1" | 1" | 3 #4 to 4 #3 (.875"-1.04") MC |
| 683-DCI2 | 16683 | 1" | 1" | 3 #6 to 3 #3 (.75"-1.04") MC |
| 683-DCX2 | 15683 | 1" | 1" | 3 #4 to 4 #3 (.88"-1.04") AC/MC |
| 684-DC2 | 15684 | 1 1/4" | 1 1/4" | 3 #1 to 4 #2 (1.1"-1.25") MC |
| 684-DCX2 | 15684 | 1 1/4" | 1 1/4" | 3 #1 to 4 #2 (1.1"-1.25") AC/MC |
| 685-DC2 | 15685 | 1 1/2" | 1 1/2" | 3 #2/0 to 4 #1/0 (1.25"-1.5") MC |
| 685-DCX2 | 15685 | 1 1/2" | 1 1/2" | 3 #2/0 to 4 #1/0 (1.25"-1.5") AC/MC |
| 686-DC2 | 15686 | 2" | 2" | 3 #350 to 4 #250 (1.75"-2.0") MC |
| 686-DCX2 | 25686 | 2" | 2" | 3 #4/0 to 4 #250 (1.5"-1.85") MC |
| 687-DC2 | 15687 | 2 1/2" | 2 1/2" | 3 #500 to 4 #400 (2.0"-2.5") MC |
| 687-DCX2 | 15687 | 2 1/2" | 2 1/2" | 3 #500 to 4 #400 (2.0"-2.5") AC/MC |
| 688-DC2 | 15688 | 3" | 3" | 3 #600 to 4 #700 (2.375"-3.0") MC |
| 688-DCX2 | 15688 | 3" | 3" | 3 #600 to 4 #700 (2.38"-3.0") AC/MC |
| 689-DC2 | 15689 | 3 1/2" | 3 1/2" | 4 #700 to 4 #750 (2.75"-3.50") MC |
| 689-DCX2 | 15689 | 3 1/2" | 3 1/2" | 4 #700 to 4 #750 (2.75"-3.5") AC/MC |





683-XM

| Catalog Number | UPC Number | Trade Size | K.O. Size | Cable |
|----------------|------------|------------|-----------|-------|
|----------------|------------|------------|-----------|-------|

**MALLEABLE IRON (REGULAR OPENING)
4 SCREW, STRAP TYPE CONNECTORS**

| | | | | |
|--------|-------|--------|--------|--------------------------------------|
| 683-XM | 00683 | 1" | 1" | 3 # 4 to 4 #3 (.81"-1.05") AC/MC |
| 684-XM | 00684 | 1 1/4" | 1 1/4" | 3 #1 to 4 #2 (1.05"-1.27") AC/MC |
| 685-XM | 00685 | 1 1/2" | 1 1/2" | 3 #2/0 to 4 #1/0 (1.27"-1.4") AC/MC |
| 686-XM | 00686 | 2" | 2" | 3-4/0 to 3 #250 (1.4"-1.94") AC/MC |
| 687-XM | 00687 | 2 1/2" | 2 1/2" | 3 #500 to 4 #400 (1.94"-2.40") AC/MC |
| 688-XM | 00688 | 3" | 3" | 3 #600 to 4 #700 (2.4"-2.9") AC/MC |
| 689-XM | 00689 | 3 1/2" | 3 1/2" | 4 #700 to 4 #750 (2.6"-3.2") AC/MC |



801-DC2
808-DC2

802-DC2
802-MCIA2
851-DC2



802SP
851SP

DIE CAST 90° CONNECTORS

| | | | | |
|-----------|-------|------|------|---------------------------------|
| 801-DC2* | 15801 | 3/8" | 1/2" | 12/2 to 10/3 (.45"- .625") MC |
| 801-DCI2* | 16801 | 3/8" | 1/2" | 12/2 to 10/3 (.45"- .625") MC |
| 802-MCIA2 | 75802 | 3/8" | 1/2" | (.42"- .55") MC/MCI-A |
| 802-DC2* | 15802 | 3/8" | 1/2" | 12/2 to 10/3 (.48"- .58") AC/MC |
| 802-DCI2 | 16802 | 3/8" | 1/2" | 12/2 to 10/3 (.48"- .58") AC/MC |
| 802SP* | 70802 | 3/8" | 1/2" | 12/2 to 10/3 (.48"- .58") AC/MC |



830-DC2




850SP



84690SP

DIE CAST 90° CONNECTORS

| | | | | |
|----------|-------|--------|--------|---------------------------------------|
| 804-DC2 | 15804 | 1/2" | 1/2" | 8/4 to 6/3 (.75"- .875") MC |
| 804-DCI2 | 16804 | 1/2" | 1/2" | 8/4 to 6/3 (.75"- .875") MC |
| 806-DC2 | 15806 | 3/4" | 3/4" | 4/2 to 4/3 (.875"-1.0") MC |
| 806-DCI2 | 16806 | 3/4" | 3/4" | 4/2 to 4/3 (.875"-1.0") MC |
| 807-DC2 | 15807 | 1" | 1" | 1.187" to 1.312" MC |
| 807-DCI2 | 16807 | 1" | 1" | 1.187" to 1.312" MC |
| 808-DC2 | 15808 | 1 1/4" | 1 1/4" | 1.500" to 1.625" MC |
| 808-DCI2 | 16808 | 1 1/4" | 1 1/4" | 1.500" to 1.625" MC |
| 830-DC2 | 15830 | 3/8" | 1/2" | 14/2 to 10/3 (.44"- .61") AC |
| 850SP | 70801 | 3/8" | 1/2" | 12/2 to 10/3 (.55"- .61") MC |
| 851ASP | 08851 | 1/2" | 1/2" | 1/2" FMC |
| 851-DC2 | 15851 | 1/2" | 1/2" | 1/2" FMC |
| 851-DCI2 | 16851 | 1/2" | 1/2" | 1/2" FMC |
| 851SP | 70851 | 1/2" | 1/2" | 1/2" FMC |
| 84690SP | 70830 | 3/8" | 1/2" | 14/2 to 10/3 (.42"- .61") AC/MC/MCI-A |



| Catalog Number | UPC Number | Trade Size | K.O. Size | Cable |
|----------------|------------|------------|-----------|-------|
|----------------|------------|------------|-----------|-------|

CABLE BRACKETS

| | | | | |
|--------|-------|--|--|---------------------------------|
| 895-MC | 02895 | | | 14/2 to 12/3 (.475"-.59") AC/MC |
| NMCB-1 | 40747 | | | 14/2, 12/2 NM |
| NMCB-3 | 40767 | | | 14/2, 10/3 NM |

STEEL 1-HOLE STRAPS

| | | | | |
|--------|-------|--|--|--|
| 890-MC | 02890 | | | 14/2 to 12/2 (.475"-.525") AC/MC/MCI-A |
| 891-MC | 02891 | | | 14/3 to 12/3 (.54"-.59") AC/MC/MCI-A |
| 900F | 02970 | | | 12/4 to 10/3 (.56"-.61") AC/MC/MCI-A |

ANTI-SHORT BUSHINGS "RED HEADS"

| | | | | |
|------|-------|---|--|--------------------------|
| 1000 | 01000 | 0 | | 14/2 to 12/2 AC/MC/MCI-A |
| 1001 | 01001 | 1 | | 14/4 to 4/1 AC/MC/MCI-A |
| 1002 | 01002 | 2 | | 12/4 to 2/1 AC/MC/MCI-A |
| 1003 | 01003 | 3 | | 10/4 to 1/1 AC/MC/MCI-A |
| 1004 | 01004 | 4 | | 8/4 to 6/4 AC/MC/MCI-A |
| 1005 | 01005 | 5 | | --- |
| 1006 | 01006 | 6 | | --- |
| 1007 | 01007 | 7 | | --- |
| 1008 | 01008 | 8 | | --- |

UNIVERSAL STEEL 1-HOLE STRAPS

| | | | | |
|----------|-------|------|--|--|
| US-6171 | 02894 | 3/8" | | 10/4 to 8/3 AC/MC/MCI-A (.617"-.710") |
| USD-4461 | 02896 | 3/8" | | 14/2 to 10/3 AC/MC/MCI-A (.425"-.610") |
| USD-6171 | 02897 | 3/8" | | 10/4 to 8/3 AC/MC/MCI-A (.617"-.710") |





| Catalog Number | UPC Number | Trade Size | K.O. Size | Cable |
|----------------|------------|------------|-----------|-------|
|----------------|------------|------------|-----------|-------|

UCS, UCSC AND UCSS CLAMP STRAPS

| | | | | |
|------------|-------|---------------|---------------|---------------------|
| UCS-5075 | 02932 | 1/2"-3/4" | .710"-1.100" | AC/MC/MCI-A/HCF/JMC |
| UCS-75100 | 02933 | 3/4"-1" | .925"-1.320" | AC/MC/MCI-A/HCF/JMC |
| UCS-100125 | 02934 | 1"-1 1/4" | 1.158"-1.660" | AC/MC/MCI-A/HCF/JMC |
| UCS-125150 | 02935 | 1 1/4"-1 1/2" | 1.505"-1.950" | AC/MC/MCI-A/HCF/JMC |
| UCS-150200 | 02936 | 1 1/2"-2" | 1.735"-2.450" | AC/MC/MCI-A/HCF/JMC |

Polyolefin Coated Steel

| | | | | |
|------------|-------|---------------|---------------|---------------------|
| UCSC-5075 | 14932 | 1/2"-3/4" | .710"-1.100" | AC/MC/MCI-A/HCF/JMC |
| UCSC-75100 | 14933 | 3/4"-1" | .925"-1.320" | AC/MC/MCI-A/HCF/JMC |
| UCSC100125 | 14934 | 1"-1 1/4" | 1.158"-1.660" | AC/MC/MCI-A/HCF/JMC |
| UCSC125150 | 14935 | 1 1/4"-1 1/2" | 1.505"-1.950" | AC/MC/MCI-A/HCF/JMC |
| UCSC150200 | 14936 | 1 1/2"-2" | 1.735"-2.450" | AC/MC/MCI-A/HCF/JMC |

Stainless Steel

| | | | | |
|------------|-------|---------------|---------------|---------------------|
| UCSS-5075 | 02942 | 1/2"-3/4" | .710"-1.100" | AC/MC/MCI-A/HCF/JMC |
| UCSS-75100 | 02943 | 3/4"-1" | .925"-1.320" | AC/MC/MCI-A/HCF/JMC |
| UCSS100125 | 02944 | 1"-1 1/4" | 1.158"-1.660" | AC/MC/MCI-A/HCF/JMC |
| UCSS125150 | 02945 | 1 1/4"-1 1/2" | 1.505"-1.950" | AC/MC/MCI-A/HCF/JMC |
| UCSS150200 | 02946 | 1 1/2"-2" | 1.735"-2.450" | AC/MC/MCI-A/HCF/JMC |





4157-DC



4156-DC

4357-DC



4457-DC

5157-DC



280-DC,
280-DCX

280SPMB,
281SPMB



281-DCG

| Catalog Number | UPC Number | Cable/Conduit |
|----------------|------------|---------------|
|----------------|------------|---------------|

COMBINATION EMT - AC/MC COUPLINGS

| | | |
|---------|-------|--|
| 4157-DC | 94157 | 14/2 thru 10/3 to 3/4" EMT (.43"-.61") AC/MC |
|---------|-------|--|

COMBINATION COUPLINGS


| | | |
|---------|-------|--|
| 4057-DC | 94057 | 14/2 thru 10/3 to 3/4" EMT (.43"-.61") AC/MC/MCI-A |
| 4058-DC | 94058 | 10/4 thru 6/4 to 3/4" EMT (.63"-.89") AC/MC/MCI-A |
| 4156-DC | 94156 | 14/2 thru 12/2 to 1/2" EMT (.43"-.61") AC/MC/MCI-A |
| 4357-DC | 94357 | 14/2 thru 12/2 to 1" EMT (.43"-.61") AC/MC/MCI-A |
| 4457-DC | 94457 | 14/2 thru 12/2 to 1" EMT (.43"-.61") AC/MC/MCI-A |
| 5157-DC | 95157 | 14/2 thru 12/2 to 1" EMT (.43"-.61") AC/MC/MCI-A |

TRANSITION COUPLINGS

| | | |
|---------|-------|--|
| 280-DCX | 09279 | 14/2 thru 10/3 to 1/2" EMT (.43"-.61") AC/MC/MCI-A |
| 280SP | 70280 | 14/2 thru 10/3 to 1/2" EMT (.43"-.61") AC/MC/MCI-A |
| 280SPMB | 71280 | 14/2 thru 10/3 to 1/2" EMT (.43"-.61") AC/MC/MCI-A |
| 281SPMB | 71281 | 10/4 thru 8/3 to 3/4" EMT (.61"-.72") AC/MC/MCI-A |

SQUEEZE TRANSITION COUPLING WITH GROUNDING LUG

| | | |
|---------|-------|----------------------|
| 281-DCG | 17281 | 1/2" FMC to 1/2" EMT |
|---------|-------|----------------------|




| Catalog Number | UPC Number | Trade Size | K.O. Size | Cable |
|----------------|------------|------------|-----------|-------|
|----------------|------------|------------|-----------|-------|

STEEL E-Z LOCK™ SINGLE & DUPLEX CONNECTORS

| | | | | |
|-----------|-------|------|------|--------------------------------------|
| AMC-50* | 20570 | 3/8" | 1/2" | 14/4 to 10/4 (.40"-.62") AC/MC/MCI-A |
| AMC-50QI* | 21570 | 3/8" | 1/2" | 14/2 to 10/3 (.40"-.62") AC/MC/MCI-A |
| AMC-5075* | 20577 | 1/2" | 1/2" | 8/3 to 6/2 (.62"-.92") AC/MC/MCI-A |
| AMC-52 | 20580 | 3/8" | 1/2" | 14/4 to 10/4 (.43"-.62") AC/MC/MCI-A |
| AMC-75* | 20571 | 3/4" | 3/4" | 10/3 to 8/4 (.566"-.81") AC/MC/HCF |
| AMC-52QI | 21580 | 3/8" | 1/2" | 14/2 to 10/2 (.40"-.61") AC/MC/MCI-A |





571-DC2
573-DC2



571-S
573-S

| Catalog Number | UPC Number | Trade Size | K.O. Size | Cable |
|----------------|------------|------------|-----------|-------|
|----------------|------------|------------|-----------|-------|

“U” SHAPED STRAP CONNECTORS

| | | | | |
|-----------|-------|------|------|--------------------------------------|
| 571-DC2* | 15571 | 1/2" | 1/2" | 8/3 to 6/3 (.70"-.855") AC/MC/MCI-A |
| 571-DCI2* | 16571 | 1/2" | 1/2" | 8/3 to 6/2 (.63"-.78") AC/MC/MCI-A |
| 572-DC2 | 15572 | 3/4" | 3/4" | 4/3 to 3/4 (.948"-1.035") AC/MC |
| 572-DCI2 | 16572 | 3/4" | 3/4" | 4/3 to 3/4 (.948"-1.035") AC/MC |
| 573-DC2 | 15573 | 1" | 1" | 2/3 to 2/0-3 (1.18"-1.35") AC/MC |
| 573-DCI2 | 16573 | 1" | 1" | 2/3 to 2/0-3 (1.18"-1.35") AC/MC |
| 571-S | 00571 | 1/2" | 1/2" | 8/3 to 6/3 (.701"-.855") AC/MC/MCI-A |
| 571-SI* | 10571 | 1/2" | 1/2" | 8/3 to 6/2 (.63"-.78") AC/MC/MCI-A |
| 572-S | 00572 | 3/4" | 3/4" | 4/3 to 3/4 (.945"-1.12") AC/MC |
| 572-SI | 10572 | 3/4" | 3/4" | 4/3 to 3/4 (.945"-1.12") AC/MC |
| 573-S | 00573 | 1" | 1" | 2/3 to 2/0-3 (1.18"-1.35") AC/MC |
| 573-SI | 10573 | 1" | 1" | 2/3 to 2/0-3 (1.18"-1.35") AC/MC |

DIE CAST SNAP-IN CONNECTORS

| | | | | |
|--------------------------|-------|------|------|--|
| 38ADS | 08390 | 3/8" | 1/2" | 14/2 to 10/3 (.40"-.63") AC/MC/MCI-A/HCF |
| Double Snap | | | | |
| 38ACDS | 08380 | 3/8" | 1/2" | 14/2 to 10/3 (.40"-.63") AC/MC/MCI-A/HCF |
| Double Snap for Old Work | | | | |
| 590-DC2 | 15590 | 3/8" | 1/2" | 14/2 to 10/3 (.43"-.61") AC/MC |
| 590-DCI2* | 16590 | 3/8" | 1/2" | 14/2 to 10/3 (.43"-.61") AC/MC |



38ACDS



38ADS



590-DCI2



| Catalog Number | UPC Number | Trade Size | K.O. Size | Cable |
|----------------|------------|------------|-----------|-------|
|----------------|------------|------------|-----------|-------|

PVC JACKETED MC AND TECK CABLE CONNECTORS

| | | | | |
|------------|-------|------|------|--|
| 595-DC2 | 15595 | 3/8" | 1/2" | 12/3 thru 10/3 PVC Jacketed MC or 14/2,14/3 or 12/2 TECK Cable with Armor and Jacket (.50"- .61") |
| 595-DC12 | 16595 | 3/8" | 1/2" | 12/3 thru 10/3 PVC Jacketed MC or 14/2, 14/3 or 12/2 TECK Cable with Armor and Jacket (.50"- .61") |
| 596-DC2 | 15596 | 1/2" | 1/2" | 10/3 thru 8/3 PVC Jacketed MC or 14/2 thru 10/3 TECK Cable with Armor and Jacket (.685"- .80") |
| 596-DC12 | 16596 | 1/2" | 1/2" | 10/3 thru 8/3 PVC Jacketed MC or 14/2 thru 10/3 TECK Cable with Armor and Jacket (.685"- .80") |
| 895-DC2** | 15895 | 3/8" | 1/2" | 12/3 thru 10/3 PVC Jacketed MC or 14/2,14/3 or 12/2 TECK Cable with Armor and Jacket (.50"- .61") |
| 895-DC12** | 16895 | 3/8" | 1/2" | 12/3 thru 10/3 PVC Jacketed MC or 14/2,14/3 or 12/2 TECK Cable with Armor and Jacket (.50"- .61") |

Polyolefin Coated

| | | | | |
|------------|-------|------|------|---|
| 595-DC2C | 14895 | 3/8" | 1/2" | 12/3 thru 10/3 PVC Jacketed MC or 14/2,14/3 or 12/2 TECK Cable with Armor and Jacket (.50"- .61") |
| 596-DC2C | 14596 | 3/8" | 1/2" | 10/3 thru 8/3 PVC Jacketed MC or 14/2 thru 10/3 TECK Cable with Armor and Jacket (.685"- .80") |
| 895-DC2C** | 14895 | 3/8" | 1/2" | 12/3 thru 10/3 PVC Jacketed MC or 14/2,14/3 or 12/2 TECK Cable with Armor and Jacket (.50"- .61") |

** 90 Degree





| Catalog Number | UPC Number | Trade Size | K.O. Size | Cable |
|----------------|------------|------------|-----------|-------|
|----------------|------------|------------|-----------|-------|

STAINLESS STEEL STRAPS FOR PVC AND TECK JACKETED MC



USS-6171

| | | | | |
|----------|-------|------|------|--------------------------|
| USS-6171 | 02893 | 3/8" | 1/2" | (.61"-.71") AC/MC/PVC-MC |
|----------|-------|------|------|--------------------------|

DIE CAST DUPLEX CONNECTORS



601-DC2



830-DC2



3838ASP



3838SP



SG3838ASP

| | | | | |
|-----------|-------|------|------|--|
| 601-DC2 | 15601 | 3/8" | 1/2" | 14/2 to 10/4 (.375"-.625") AC/MC/MCI-A |
| 621-DC2* | 15621 | 3/8" | 3/4" | 14/4 to 8/3 (.44"-.70") AC/MC/MCI-A |
| 691-DC2 | 15691 | 3/8" | 1/2" | 14/2 to 10/3 (.42"-.61") AC/MC/MCI-A |
| 830-DC2 | 15830 | 3/8" | 1/2" | 14/2 to 10/3 (.44"-.61") AC/MC |
| 3838ASP | 08690 | 3/8" | 1/2" | 14/2 to 10/2 (.38"-.59") AC/MC/MCI-A |
| 3838SP | 70690 | 3/8" | 1/2" | 14/2 to 10/2 (.38"-.59") AC/MC/MCI-A |
| SG3838ASP | 08691 | 3/8" | 1/2" | 14/2 to 10/3 (.42"-.61") AC/MC/MCI-A |

Suggested Fittings for Non-PVC Jacketed MC Cable *

3 CONDUCTORS WITH GROUND

| Size (AWG or kcmil) | Bridgeport Connector |
|------------------------|-------------------------|
| 6-6-6-6 | 653-DC2 |
| 4-4-4-6 | 683-DC2 |
| 2-2-2-4 | 683-DC2 |
| 1-1-1-4 | 684-DC2 |
| 1/0-1/0-1/0-4 | 684-DC2 |
| 2/0-2/0-2/0-4 | 685-DC2 |
| 3/0-3/0-3/0-4 | 685-DC2 |
| 4/0-4/0-4/0-2 | 686-DCX2 |
| 250-250-250-2 | 686-DCX2 |
| 300-300-300-1 | 686-DC2 |
| 350-350-350-1 | 686-DC2 |
| 400-400-400-1 | 687-DC2 |
| 500-500-500-1 | 687-DC2 |
| 500-500-500-2/0 | 687-DC2 |
| 500-500-500-250 | 688-DC2 |
| 600-600-600-1/0 | 687-DC2 |
| 750-750-750-1/0 | 688-DC2 |
| 750-750-750-3/0 | 688-DC2 |

4 CONDUCTORS WITH GROUND

| Size (AWG or kcmil) | Bridgeport Connector |
|------------------------|-------------------------|
| 6-6-6-6-6 | 653-DC2 |
| 4-4-4-4-6 | 683-DC2 |
| 2-2-2-2-4 | 657-DC2 |
| 1-1-1-1-4 | 684-DC2 |
| 1/0-1/0-1/0-1/0-4 | 685-DC2 |
| 2/0-2/0-2/0-2/0-4 | 685-DC2 |
| 3/0-3/0-3/0-3/0-4 | 686-DCX2 |
| 4/0-4/0-4/0-4/0-2 | 686-DCX2 |
| 250-250-250-250-1 | 686-DC2 |
| 300-300-300-300-1 | 687-DC2 |
| 350-350-350-350-1/0 | 687-DC2 |
| 400-400-400-400-3/0 | 687-DC2 |
| 500-500-500-500-3/0 | 687-DC2 |
| 500-500-500-500-250 | 687-DC2 |
| 600-600-600-600-3/0 | 688-DC2 |
| 600-600-600-600-400 | 688-DC2 |
| 750-750-750-750-3/0 | 688-DC2 |
| 750-750-750-750-500 | 689-DC2 |
| 900-900-900-900-250 | 689-DC2 |

*Check outside cable diameter with cable manufacturer to select the correct fitting.

Bridgeport MCI-A Cable Fittings

| Cable Fitting | Enclosure Opening KO Size | Cable Outer Diameter (O.D.) Range | Cable Types Listed To: Note: Includes Steel and Aluminum | Healthcare Facility Cable | Flexible Metal Conduit Note: Includes Steel and Aluminum (RWFMC) | Recommended Cable Types & Notes Note: Verify with cable O.D. Includes Steel and Aluminum |
|---------------|---------------------------|-----------------------------------|---|---------------------------|---|---|
| 38ADS | 1/2" | .40-.63 | AC/MC/MCI-A | HCF | 3/8" FMC/RWFMC | 14/2 - 10/3 |
| 38ACDS | 1/2" | .40-.63 | AC/MC/MCI-A | HCF | 3/8" FMC/RWFMC | 14/2 - 10/3 |
| 280DCX | | .43-.61 | AC/MC/MCI-A | | | 14/2 - 10/3 to 1/2" EMT |
| 280SP | | .43-.61 | AC/MC/MCI-A | | 3/8" FMC | 14/2 - 10/3 to 1/2" EMT |
| 280SPMB | | .43-.61 | AC/MC/MCI-A | | 3/8" FMC | 14/2 - 10/3 to 1/2" EMT |
| 281SPMB | | .61-.72 | AC/MC/MCI-A | | 3/8" FMC | 10/4 - 8/3 to 3/4" EMT |
| 281-DCG | | | | | 1/2" | 1/2" FMC to 1/2" EMT |
| 3838ASP | 1/2" | .38-.59 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/2 - 10/2 |
| 3838SP | 1/2" | .38-.59 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/2 - 10/2 |
| 403-DC2 | 1/2" | .56-.61 | AC/MC | HCF | 3/8" FMC | 12/3 - 10/3 |
| 403-I* | 1/2" | .51-.835 | AC/MC/MCI-A | | 3/8" FMC | 14/4 - 6/3 |
| 407-DC2 | 1/2" | .86-.92 | AC | HCF | | |
| 407-DCI2 | 1/2" | .86-.92 | AC | HCF | | |
| 407-DC2G | 1/2" | .86-.92 | AC | HCF | 1/2" FMC | |
| 501-DC2* | 1/2" | .43-.61 | MC ONLY | | | 14/2 - 10/3 |
| 545-DC2* | 1/2" | .44-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | | 14/2 - 10/3 |
| 560-DC2* | 1/2" | .44-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 12/2 - 10/4 |
| 560-DCI2 | 1/2" | .44-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 12/2 - 10/4 |
| 560-MCIA2 | 1/2" | .38-.61 | MC/MCI-A | HCFMCI-A | | 14/2 - 10/3 |
| 561-DC2* | 3/4" | .61-.87 | AC/MC | HCF | | 10/4 - 8/3 |
| 561-DCI2* | 3/4" | .61-.87 | AC/MC | HCF | | 10/4 - 8/3 |
| 563-DC2 | 1/4" | | AC/MC | HCF | | 14/2 - 12/2 |
| 565-DC2 | 1/2" | .38-.53 | MC/MCI-A | HCFMCI-A | | 14/2 - 10/3 |
| 566-DC2 | 1/2" | .44-.53 | AC/MC/MCI-A | HCF/HCFMCI-A | | 12/2 - 10/3 |
| 570-DC2* | 1/2" | .38-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | | 14/2 - 10/3 |
| 570-DCI2* | 1/2" | .38-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | | 14/2 - 10/3 |
| 570-DCR2 | 1/2" | .38-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | | 14/2 - 10/3 |
| 570-GI* | 1/2" | .38-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | | 14/2 - 10/3 |
| 570-RI* | 1/2" | .38-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | | 18/2 - 12/4 |
| 571-DC2* | 1/2" | .70-.855 | AC/MC/MCI-A | HCF/HCFMCI-A | 1/2" FMC | 8/3 - 6/3 |
| 571-DCI2* | 1/2" | .70-.855 | AC/MC/MCI-A | HCF/HCFMCI-A | 1/2" FMC | 8/3 - 6/3 |
| 571-S | 1/2" | .701-.855 | MC/MCI-A | HCFMCI-A | 1/2" FMC | 8/3 - 6/3 |
| 571-SI* | 1/2" | .701-.855 | MC/MCI-A | HCFMCI-A | 1/2" FMC | 8/3 - 6/3 |
| 572-DC2 | 3/4" | .945-1.035 | MC | | 3/4" FMC | 4/3 - 3/4 |
| 572-DCI2 | 3/4" | .948-1.035 | MC | | 3/4" FMC | 4/3 - 3/4 |
| 572-S | 3/4" | 0.945-1.04 | MC | | 3/4" FMC | 4/3 |
| 572-SI | 3/4" | 0.945-1.12 | MC | | 3/4" FMC | 4/3 |
| 573-DC2 | 1" | 1.18-1.35 | MC | | 1" FMC | 2/3 - 3-2/0 |
| 573-DCI2 | 1" | 1.18-1.35 | MC | | 1" FMC | 2/3 - 3-2/0 |
| 573-S | 1" | 1.18-1.35 | MC | | 1" FMC | 2/3 - 3-2/0 |
| 573-SI | 1" | 1.18-1.35 | MC | | 1" FMC | 2/3 - 3-2/0 |
| 590-DC2 | 1/2" | .43-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/2 - 10/3 |
| 590-DCI2* | 1/2" | .43-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/2 - 10/3 |
| 595-DC2 | 1/2" | .50-.61 | JMC/TECK90 | | | 12/2 - 10/3 |
| 595-DC2C | 1/2" | .50-.61 | JMC/TECK90 | | | 12/2 - 10/3 |
| 595-DCI2 | 1/2" | .50-.61 | JMC/TECK90 | | | 12/2 - 10/3 |
| 596-DC2 | 1/2" | .61-.69 | JMC/TECK90 | | | 10/4 - 8/3 |

Bridgeport MCI-A Cable Fittings

| Cable Fitting | Enclosure Opening KO Size | Cable Outer Diameter (O.D.) Range | Cable Types Listed To: Note: Includes Steel and Aluminum | Healthcare Facility Cable | Flexible Metal Conduit Note: Includes Steel and Aluminum (RWFMC) | Recommended Cable Types & Notes Note: Verify with cable O.D. Includes Steel and Aluminum |
|---------------|---------------------------|-----------------------------------|---|---------------------------|---|---|
| 596-DC2C | 1/2" | .61-.69 | JMC/TECK90 | | | 10/4 - 8/3 |
| 596-DCI2 | 1/2" | .61-.69 | JMC/TECK90 | | | 10/4 - 8/3 |
| 601-DC2 | 1/2" | .375-.625 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/2 - 10/3 |
| 621-DC2* | 3/4" | .44-.70 | AC/MC/MCI-A | | 3/8" FMC | 14/4 - 8/3 |
| 653-DC2* | 1/2" | .675-.90 | AC | HCF | 1/2" FMC | 8/2 - 6/4 |
| 655-DC2 | 3/4" | .85-1.10 | AC/MC | HCF | 3/4" FMC | 6/3 - 4/3 |
| 657-DC2 | 1" | 1.03-1.31 | AC/MC | HCF | 1" FMC | 4/3 - 1/3 |
| 683-UI | 1" | .78-1.12 | MC | | | |
| 684-UI | 1 1/4" | 1.00-1.46 | MC | | | |
| 685-UI | 1 1/2" | 1.36-1.77 | MC | | | |
| 686-UI | 2" | 1.70-2.20 | MC | | | |
| 687-UI | 2 1/2" | 2.10-2.70 | MC | | | |
| 688-UI | 3" | 2.63-2.90 | MC | | | |
| 688-UIX | 3" | 2.90-3.30 | MC | | | |
| 682-DC2* | 3/4" | .575-.875 | AC/MC | HCF | | 10/3 - 6/4 |
| 683-DC2 | 1" | .875-1.04 | MC | | | 6/4 - 4/3 |
| 684-DC2 | 1-1/4" | 1.1-1.25 | MC | | | 4/4 - 3/4 |
| 685-DC2 | 1-1/2" | 1.25-1.5 | MC | | | 2/4 - 3-2/0 |
| 686-DC2 | 2" | 1.75-2.00 | MC | | | 4-4/0 - 4-250 MCM |
| 687-DC2 | 2-1/2" | 2-2.5 | MC | | | 4-300 MCM - 4-500 MCM |
| 688-DC2 | 3" | 2.375-3 | MC | | | 4-500 MCM - 4-750 MCM |
| 689-DC2 | 3-1/2" | 2.75-3.50 | MC | | | 4-600 MCM - 4-750 MCM |
| 683-DCI2 | 1" | .750-1.04 | MC | | | 6/4 - 4/3 |
| 684-DCI2 | 1-1/4" | 1.1-1.25 | MC | | | 4/4 - 3/4 |
| 685-DCI2 | 1-1/2" | 1.25-1.5 | MC | | | 2/4 - 3-2/0 |
| 686-DCI2 | 2" | 1.75-2.00 | MC | | | 4-4/0 - 4-250 MCM |
| 687-DCI2 | 2-1/2" | 2-2.5 | MC | | | 4-300 MCM - 4-500 MCM |
| 688-DCI2 | 3" | 2.375-3 | MC | | | 4-500 MCM - 4-750 MCM |
| 689-DCI2 | 3-1/2" | 2.75-3.50 | MC | | | 4-600 MCM - 4-750 MCM |
| 683-DCX2 | 1" | .875-1.04 | MC | | | 6/4 - 4/3 |
| 684-DCX2 | 1-1/4" | 1.1-1.25 | MC | | | 4/4 - 3/4 |
| 685-DCX2 | 1-1/2" | 1.25-1.5 | MC | | | 2/4 - 3-2/0 |
| 686-DCX2 | 2" | 1.5-1.85 | MC | | | 3-4/0 - 4-250 MCM |
| 687-DCX2 | 2-1/2" | 2-2.5 | MC | | | 4-300 MCM - 4-500 MCM |
| 688-DCX2 | 3" | 2.375-3 | MC | | | 4-500 MCM - 4-750 MCM |
| 689-DCX2 | 3-1/2" | 2.75-3.50 | MC | | | 4-600 MCM - 4-750 MCM |
| 683-XM | 1" | 0.81-1.05 | AC/MC | HCF | | 6/4 - 4/3 |
| 684-XM | 1-1/4" | 1.05-1.27 | AC/MC | HCF | | 4/4 - 3/4 |
| 685-XM | 1-1/2" | 1.27-1.4 | AC/MC | HCF | | 4-2/O - 3-350 MCM |
| 686-XM | 2" | 1.4-1.94 | AC/MC | HCF | | 3-4/0 - 4-250 MCM |
| 687-XM | 2-1/2" | 1.94-2.4 | MC | | | 4-300 MCM - 4-500 MCM |
| 688-XM | 3" | 2.4-2.9 | MC | | | 4-500 MCM - 4-750 MCM |
| 689-XM | 3-1/2" | 2.6-3.2 | MC | | | 4-600 MCM - 4-750 MCM |
| 691-DC2 | 1/2" | .42-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/2 - 10/3 |
| 801-DC2* | 1/2" | .45-.625 | MC/MCI-A | HCFMCI-A | 3/8" FMC | 14/4 - 10/4 |
| 801-DCI2* | 1/2" | .45-.63 | AC/MC/MCI-A | | 3/8" FMC | 14/4 - 10/4 |

Bridgeport MCI-A Cable Fittings


| Cable Fitting | Enclosure Opening KO Size | Cable Outer Diameter (O.D.) Range | Cable Types Listed To: Note: Includes Steel and Aluminum | Healthcare Facility Cable | Flexible Metal Conduit Note: Includes Steel and Aluminum (RWFMC) | Recommended Cable Types & Notes Note: Verify with cable O.D. Includes Steel and Aluminum |
|---------------|---------------------------|-----------------------------------|---|---------------------------|---|---|
| 802-DC2* | 1/2" | .48-.58 | AC/MC | HCF | 3/8" FMC | 12/2 - 10/3 |
| 802-DCI2 | 1/2" | .48-.58 | AC/MC | HCF | 3/8" FMC | 12/2 - 10/3 |
| 802SP* | 1/2" | .48-.58 | AC/MC | HCF | 3/8" FMC | 12/2 - 10/3 |
| 802-MCIA2 | 1/2" | .42-.55 | MC/MCI-A | HCFMCI-A | | 14/4 - 10/3 |
| 804-DC2 | 1/2" | .75-.875 | MC | | 1/2" FMC | |
| 804-DCI2 | 1/2" | .75-.875 | MC | | 1/2" FMC | |
| 806-DC2 | 3/4" | .875-1.00 | MC | | 3/4" FMC | |
| 806-DCI2 | 3/4" | .875-1.00 | MC | | 3/4" FMC | |
| 807-DC2 | 1" | 1.187-1.312 | MC | | 1" FMC | |
| 807-DCI2 | 1" | 1.187-1.312 | MC | | 1" FMC | |
| 808-DC2 | 1-1/4" | 1.50-1.625 | MC | | 1-1/4" FMC | |
| 808-DCI2 | 1-1/4" | 1.50-1.625 | MC | | 1-1/4" FMC | |
| 830-DC2 | 1/2" | .44-.61 | AC | HCF | 3/8" FMC | 12/2 - 10/3 |
| 840SP* | 1/2" | .44-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/4 - 10/3 |
| 845SP | 1/2" | .43-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | | 14/2 - 10/3 |
| 84690SP | 1/2" | .42-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/4 - 10/3 |
| 850SP | 1/2" | .55-.61 | AC/MC | HCF | 3/8" FMC | 12/2 - 10/3 |
| 851ASP | 1/2" | | | | 1/2" FMC | |
| 851-DC2 | 1/2" | | | | 1/2" FMC | |
| 851-DCI2 | 1/2" | | | | 1/2" FMC | |
| 851SP | 1/2" | | | | 1/2" FMC | |
| 895-DC2* | 1/2" | .50-.61 | JMC/TECK90 | | | 12/2 - 10/3 |
| 895-DC2C | 1/2" | .50-.61 | JMC/TECK90 | | | 12/2 - 10/3 |
| 895-DCI2* | 1/2" | .50-.61 | JMC/TECK90 | | | 12/2 - 10/3 |
| 4057-DC | | .43-.61 | AC/MC/MCI-A | | 3/8" FMC | 14/2 - 10/3 |
| 4058-DC | | .63-.89 | AC/MC/MCI-A | | 1/2" FMC | 10/4 - 6/4 |
| 4156-DC | | .43-.52 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/2 - 12/2 |
| 4157-DC | | .43-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/2 - 10/3 |
| 4357-DC | | .43-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/2 - 10/3 |
| 4457-DC | | .43-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/2 - 10/3 |
| 5157-DC | | .43-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/2 - 10/3 |
| AMC-50* | 1/2" | .40-.62 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/2 - 10/3 |
| AMC-50QI* | 1/2" | .40-.62 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/2 - 10/3 |
| AMC-5075* | 1/2" | .62-.92 | AC/MC/MCI-A | HCF/HCFMCI-A | 1/2" FMC | 10/4 - 6/4 |
| AMC-52 | 1/2" | .43-.62 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/2 - 10/3 |
| AMC-52QI | 1/2" | .40-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/2 - 10/2 |
| AMC-75* | 3/4" | .56-.81 | AC/MC | HCF | 1/2" FMC | 10/3 - 6/3 |
| BL-17* | 1/2" | .701-803 | 8/3 AC90 | HCF | 1/2" FMC | 8/3 - 6/3 |
| BL-17I* | 1/2" | .701-803 | 8/3 AC90 | HCF | 1/2" FMC | 8/3 - 6/3 |
| BL-18 | 3/4" | | 6/3 AC90 ONLY | | 3/4" FMC | 6/3 |
| BL-18I | 3/4" | | 6/3 AC90 ONLY | | 3/4" FMC | 6/3 |
| BL-19 | 1" | | 3/3 AC90 | | 1" FMC | 3/3 |
| BL-19I | 1" | | 3/3 AC90 | | 1" FMC | 3/3 |
| SG3838ASP | 1/2" | .42-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/2 - 10/3 |
| SG38ASP* | 1/2" | .43-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/4 - 10/3 |

**SEE THE DIFFERENCE
ORANGE MAKES™**

BRIDGEPORT TECH SALES MANAGER MARKET AREAS

**Nesco
West Canada**

**Nesco
East Canada**



Larry Beach,
360-722-0004
larryb@bptfittings.com



Wayne Beach,
508-728-6462
wayneb@bptfittings.com



Eric Cerasale,
203-673-9800
ericc@bptfittings.com



Alan Beach,
774-419-2015
alanb@bptfittings.com

Distributed by:



Bridgeport Fittings, Inc.
705 Lordship Blvd.
Stratford, CT 06615-7313

Voice: 203.377.5944
E-mail: sales@bptfittings.com



Printed in the U.S.A.
© 2017 Bridgeport Fittings, Inc. All rights reserved.




12/17 7500 BP-MC

THE WALL OF ORANGE™

BUILT FOR WHAT MATTERS




BRIDGEPORT PRODUCTS FOR MC CABLE



MAKE SWEET CONNECTIONS

 **BRIDGEPORT**
BPTFITTINGS.COM




SEE THE DIFFERENCE
ORANGE MAKES™
[HTTP://QRS.LY/8K63SF7](http://qrs.ly/8K63SF7)

COMING SOON!

MC-FLEXFIT™ ADJUSTABLE MC CONNECTOR

ADJUSTABLE NONMETALLIC
END STOP AND THROAT



**INNOVATIVE AND LONGER ONE PIECE
ARMOR STOP AND INSULATED THROAT
PROVIDES GREATER CONDUCTOR PROTECTION**



- Unique two position, two screw hinge for quickest installation
- No need for separate bushings
- Heavy duty steel construction supports large-sized MC cable
- Fewer connectors handles more cable diameters
- cETLus Listed
- Patented


THE WALL OF ORANGE™

ORANGE CAN HANDLE IT

Go with proven products from
the Bridgeport Wall of Orange.
They can take tough.

MAKE THE S

EMT TO MC CABLE TRANSITION WITH DUPLEX STRAP



4157-DC MIGHTY-MERGE®
COMBINATION COUPLINGS

USD-4461 MIGHTY-HOLD®
DUPLEX UNIVERSAL STRAPS

PREFABRICATED MULTIPLE LIGHTING CONNECTIONS




4457-DC MIGHTY-MERGE®
MULTI PORT COMBINATION
COUPLINGS

590-DC2 CABLE SNAP
CONNECTORS

SWEETEST CONNECTIONS


MC FEEDER CONNECTION WITH ADJUSTABLE CLAMP STRAP



680 SERIES TWO SCREW STRAP CONNECTORS

UCS SERIES MIGHTY-HOLD® UNIVERSAL CLAMP STRAPS

SINGLE AND DUPLEX STEEL QUICK INSTALL CONNECTIONS



AMC-50QI E-Z LOCK™ CONNECTORS

AMC-52QI E-Z LOCK™ DUPLEX CONNECTORS


JACKETED MC CABLE CONNECTION AND SUPPORT



595 SERIES MIGHTY-SEAL® POLYOLEFIN COATED MC CONNECTORS

USS SERIES MIGHTY-HOLD® STAINLESS STEEL STRAPS

EQUIPMENT GROUNDED TRANSITION AND FLEX CONNECTION



281-DCG SQUEEZE TRANSITION COUPLINGS WITH GROUNDING LUG


407-DC2G SQUEEZE CONNECTORS WITH GROUNDING LUG



LEARN MORE ABOUT MC & FMC FITTINGS VISIT: BPTFITTINGS.COM/MCPRODS

QUICK INSTALL SOLUTIONS IN ZINC

QUALITY, VALUE AND INNOVATION.




38ADS


New Work Time Saver!

**Double-Snap Connectors
No Tools Required!**

- Simple and Fast
- Reusable
- Robust Insulated Throat
- cULus Listed



**SNAP IN
BOX**




**EASY,
NO TOOL
REMOVAL**

38ACDS


Old Work Problem Solver!



SNAP IN CABLE



SNAP IN BOX



**EASY, NO TOOL
REMOVAL**

Zinc Die Cast / Insulated Throat – 105°C

| Catalog Number | K.O. Size | Flex Trade Size | AC/MC Cable Range | | Unit Qty. | Std. Pkg. Qty. |
|----------------|-----------|-----------------|-------------------|-------------|-----------|----------------|
| | | | Min. | Max. | | |
| 38ACDS | 1/2" | 3/8" | 14/2 (.40") | 10/3 (.63") | 50 | 500 |
| 38ADS | 1/2" | 3/8" | 14/2 (.40") | 10/3 (.63") | 50 | 500 |

3838ASP



**WHIPPER-SNAP®
DUPLEX CONNECTORS**



- Double snap in
- Easy removal from the box
- Reuseable
- cULus Listed
- Patented

Zinc Die Cast / Insulated Throat – 105°C

| Catalog Number | K.O. Size | Flex Trade Size | AC/MC Cable Range | | Unit Qty. | Std. Pkg. Qty. |
|----------------|-----------|-----------------|-------------------|-------------|-----------|----------------|
| | | | Min. | Max. | | |
| 3838ASP | 1/2" | 3/8" | 14/2 (.38") | 10/2 (.59") | 20 | 200 |

QUICK INSTALL SOLUTIONS IN STEEL



50% LESS TIME. 100% LESS TOOLS.




**AMC-50QI
E-Z LOCK™
QUICK INSTALL
CONNECTORS**

- Lever action
- Easy in; Easy out
- Rectangular design requires less effort to install
- No Tools Required




**AMC-52QI
E-Z LOCK™
QUICK INSTALL
DUPLEX CONNECTORS**

- Open pass-through eliminates damage to conductors
- Prefab alternative
- Made in the USA
- Patent Pending



Zinc Plated Steel

| Catalog Number | K.O. Size | Flex Trade Size | AC/MC Cable Range Min. Max. | Unit Qty. | Std. Pkg. Qty. |
|----------------|-----------|-----------------|-----------------------------|-----------|----------------|
| AMC-50QI | 1/2" | 3/8" | 14/2 (.40") 10/3 (.61") | 50 | 500 |



Zinc Plated Steel

| Catalog Number | K.O. Size | Flex Trade Size | AC/MC Cable Range Min. Max. | Unit Qty. | Std. Pkg. Qty. |
|----------------|-----------|-----------------|-----------------------------|-----------|----------------|
| AMC-52QI | 1/2" | 3/8" | 14/2 (.40") 10/2 (.59") | 25 | 250 |

FOR MORE INFORMATION, VISIT: WWW.BPTFITTINGS.COM

AC/MC Selection Chart

| Catalog Number | UPC Number | Trade Size | K.O. Size | Cable |
|----------------|------------|------------|-----------|-------|
|----------------|------------|------------|-----------|-------|

DIE CAST SQUEEZE CONNECTORS

| | | | | |
|---------|-------|------|------|----------------------------------|
| 403-DC2 | 15403 | 3/8" | 1/2" | 12/3 thru 10/3 (.58"-.61") AC/MC |
|---------|-------|------|------|----------------------------------|

DIE CAST SQUEEZE CONNECTORS WITH GROUNDING LUG

| | | | | |
|----------|-------|------|------|-----------------------|
| 407-DC2G | 17407 | 1/2" | 1/2" | .86"-.92" AC/HCF, FMC |
|----------|-------|------|------|-----------------------|

DIE CAST STRAP TYPE CONNECTORS

| | | | | |
|-----------|-------|------|------|--|
| 560-DC2* | 15560 | 3/8" | 1/2" | 14/4 to 10/4 (.44"-.61") AC/MC/MCI-A |
| 561-DC2* | 15561 | 3/4" | 3/4" | 12/4 thru 8/4 (.61"-.87") AC/MC |
| 560-DCI2 | 16560 | 3/8" | 1/2" | 14/4 to 10/4 (.43"-.61") AC/MC/MCI-A |
| 561-DCI2* | 16561 | 3/4" | 3/4" | AC/MC: 12/4 thru 8/4 (.61"-.87") AC/MC |
| 560-MCIA2 | 72560 | 3/8" | 1/2" | 14/2 to 10/4 (.38"-.61") MCI-A |
| BL-17* | 15567 | 1/2" | 1/2" | 8/3 AC90, 8/3 or 6/3 MCI-A |
| BL-17I* | 16567 | 1/2" | 1/2" | 8/3 AC90, 8/3 or 6/3 MCI-A |
| BL-18 | 15568 | 3/4" | 3/4" | 6/3 AC90 |
| BL-18I | 16568 | 3/4" | 3/4" | 6/3 AC90 |
| BL-19 | 15569 | 1" | 1" | 3/3 AC90 |
| BL-19I | 16569 | 1" | 1" | 3/3 AC90 |

DIE CAST 1 OR 2 SCREW CONNECTORS

| | | | | |
|----------|-------|------|------|--|
| 501-DC2* | 15501 | 3/8" | 1/2" | 14/2-10/3 Steel MC/MCI-A .43"-.61" Steel or AL AC |
| 545-DC2* | 15545 | 3/8" | 1/2" | 14/2 thru 10/3 (.44"-.61") AC/MC |
| 563-DC2 | 15563 | 3/8" | 1/4" | 14/2-12/2 AC/MC/NM |
| 565-DC2 | 15565 | 3/8" | 1/2" | 14/2 to 10/3 (.38"-.53") MC/MCI-A |
| 566-DC2 | 15566 | 3/8" | 1/2" | 14/4 to 10/3 (.44"-.53") ALMC/MCI-A |
| 845SP | 70501 | 3/8" | 1/2" | 12/2 to 10/4 (.43"-.61") AC/MC/MCI-A |
| 840SP* | 70566 | 3/8" | 1/2" | 14/2 to 10/3 (.44"-.61") AC/MC/MCI-A |

MALLEABLE IRON SINGLE SCREW CONNECTORS

| | | | | |
|--------|-------|------|------|-------------------------|
| 403-I* | 10403 | 3/8" | 1/2" | 14/4 to 6/3 AC/MC/MCI-A |
|--------|-------|------|------|-------------------------|

DIE CAST LOW PROFILE "U" SHAPED STRAP CONNECTORS

| | | | | |
|-----------|-------|------|------|--------------------------------------|
| SG38ASP* | 08570 | 3/8" | 1/2" | 14/4 to 10/3 (.43"-.61") AC/MC/MCI-A |
| 570-DC2* | 15570 | 3/8" | 1/2" | 14/2 to 10/3 (.38"-.61") AC/MC/MCI-A |
| 570-DCI2* | 16570 | 3/8" | 1/2" | 14/4 to 10/3 (.38"-.61") AC/MC/MCI-A |

DIE CAST COLOR-CODED LOW PROFILE CONNECTORS

| | | | | |
|---------|-------|------|------|---|
| 570-GI* | 75706 | 3/8" | 1/2" | 14/2 to 10/3 (.38"-.61") HCF/AC (Green color) |
| 570-RI* | 75708 | 3/8" | 1/2" | 18/2 to 12/4 (.38"-.61") Fire Alarm MC (Red color) |



403-DC2



407-DC2G



560-DC2



561-DCI2



BL-17



501-DC2



545-DC2



563-DC2



565-DC2



566-DC2



840SP



845SP



403-I



SG38ASP



570-DC2



570-DCI2




570-RI



570-GI
570-G/RI

Items marked with an * are also Listed for use with MC-PCS cable.



| Catalog Number | UPC Number | Trade Size | K.O. Size | Cable |
|----------------|------------|------------|-----------|-------|
|----------------|------------|------------|-----------|-------|

DIE CAST 2 SCREW CONNECTORS

| | | | | |
|----------|-------|------|------|--------------------------------|
| 653-DC2* | 15653 | 1/2" | 1/2" | 8/2-6/4 (.675"-.90") AC |
| 655-DC2 | 15655 | 3/4" | 3/4" | 6/3-4/3 (.85"-1.1") AC/MC |
| 657-DC2 | 15657 | 1" | 1" | 4/3 to 1/3 (1.03"-1.31") AC/MC |





ADJUSTABLE END STOP MC-FLEXFIT™ CONNECTORS

| | | | | |
|---------|-------|--------|--------|----------------|
| 683-UI | 02683 | 1" | 1" | .78"-1.12" MC |
| 684-UI | 02684 | 1 1/4" | 1 1/4" | 1.00"-1.46" MC |
| 685-UI | 02685 | 1 1/2" | 1 1/2" | 1.36"-1.77" MC |
| 686-UI | 02886 | 2" | 2" | 1.70"-2.20" MC |
| 687-UI | 02687 | 2 1/2" | 2 1/2" | 2.10"-2.70" MC |
| 688-UI | 02688 | 3" | 3" | 2.63"-2.90" MC |
| 688-UIX | 02689 | 3" | 3" | 2.90"-3.30" MC |

DIE CAST LARGE SIZE 2 SCREW, STRAP TYPE CONNECTORS

| | | | | |
|----------|-------|--------|--------|-------------------------------------|
| 682-DC2* | 15682 | 3/4" | 1" | 3 #12 to 3 #6 (.525"-.875") AC/MC |
| 683-DC2 | 15683 | 1" | 1" | 3 #4 to 4 #3 (.875"-1.04") MC |
| 683-DCI2 | 16683 | 1" | 1" | 3 #6 to 3 #3 (.75"-1.04") MC |
| 683-DCX2 | 15683 | 1" | 1" | 3 #4 to 4 #3 (.88"-1.04") AC/MC |
| 684-DC2 | 15684 | 1 1/4" | 1 1/4" | 3 #1 to 4 #2 (1.1"-1.25") MC |
| 684-DCX2 | 15684 | 1 1/4" | 1 1/4" | 3 #1 to 4 #2 (1.1"-1.25") AC/MC |
| 685-DC2 | 15685 | 1 1/2" | 1 1/2" | 3 #2/0 to 4 #1/0 (1.25"-1.5") MC |
| 685-DCX2 | 15685 | 1 1/2" | 1 1/2" | 3 #2/0 to 4 #1/0 (1.25"-1.5") AC/MC |
| 686-DC2 | 15686 | 2" | 2" | 3 #350 to 4 #250 (1.75"-2.0") MC |
| 686-DCX2 | 25686 | 2" | 2" | 3 #4/0 to 4 #250 (1.5"-1.85") MC |
| 687-DC2 | 15687 | 2 1/2" | 2 1/2" | 3 #500 to 4 #400 (2.0"-2.5") MC |
| 687-DCX2 | 15687 | 2 1/2" | 2 1/2" | 3 #500 to 4 #400 (2.0"-2.5") AC/MC |
| 688-DC2 | 15688 | 3" | 3" | 3 #600 to 4 #700 (2.375"-3.0") MC |
| 688-DCX2 | 15688 | 3" | 3" | 3 #600 to 4 #700 (2.38"-3.0") AC/MC |
| 689-DC2 | 15689 | 3 1/2" | 3 1/2" | 4 #700 to 4 #750 (2.75"-3.50") MC |
| 689-DCX2 | 15689 | 3 1/2" | 3 1/2" | 4 #700 to 4 #750 (2.75"-3.5") AC/MC |





683-XM

| Catalog Number | UPC Number | Trade Size | K.O. Size | Cable |
|----------------|------------|------------|-----------|-------|
|----------------|------------|------------|-----------|-------|

**MALLEABLE IRON (REGULAR OPENING)
4 SCREW, STRAP TYPE CONNECTORS**

| | | | | |
|--------|-------|--------|--------|--------------------------------------|
| 683-XM | 00683 | 1" | 1" | 3 # 4 to 4 #3 (.81"-1.05") AC/MC |
| 684-XM | 00684 | 1 1/4" | 1 1/4" | 3 #1 to 4 #2 (1.05"-1.27") AC/MC |
| 685-XM | 00685 | 1 1/2" | 1 1/2" | 3 #2/0 to 4 #1/0 (1.27"-1.4") AC/MC |
| 686-XM | 00686 | 2" | 2" | 3-4/0 to 3 #250 (1.4"-1.94") AC/MC |
| 687-XM | 00687 | 2 1/2" | 2 1/2" | 3 #500 to 4 #400 (1.94"-2.40") AC/MC |
| 688-XM | 00688 | 3" | 3" | 3 #600 to 4 #700 (2.4"-2.9") AC/MC |
| 689-XM | 00689 | 3 1/2" | 3 1/2" | 4 #700 to 4 #750 (2.6"-3.2") AC/MC |



801-DC2
808-DC2

802-DC2
802-MCIA2
851-DC2



802SP
851SP

DIE CAST 90° CONNECTORS

| | | | | |
|-----------|-------|------|------|---------------------------------|
| 801-DC2* | 15801 | 3/8" | 1/2" | 12/2 to 10/3 (.45"- .625") MC |
| 801-DCI2* | 16801 | 3/8" | 1/2" | 12/2 to 10/3 (.45"- .625") MC |
| 802-MCIA2 | 75802 | 3/8" | 1/2" | (.42"- .55") MC/MCI-A |
| 802-DC2* | 15802 | 3/8" | 1/2" | 12/2 to 10/3 (.48"- .58") AC/MC |
| 802-DCI2 | 16802 | 3/8" | 1/2" | 12/2 to 10/3 (.48"- .58") AC/MC |
| 802SP* | 70802 | 3/8" | 1/2" | 12/2 to 10/3 (.48"- .58") AC/MC |



830-DC2




850SP



84690SP

DIE CAST 90° CONNECTORS

| | | | | |
|----------|-------|--------|--------|---------------------------------------|
| 804-DC2 | 15804 | 1/2" | 1/2" | 8/4 to 6/3 (.75"- .875") MC |
| 804-DCI2 | 16804 | 1/2" | 1/2" | 8/4 to 6/3 (.75"- .875") MC |
| 806-DC2 | 15806 | 3/4" | 3/4" | 4/2 to 4/3 (.875"-1.0") MC |
| 806-DCI2 | 16806 | 3/4" | 3/4" | 4/2 to 4/3 (.875"-1.0") MC |
| 807-DC2 | 15807 | 1" | 1" | 1.187" to 1.312" MC |
| 807-DCI2 | 16807 | 1" | 1" | 1.187" to 1.312" MC |
| 808-DC2 | 15808 | 1 1/4" | 1 1/4" | 1.500" to 1.625" MC |
| 808-DCI2 | 16808 | 1 1/4" | 1 1/4" | 1.500" to 1.625" MC |
| 830-DC2 | 15830 | 3/8" | 1/2" | 14/2 to 10/3 (.44"- .61") AC |
| 850SP | 70801 | 3/8" | 1/2" | 12/2 to 10/3 (.55"- .61") MC |
| 851ASP | 08851 | 1/2" | 1/2" | 1/2" FMC |
| 851-DC2 | 15851 | 1/2" | 1/2" | 1/2" FMC |
| 851-DCI2 | 16851 | 1/2" | 1/2" | 1/2" FMC |
| 851SP | 70851 | 1/2" | 1/2" | 1/2" FMC |
| 84690SP | 70830 | 3/8" | 1/2" | 14/2 to 10/3 (.42"- .61") AC/MC/MCI-A |



| Catalog Number | UPC Number | Trade Size | K.O. Size | Cable |
|----------------|------------|------------|-----------|-------|
|----------------|------------|------------|-----------|-------|

CABLE BRACKETS

| | | | | |
|--------|-------|--|--|---------------------------------|
| 895-MC | 02895 | | | 14/2 to 12/3 (.475"-.59") AC/MC |
| NMCB-1 | 40747 | | | 14/2, 12/2 NM |
| NMCB-3 | 40767 | | | 14/2, 10/3 NM |

STEEL 1-HOLE STRAPS

| | | | | |
|--------|-------|--|--|--|
| 890-MC | 02890 | | | 14/2 to 12/2 (.475"-.525") AC/MC/MCI-A |
| 891-MC | 02891 | | | 14/3 to 12/3 (.54"-.59") AC/MC/MCI-A |
| 900F | 02970 | | | 12/4 to 10/3 (.56"-.61") AC/MC/MCI-A |

ANTI-SHORT BUSHINGS "RED HEADS"

| | | | | |
|------|-------|---|--|--------------------------|
| 1000 | 01000 | 0 | | 14/2 to 12/2 AC/MC/MCI-A |
| 1001 | 01001 | 1 | | 14/4 to 4/1 AC/MC/MCI-A |
| 1002 | 01002 | 2 | | 12/4 to 2/1 AC/MC/MCI-A |
| 1003 | 01003 | 3 | | 10/4 to 1/1 AC/MC/MCI-A |
| 1004 | 01004 | 4 | | 8/4 to 6/4 AC/MC/MCI-A |
| 1005 | 01005 | 5 | | --- |
| 1006 | 01006 | 6 | | --- |
| 1007 | 01007 | 7 | | --- |
| 1008 | 01008 | 8 | | --- |

UNIVERSAL STEEL 1-HOLE STRAPS

| | | | | |
|----------|-------|------|--|--|
| US-6171 | 02894 | 3/8" | | 10/4 to 8/3 AC/MC/MCI-A (.617"-.710") |
| USD-4461 | 02896 | 3/8" | | 14/2 to 10/3 AC/MC/MCI-A (.425"-.610") |
| USD-6171 | 02897 | 3/8" | | 10/4 to 8/3 AC/MC/MCI-A (.617"-.710") |





| Catalog Number | UPC Number | Trade Size | K.O. Size | Cable |
|----------------|------------|------------|-----------|-------|
|----------------|------------|------------|-----------|-------|

UCS, UCSC AND UCSS CLAMP STRAPS

| | | | | |
|------------|-------|---------------|---------------|---------------------|
| UCS-5075 | 02932 | 1/2"-3/4" | .710"-1.100" | AC/MC/MCI-A/HCF/JMC |
| UCS-75100 | 02933 | 3/4"-1" | .925"-1.320" | AC/MC/MCI-A/HCF/JMC |
| UCS-100125 | 02934 | 1"-1 1/4" | 1.158"-1.660" | AC/MC/MCI-A/HCF/JMC |
| UCS-125150 | 02935 | 1 1/4"-1 1/2" | 1.505"-1.950" | AC/MC/MCI-A/HCF/JMC |
| UCS-150200 | 02936 | 1 1/2"-2" | 1.735"-2.450" | AC/MC/MCI-A/HCF/JMC |

Polyolefin Coated Steel

| | | | | |
|------------|-------|---------------|---------------|---------------------|
| UCSC-5075 | 14932 | 1/2"-3/4" | .710"-1.100" | AC/MC/MCI-A/HCF/JMC |
| UCSC-75100 | 14933 | 3/4"-1" | .925"-1.320" | AC/MC/MCI-A/HCF/JMC |
| UCSC100125 | 14934 | 1"-1 1/4" | 1.158"-1.660" | AC/MC/MCI-A/HCF/JMC |
| UCSC125150 | 14935 | 1 1/4"-1 1/2" | 1.505"-1.950" | AC/MC/MCI-A/HCF/JMC |
| UCSC150200 | 14936 | 1 1/2"-2" | 1.735"-2.450" | AC/MC/MCI-A/HCF/JMC |

Stainless Steel

| | | | | |
|------------|-------|---------------|---------------|---------------------|
| UCSS-5075 | 02942 | 1/2"-3/4" | .710"-1.100" | AC/MC/MCI-A/HCF/JMC |
| UCSS-75100 | 02943 | 3/4"-1" | .925"-1.320" | AC/MC/MCI-A/HCF/JMC |
| UCSS100125 | 02944 | 1"-1 1/4" | 1.158"-1.660" | AC/MC/MCI-A/HCF/JMC |
| UCSS125150 | 02945 | 1 1/4"-1 1/2" | 1.505"-1.950" | AC/MC/MCI-A/HCF/JMC |
| UCSS150200 | 02946 | 1 1/2"-2" | 1.735"-2.450" | AC/MC/MCI-A/HCF/JMC |





4157-DC



4156-DC

4357-DC



4457-DC

5157-DC



280-DC,
280-DCX

280SPMB,
281SPMB



281-DCG

| Catalog Number | UPC Number | Cable/Conduit |
|----------------|------------|---------------|
|----------------|------------|---------------|

COMBINATION EMT - AC/MC COUPLINGS

| | | |
|---------|-------|--|
| 4157-DC | 94157 | 14/2 thru 10/3 to 3/4" EMT (.43"-.61") AC/MC |
|---------|-------|--|

COMBINATION COUPLINGS


| | | |
|---------|-------|--|
| 4057-DC | 94057 | 14/2 thru 10/3 to 3/4" EMT (.43"-.61") AC/MC/MCI-A |
| 4058-DC | 94058 | 10/4 thru 6/4 to 3/4" EMT (.63"-.89") AC/MC/MCI-A |
| 4156-DC | 94156 | 14/2 thru 12/2 to 1/2" EMT (.43"-.61") AC/MC/MCI-A |
| 4357-DC | 94357 | 14/2 thru 12/2 to 1" EMT (.43"-.61") AC/MC/MCI-A |
| 4457-DC | 94457 | 14/2 thru 12/2 to 1" EMT (.43"-.61") AC/MC/MCI-A |
| 5157-DC | 95157 | 14/2 thru 12/2 to 1" EMT (.43"-.61") AC/MC/MCI-A |

TRANSITION COUPLINGS

| | | |
|---------|-------|--|
| 280-DCX | 09279 | 14/2 thru 10/3 to 1/2" EMT (.43"-.61") AC/MC/MCI-A |
| 280SP | 70280 | 14/2 thru 10/3 to 1/2" EMT (.43"-.61") AC/MC/MCI-A |
| 280SPMB | 71280 | 14/2 thru 10/3 to 1/2" EMT (.43"-.61") AC/MC/MCI-A |
| 281SPMB | 71281 | 10/4 thru 8/3 to 3/4" EMT (.61"-.72") AC/MC/MCI-A |

SQUEEZE TRANSITION COUPLING WITH GROUNDING LUG

| | | |
|---------|-------|----------------------|
| 281-DCG | 17281 | 1/2" FMC to 1/2" EMT |
|---------|-------|----------------------|




| Catalog Number | UPC Number | Trade Size | K.O. Size | Cable |
|----------------|------------|------------|-----------|-------|
|----------------|------------|------------|-----------|-------|

STEEL E-Z LOCK™ SINGLE & DUPLEX CONNECTORS

| | | | | |
|-----------|-------|------|------|--------------------------------------|
| AMC-50* | 20570 | 3/8" | 1/2" | 14/4 to 10/4 (.40"-.62") AC/MC/MCI-A |
| AMC-50QI* | 21570 | 3/8" | 1/2" | 14/2 to 10/3 (.40"-.62") AC/MC/MCI-A |
| AMC-5075* | 20577 | 1/2" | 1/2" | 8/3 to 6/2 (.62"-.92") AC/MC/MCI-A |
| AMC-52 | 20580 | 3/8" | 1/2" | 14/4 to 10/4 (.43"-.62") AC/MC/MCI-A |
| AMC-75* | 20571 | 3/4" | 3/4" | 10/3 to 8/4 (.566"-.81") AC/MC/HCF |
| AMC-52QI | 21580 | 3/8" | 1/2" | 14/2 to 10/2 (.40"-.61") AC/MC/MCI-A |





571-DC2
573-DC2



571-S
573-S

| Catalog Number | UPC Number | Trade Size | K.O. Size | Cable |
|----------------|------------|------------|-----------|-------|
|----------------|------------|------------|-----------|-------|

“U” SHAPED STRAP CONNECTORS

| | | | | |
|-----------|-------|------|------|--------------------------------------|
| 571-DC2* | 15571 | 1/2" | 1/2" | 8/3 to 6/3 (.70"-.855") AC/MC/MCI-A |
| 571-DCI2* | 16571 | 1/2" | 1/2" | 8/3 to 6/2 (.63"-.78") AC/MC/MCI-A |
| 572-DC2 | 15572 | 3/4" | 3/4" | 4/3 to 3/4 (.948"-1.035") AC/MC |
| 572-DCI2 | 16572 | 3/4" | 3/4" | 4/3 to 3/4 (.948"-1.035") AC/MC |
| 573-DC2 | 15573 | 1" | 1" | 2/3 to 2/0-3 (1.18"-1.35") AC/MC |
| 573-DCI2 | 16573 | 1" | 1" | 2/3 to 2/0-3 (1.18"-1.35") AC/MC |
| 571-S | 00571 | 1/2" | 1/2" | 8/3 to 6/3 (.701"-.855") AC/MC/MCI-A |
| 571-SI* | 10571 | 1/2" | 1/2" | 8/3 to 6/2 (.63"-.78") AC/MC/MCI-A |
| 572-S | 00572 | 3/4" | 3/4" | 4/3 to 3/4 (.945"-1.12") AC/MC |
| 572-SI | 10572 | 3/4" | 3/4" | 4/3 to 3/4 (.945"-1.12") AC/MC |
| 573-S | 00573 | 1" | 1" | 2/3 to 2/0-3 (1.18"-1.35") AC/MC |
| 573-SI | 10573 | 1" | 1" | 2/3 to 2/0-3 (1.18"-1.35") AC/MC |

DIE CAST SNAP-IN CONNECTORS

| | | | | |
|------------------------------------|-------|------|------|--|
| 38ADS Double Snap | 08390 | 3/8" | 1/2" | 14/2 to 10/3 (.40"-.63") AC/MC/MCI-A/HCF |
| 38ACDS Double Snap for Old Work | 08380 | 3/8" | 1/2" | 14/2 to 10/3 (.40"-.63") AC/MC/MCI-A/HCF |
| 590-DC2 | 15590 | 3/8" | 1/2" | 14/2 to 10/3 (.43"-.61") AC/MC |
| 590-DCI2* | 16590 | 3/8" | 1/2" | 14/2 to 10/3 (.43"-.61") AC/MC |



38ACDS



38ADS



590-DCI2



| Catalog Number | UPC Number | Trade Size | K.O. Size | Cable |
|----------------|------------|------------|-----------|-------|
|----------------|------------|------------|-----------|-------|

PVC JACKETED MC AND TECK CABLE CONNECTORS

| | | | | |
|------------|-------|------|------|--|
| 595-DC2 | 15595 | 3/8" | 1/2" | 12/3 thru 10/3 PVC Jacketed MC or 14/2,14/3 or 12/2 TECK Cable with Armor and Jacket (.50"- .61") |
| 595-DC12 | 16595 | 3/8" | 1/2" | 12/3 thru 10/3 PVC Jacketed MC or 14/2, 14/3 or 12/2 TECK Cable with Armor and Jacket (.50"- .61") |
| 596-DC2 | 15596 | 1/2" | 1/2" | 10/3 thru 8/3 PVC Jacketed MC or 14/2 thru 10/3 TECK Cable with Armor and Jacket (.685"- .80") |
| 596-DC12 | 16596 | 1/2" | 1/2" | 10/3 thru 8/3 PVC Jacketed MC or 14/2 thru 10/3 TECK Cable with Armor and Jacket (.685"- .80") |
| 895-DC2** | 15895 | 3/8" | 1/2" | 12/3 thru 10/3 PVC Jacketed MC or 14/2,14/3 or 12/2 TECK Cable with Armor and Jacket (.50"- .61") |
| 895-DC12** | 16895 | 3/8" | 1/2" | 12/3 thru 10/3 PVC Jacketed MC or 14/2,14/3 or 12/2 TECK Cable with Armor and Jacket (.50"- .61") |

Polyolefin Coated

| | | | | |
|------------|-------|------|------|---|
| 595-DC2C | 14895 | 3/8" | 1/2" | 12/3 thru 10/3 PVC Jacketed MC or 14/2,14/3 or 12/2 TECK Cable with Armor and Jacket (.50"- .61") |
| 596-DC2C | 14596 | 3/8" | 1/2" | 10/3 thru 8/3 PVC Jacketed MC or 14/2 thru 10/3 TECK Cable with Armor and Jacket (.685"- .80") |
| 895-DC2C** | 14895 | 3/8" | 1/2" | 12/3 thru 10/3 PVC Jacketed MC or 14/2,14/3 or 12/2 TECK Cable with Armor and Jacket (.50"- .61") |

** 90 Degree





| Catalog Number | UPC Number | Trade Size | K.O. Size | Cable |
|----------------|------------|------------|-----------|-------|
|----------------|------------|------------|-----------|-------|

STAINLESS STEEL STRAPS FOR PVC AND TECK JACKETED MC



USS-6171

| | | | | |
|----------|-------|------|------|--------------------------|
| USS-6171 | 02893 | 3/8" | 1/2" | (.61"-.71") AC/MC/PVC-MC |
|----------|-------|------|------|--------------------------|

DIE CAST DUPLEX CONNECTORS



601-DC2



830-DC2



3838ASP



3838SP



SG3838ASP

| | | | | |
|-----------|-------|------|------|--|
| 601-DC2 | 15601 | 3/8" | 1/2" | 14/2 to 10/4 (.375"-.625") AC/MC/MCI-A |
| 621-DC2* | 15621 | 3/8" | 3/4" | 14/4 to 8/3 (.44"-.70") AC/MC/MCI-A |
| 691-DC2 | 15691 | 3/8" | 1/2" | 14/2 to 10/3 (.42"-.61") AC/MC/MCI-A |
| 830-DC2 | 15830 | 3/8" | 1/2" | 14/2 to 10/3 (.44"-.61") AC/MC |
| 3838ASP | 08690 | 3/8" | 1/2" | 14/2 to 10/2 (.38"-.59") AC/MC/MCI-A |
| 3838SP | 70690 | 3/8" | 1/2" | 14/2 to 10/2 (.38"-.59") AC/MC/MCI-A |
| SG3838ASP | 08691 | 3/8" | 1/2" | 14/2 to 10/3 (.42"-.61") AC/MC/MCI-A |

Suggested Fittings for Non-PVC Jacketed MC Cable *

3 CONDUCTORS WITH GROUND

| Size (AWG or kcmil) | Bridgeport Connector |
|------------------------|-------------------------|
| 6-6-6-6 | 653-DC2 |
| 4-4-4-6 | 683-DC2 |
| 2-2-2-4 | 683-DC2 |
| 1-1-1-4 | 684-DC2 |
| 1/0-1/0-1/0-4 | 684-DC2 |
| 2/0-2/0-2/0-4 | 685-DC2 |
| 3/0-3/0-3/0-4 | 685-DC2 |
| 4/0-4/0-4/0-2 | 686-DCX2 |
| 250-250-250-2 | 686-DCX2 |
| 300-300-300-1 | 686-DC2 |
| 350-350-350-1 | 686-DC2 |
| 400-400-400-1 | 687-DC2 |
| 500-500-500-1 | 687-DC2 |
| 500-500-500-2/0 | 687-DC2 |
| 500-500-500-250 | 688-DC2 |
| 600-600-600-1/0 | 687-DC2 |
| 750-750-750-1/0 | 688-DC2 |
| 750-750-750-3/0 | 688-DC2 |

4 CONDUCTORS WITH GROUND

| Size (AWG or kcmil) | Bridgeport Connector |
|------------------------|-------------------------|
| 6-6-6-6-6 | 653-DC2 |
| 4-4-4-4-6 | 683-DC2 |
| 2-2-2-2-4 | 657-DC2 |
| 1-1-1-1-4 | 684-DC2 |
| 1/0-1/0-1/0-1/0-4 | 685-DC2 |
| 2/0-2/0-2/0-2/0-4 | 685-DC2 |
| 3/0-3/0-3/0-3/0-4 | 686-DCX2 |
| 4/0-4/0-4/0-4/0-2 | 686-DCX2 |
| 250-250-250-250-1 | 686-DC2 |
| 300-300-300-300-1 | 687-DC2 |
| 350-350-350-350-1/0 | 687-DC2 |
| 400-400-400-400-3/0 | 687-DC2 |
| 500-500-500-500-3/0 | 687-DC2 |
| 500-500-500-500-250 | 687-DC2 |
| 600-600-600-600-3/0 | 688-DC2 |
| 600-600-600-600-400 | 688-DC2 |
| 750-750-750-750-3/0 | 688-DC2 |
| 750-750-750-750-500 | 689-DC2 |
| 900-900-900-900-250 | 689-DC2 |

*Check outside cable diameter with cable manufacturer to select the correct fitting.

Bridgeport MCI-A Cable Fittings

| Cable Fitting | Enclosure Opening KO Size | Cable Outer Diameter (O.D.) Range | Cable Types Listed To: Note: Includes Steel and Aluminum | Healthcare Facility Cable | Flexible Metal Conduit Note: Includes Steel and Aluminum (RWFMC) | Recommended Cable Types & Notes Note: Verify with cable O.D. Includes Steel and Aluminum |
|---------------|---------------------------|-----------------------------------|---|---------------------------|---|---|
| 38ADS | 1/2" | .40-.63 | AC/MC/MCI-A | HCF | 3/8" FMC/RWFMC | 14/2 - 10/3 |
| 38ACDS | 1/2" | .40-.63 | AC/MC/MCI-A | HCF | 3/8" FMC/RWFMC | 14/2 - 10/3 |
| 280DCX | | .43-.61 | AC/MC/MCI-A | | | 14/2 - 10/3 to 1/2" EMT |
| 280SP | | .43-.61 | AC/MC/MCI-A | | 3/8" FMC | 14/2 - 10/3 to 1/2" EMT |
| 280SPMB | | .43-.61 | AC/MC/MCI-A | | 3/8" FMC | 14/2 - 10/3 to 1/2" EMT |
| 281SPMB | | .61-.72 | AC/MC/MCI-A | | 3/8" FMC | 10/4 - 8/3 to 3/4" EMT |
| 281-DCG | | | | | 1/2" | 1/2" FMC to 1/2" EMT |
| 3838ASP | 1/2" | .38-.59 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/2 - 10/2 |
| 3838SP | 1/2" | .38-.59 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/2 - 10/2 |
| 403-DC2 | 1/2" | .56-.61 | AC/MC | HCF | 3/8" FMC | 12/3 - 10/3 |
| 403-I* | 1/2" | .51-.835 | AC/MC/MCI-A | | 3/8" FMC | 14/4 - 6/3 |
| 407-DC2 | 1/2" | .86-.92 | AC | HCF | | |
| 407-DCI2 | 1/2" | .86-.92 | AC | HCF | | |
| 407-DC2G | 1/2" | .86-.92 | AC | HCF | 1/2" FMC | |
| 501-DC2* | 1/2" | .43-.61 | MC ONLY | | | 14/2 - 10/3 |
| 545-DC2* | 1/2" | .44-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | | 14/2 - 10/3 |
| 560-DC2* | 1/2" | .44-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 12/2 - 10/4 |
| 560-DCI2 | 1/2" | .44-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 12/2 - 10/4 |
| 560-MCIA2 | 1/2" | .38-.61 | MC/MCI-A | HCFMCI-A | | 14/2 - 10/3 |
| 561-DC2* | 3/4" | .61-.87 | AC/MC | HCF | | 10/4 - 8/3 |
| 561-DCI2* | 3/4" | .61-.87 | AC/MC | HCF | | 10/4 - 8/3 |
| 563-DC2 | 1/4" | | AC/MC | HCF | | 14/2 - 12/2 |
| 565-DC2 | 1/2" | .38-.53 | MC/MCI-A | HCFMCI-A | | 14/2 - 10/3 |
| 566-DC2 | 1/2" | .44-.53 | AC/MC/MCI-A | HCF/HCFMCI-A | | 12/2 - 10/3 |
| 570-DC2* | 1/2" | .38-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | | 14/2 - 10/3 |
| 570-DCI2* | 1/2" | .38-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | | 14/2 - 10/3 |
| 570-DCR2 | 1/2" | .38-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | | 14/2 - 10/3 |
| 570-GI* | 1/2" | .38-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | | 14/2 - 10/3 |
| 570-RI* | 1/2" | .38-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | | 18/2 - 12/4 |
| 571-DC2* | 1/2" | .70-.855 | AC/MC/MCI-A | HCF/HCFMCI-A | 1/2" FMC | 8/3 - 6/3 |
| 571-DCI2* | 1/2" | .70-.855 | AC/MC/MCI-A | HCF/HCFMCI-A | 1/2" FMC | 8/3 - 6/3 |
| 571-S | 1/2" | .701-.855 | MC/MCI-A | HCFMCI-A | 1/2" FMC | 8/3 - 6/3 |
| 571-SI* | 1/2" | .701-.855 | MC/MCI-A | HCFMCI-A | 1/2" FMC | 8/3 - 6/3 |
| 572-DC2 | 3/4" | .945-1.035 | MC | | 3/4" FMC | 4/3 - 3/4 |
| 572-DCI2 | 3/4" | .948-1.035 | MC | | 3/4" FMC | 4/3 - 3/4 |
| 572-S | 3/4" | 0.945-1.04 | MC | | 3/4" FMC | 4/3 |
| 572-SI | 3/4" | 0.945-1.12 | MC | | 3/4" FMC | 4/3 |
| 573-DC2 | 1" | 1.18-1.35 | MC | | 1" FMC | 2/3 - 3-2/0 |
| 573-DCI2 | 1" | 1.18-1.35 | MC | | 1" FMC | 2/3 - 3-2/0 |
| 573-S | 1" | 1.18-1.35 | MC | | 1" FMC | 2/3 - 3-2/0 |
| 573-SI | 1" | 1.18-1.35 | MC | | 1" FMC | 2/3 - 3-2/0 |
| 590-DC2 | 1/2" | .43-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/2 - 10/3 |
| 590-DCI2* | 1/2" | .43-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/2 - 10/3 |
| 595-DC2 | 1/2" | .50-.61 | JMC/TECK90 | | | 12/2 - 10/3 |
| 595-DC2C | 1/2" | .50-.61 | JMC/TECK90 | | | 12/2 - 10/3 |
| 595-DCI2 | 1/2" | .50-.61 | JMC/TECK90 | | | 12/2 - 10/3 |
| 596-DC2 | 1/2" | .61-.69 | JMC/TECK90 | | | 10/4 - 8/3 |

Bridgeport MCI-A Cable Fittings

| Cable Fitting | Enclosure Opening KO Size | Cable Outer Diameter (O.D.) Range | Cable Types Listed To: Note: Includes Steel and Aluminum | Healthcare Facility Cable | Flexible Metal Conduit Note: Includes Steel and Aluminum (RWFMC) | Recommended Cable Types & Notes Note: Verify with cable O.D. Includes Steel and Aluminum |
|---------------|---------------------------|-----------------------------------|---|---------------------------|---|---|
| 596-DC2C | 1/2" | .61-.69 | JMC/TECK90 | | | 10/4 - 8/3 |
| 596-DCI2 | 1/2" | .61-.69 | JMC/TECK90 | | | 10/4 - 8/3 |
| 601-DC2 | 1/2" | .375-.625 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/2 - 10/3 |
| 621-DC2* | 3/4" | .44-.70 | AC/MC/MCI-A | | 3/8" FMC | 14/4 - 8/3 |
| 653-DC2* | 1/2" | .675-.90 | AC | HCF | 1/2" FMC | 8/2 - 6/4 |
| 655-DC2 | 3/4" | .85-1.10 | AC/MC | HCF | 3/4" FMC | 6/3 - 4/3 |
| 657-DC2 | 1" | 1.03-1.31 | AC/MC | HCF | 1" FMC | 4/3 - 1/3 |
| 683-UI | 1" | .78-1.12 | MC | | | |
| 684-UI | 1 1/4" | 1.00-1.46 | MC | | | |
| 685-UI | 1 1/2" | 1.36-1.77 | MC | | | |
| 686-UI | 2" | 1.70-2.20 | MC | | | |
| 687-UI | 2 1/2" | 2.10-2.70 | MC | | | |
| 688-UI | 3" | 2.63-2.90 | MC | | | |
| 688-UIX | 3" | 2.90-3.30 | MC | | | |
| 682-DC2* | 3/4" | .575-.875 | AC/MC | HCF | | 10/3 - 6/4 |
| 683-DC2 | 1" | .875-1.04 | MC | | | 6/4 - 4/3 |
| 684-DC2 | 1-1/4" | 1.1-1.25 | MC | | | 4/4 - 3/4 |
| 685-DC2 | 1-1/2" | 1.25-1.5 | MC | | | 2/4 - 3-2/0 |
| 686-DC2 | 2" | 1.75-2.00 | MC | | | 4-4/0 - 4-250 MCM |
| 687-DC2 | 2-1/2" | 2-2.5 | MC | | | 4-300 MCM - 4-500 MCM |
| 688-DC2 | 3" | 2.375-3 | MC | | | 4-500 MCM - 4-750 MCM |
| 689-DC2 | 3-1/2" | 2.75-3.50 | MC | | | 4-600 MCM - 4-750 MCM |
| 683-DCI2 | 1" | .750-1.04 | MC | | | 6/4 - 4/3 |
| 684-DCI2 | 1-1/4" | 1.1-1.25 | MC | | | 4/4 - 3/4 |
| 685-DCI2 | 1-1/2" | 1.25-1.5 | MC | | | 2/4 - 3-2/0 |
| 686-DCI2 | 2" | 1.75-2.00 | MC | | | 4-4/0 - 4-250 MCM |
| 687-DCI2 | 2-1/2" | 2-2.5 | MC | | | 4-300 MCM - 4-500 MCM |
| 688-DCI2 | 3" | 2.375-3 | MC | | | 4-500 MCM - 4-750 MCM |
| 689-DCI2 | 3-1/2" | 2.75-3.50 | MC | | | 4-600 MCM - 4-750 MCM |
| 683-DCX2 | 1" | .875-1.04 | MC | | | 6/4 - 4/3 |
| 684-DCX2 | 1-1/4" | 1.1-1.25 | MC | | | 4/4 - 3/4 |
| 685-DCX2 | 1-1/2" | 1.25-1.5 | MC | | | 2/4 - 3-2/0 |
| 686-DCX2 | 2" | 1.5-1.85 | MC | | | 3-4/0 - 4-250 MCM |
| 687-DCX2 | 2-1/2" | 2-2.5 | MC | | | 4-300 MCM - 4-500 MCM |
| 688-DCX2 | 3" | 2.375-3 | MC | | | 4-500 MCM - 4-750 MCM |
| 689-DCX2 | 3-1/2" | 2.75-3.50 | MC | | | 4-600 MCM - 4-750 MCM |
| 683-XM | 1" | 0.81-1.05 | AC/MC | HCF | | 6/4 - 4/3 |
| 684-XM | 1-1/4" | 1.05-1.27 | AC/MC | HCF | | 4/4 - 3/4 |
| 685-XM | 1-1/2" | 1.27-1.4 | AC/MC | HCF | | 4-2/O - 3-350 MCM |
| 686-XM | 2" | 1.4-1.94 | AC/MC | HCF | | 3-4/0 - 4-250 MCM |
| 687-XM | 2-1/2" | 1.94-2.4 | MC | | | 4-300 MCM - 4-500 MCM |
| 688-XM | 3" | 2.4-2.9 | MC | | | 4-500 MCM - 4-750 MCM |
| 689-XM | 3-1/2" | 2.6-3.2 | MC | | | 4-600 MCM - 4-750 MCM |
| 691-DC2 | 1/2" | .42-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/2 - 10/3 |
| 801-DC2* | 1/2" | .45-.625 | MC/MCI-A | HCFMCI-A | 3/8" FMC | 14/4 - 10/4 |
| 801-DCI2* | 1/2" | .45-.63 | AC/MC/MCI-A | | 3/8" FMC | 14/4 - 10/4 |

Bridgeport MCI-A Cable Fittings


| Cable Fitting | Enclosure Opening KO Size | Cable Outer Diameter (O.D.) Range | Cable Types Listed To: Note: Includes Steel and Aluminum | Healthcare Facility Cable | Flexible Metal Conduit Note: Includes Steel and Aluminum (RWFMC) | Recommended Cable Types & Notes Note: Verify with cable O.D. Includes Steel and Aluminum |
|---------------|---------------------------|-----------------------------------|---|---------------------------|---|---|
| 802-DC2* | 1/2" | .48-.58 | AC/MC | HCF | 3/8" FMC | 12/2 - 10/3 |
| 802-DCI2 | 1/2" | .48-.58 | AC/MC | HCF | 3/8" FMC | 12/2 - 10/3 |
| 802SP* | 1/2" | .48-.58 | AC/MC | HCF | 3/8" FMC | 12/2 - 10/3 |
| 802-MCIA2 | 1/2" | .42-.55 | MC/MCI-A | HCFMCI-A | | 14/4 - 10/3 |
| 804-DC2 | 1/2" | .75-.875 | MC | | 1/2" FMC | |
| 804-DCI2 | 1/2" | .75-.875 | MC | | 1/2" FMC | |
| 806-DC2 | 3/4" | .875-1.00 | MC | | 3/4" FMC | |
| 806-DCI2 | 3/4" | .875-1.00 | MC | | 3/4" FMC | |
| 807-DC2 | 1" | 1.187-1.312 | MC | | 1" FMC | |
| 807-DCI2 | 1" | 1.187-1.312 | MC | | 1" FMC | |
| 808-DC2 | 1-1/4" | 1.50-1.625 | MC | | 1-1/4" FMC | |
| 808-DCI2 | 1-1/4" | 1.50-1.625 | MC | | 1-1/4" FMC | |
| 830-DC2 | 1/2" | .44-.61 | AC | HCF | 3/8" FMC | 12/2 - 10/3 |
| 840SP* | 1/2" | .44-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/4 - 10/3 |
| 845SP | 1/2" | .43-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | | 14/2 - 10/3 |
| 84690SP | 1/2" | .42-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/4 - 10/3 |
| 850SP | 1/2" | .55-.61 | AC/MC | HCF | 3/8" FMC | 12/2 - 10/3 |
| 851ASP | 1/2" | | | | 1/2" FMC | |
| 851-DC2 | 1/2" | | | | 1/2" FMC | |
| 851-DCI2 | 1/2" | | | | 1/2" FMC | |
| 851SP | 1/2" | | | | 1/2" FMC | |
| 895-DC2* | 1/2" | .50-.61 | JMC/TECK90 | | | 12/2 - 10/3 |
| 895-DC2C | 1/2" | .50-.61 | JMC/TECK90 | | | 12/2 - 10/3 |
| 895-DCI2* | 1/2" | .50-.61 | JMC/TECK90 | | | 12/2 - 10/3 |
| 4057-DC | | .43-.61 | AC/MC/MCI-A | | 3/8" FMC | 14/2 - 10/3 |
| 4058-DC | | .63-.89 | AC/MC/MCI-A | | 1/2" FMC | 10/4 - 6/4 |
| 4156-DC | | .43-.52 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/2 - 12/2 |
| 4157-DC | | .43-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/2 - 10/3 |
| 4357-DC | | .43-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/2 - 10/3 |
| 4457-DC | | .43-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/2 - 10/3 |
| 5157-DC | | .43-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/2 - 10/3 |
| AMC-50* | 1/2" | .40-.62 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/2 - 10/3 |
| AMC-50QI* | 1/2" | .40-.62 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/2 - 10/3 |
| AMC-5075* | 1/2" | .62-.92 | AC/MC/MCI-A | HCF/HCFMCI-A | 1/2" FMC | 10/4 - 6/4 |
| AMC-52 | 1/2" | .43-.62 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/2 - 10/3 |
| AMC-52QI | 1/2" | .40-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/2 - 10/2 |
| AMC-75* | 3/4" | .56-.81 | AC/MC | HCF | 1/2" FMC | 10/3 - 6/3 |
| BL-17* | 1/2" | .701-803 | 8/3 AC90 | HCF | 1/2" FMC | 8/3 - 6/3 |
| BL-17I* | 1/2" | .701-803 | 8/3 AC90 | HCF | 1/2" FMC | 8/3 - 6/3 |
| BL-18 | 3/4" | | 6/3 AC90 ONLY | | 3/4" FMC | 6/3 |
| BL-18I | 3/4" | | 6/3 AC90 ONLY | | 3/4" FMC | 6/3 |
| BL-19 | 1" | | 3/3 AC90 | | 1" FMC | 3/3 |
| BL-19I | 1" | | 3/3 AC90 | | 1" FMC | 3/3 |
| SG3838ASP | 1/2" | .42-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/2 - 10/3 |
| SG38ASP* | 1/2" | .43-.61 | AC/MC/MCI-A | HCF/HCFMCI-A | 3/8" FMC | 14/4 - 10/3 |

**SEE THE DIFFERENCE
ORANGE MAKES™**

BRIDGEPORT TECH SALES MANAGER MARKET AREAS

**Nesco
West Canada**

**Nesco
East Canada**



Larry Beach,
360-722-0004
larryb@bptfittings.com



Wayne Beach,
508-728-6462
wayneb@bptfittings.com



Eric Cerasale,
203-673-9800
ericc@bptfittings.com



Alan Beach,
774-419-2015
alanb@bptfittings.com

Distributed by:



Bridgeport Fittings, Inc.
705 Lordship Blvd.
Stratford, CT 06615-7313

Voice: 203.377.5944
E-mail: sales@bptfittings.com



Printed in the U.S.A.
© 2017 Bridgeport Fittings, Inc. All rights reserved.



12/17 7500 BP-MC