

# Eaton 3MCB1000R

Catalog Number: 3MCB1000R

Eaton main circuit breaker, 1000A, Aluminum, NEMA 3R, Overhead/underground, 65 kAIC, NGS, Four-wire, Three-phase, 120/208V, (4) #4/0 AWG-500 kcmil



## General specifications

### Product Name

Eaton main circuit breaker

### Catalog Number

3MCB1000R

### UPC

782116008278

### Product Length/Depth

13.8 in

### Product Height

39.4 in

### Product Width

27 in

### Product Weight

160 lb

### Warranty

Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

### Certifications

UL Listed

### Catalog Notes

Neutral lugs order 1MCB1200NLK. Main devices with a rating greater than 800A can be used with 800A residential modular stacks, but only as a center fed main.

## Product specifications

### Amperage Rating

1000 A

### Bus material

Aluminum

### Feed type

Top/bottom

### Phase

Three-phase

### Voltage rating

120/208 V

### Utility approvals

MI : DTE Energy (Detroit Edison)

MD : Baltimore Gas and Electric

DC : PEPCO

MD : PEPCO

NC : Dominion

VA : Dominion

### Enclosure

NEMA 3R

### Interrupt rating

65 kAIC

### Main circuit breaker

NGS

### Number of wires

4

### Wire size

(4) #4/0 AWG-500 kcmil

## Resources

### Catalogs

Residential and Light Commercial, Metering Products, Volume 1 Tab 4

### Specifications and datasheets

Eaton Specification Sheet - 3MCB1000R



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)

# Eaton 3MCB1000R

Catalog Number: 3MCB1000R

Eaton main circuit breaker, 1000A, Aluminum, NEMA 3R, Overhead/underground, 65 kAIC, NGS, Four-wire, Three-phase, 120/208V, (4) #4/0 AWG-500 kcmil



## General specifications

### Product Name

Eaton main circuit breaker

### Catalog Number

3MCB1000R

### UPC

782116008278

### Product Length/Depth

13.8 in

### Product Height

39.4 in

### Product Width

27 in

### Product Weight

160 lb

### Warranty

Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

### Certifications

UL Listed

### Catalog Notes

Neutral lugs order 1MCB1200NLK. Main devices with a rating greater than 800A can be used with 800A residential modular stacks, but only as a center fed main.

## Product specifications

### Amperage Rating

1000 A

### Bus material

Aluminum

### Feed type

Top/bottom

### Phase

Three-phase

### Voltage rating

120/208 V

### Utility approvals

MI : DTE Energy (Detroit Edison)

MD : Baltimore Gas and Electric

DC : PEPCO

MD : PEPCO

NC : Dominion

VA : Dominion

### Enclosure

NEMA 3R

### Interrupt rating

65 kAIC

### Main circuit breaker

NGS

### Number of wires

4

### Wire size

(4) #4/0 AWG-500 kcmil

## Resources

### Catalogs

Residential and Light Commercial, Metering Products, Volume 1 Tab 4

### Specifications and datasheets

Eaton Specification Sheet - 3MCB1000R



Eaton Corporation plc  
Eaton House  
30 Pembroke Road  
Dublin 4, Ireland  
Eaton.com  
© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)