ELLIOTT ELECTRIC SUPPLY
We Deliver...Lower Cost, Quality Products, & Personal Service
2805 Poplar
Greenville, TX 75402-0000
Phone: 9034543354
Fax: 9034548926



4ELL45 4" SCH40 45D PVC ELBOW

CANTEX,INC

Catalog Number	4ELL45
Manufacturer	CANTEX,INC
Description	4IN UL40 ELBOW 45DEG STANDARD RADIUS
Weight per unit	3.8 (lbs/each)
Product Category	PVC Sch 40 Elbows

Features

Inside Diameter	3.961 in.
Material	PVC
Wall Thickness	.237"
Outside Diameter	51894

Material, Color, and Finish

Color	Gray 0

Descriptions

Also Known As...	Sweep
	Elbow Pre-Fab
Description	4" SCH40 45D PVC ELBOW
Long Description	4IN UL40 ELBOW 45DEG STANDARD RADIUS
Product Type	4 UL40 45 BND STD R
Special Features	Plain End

Manufacturer Information

Brand	PVC & Accessories
	CANTEX INC.
	CANTEX
GTIN	00088700518315
Manufacturers Part Number	5133772
UPC	881780

Taxonomies, Classifications, and Categories

Category Description	PVC ELBOWS
Type	Sch40 45Deg Elbow

Trade Size

Trade Size	798

Packaging

Carton	1
Package	20
Weight Per Each	3.8 (lbs/each)

2805 Poplar
Greenville, TX 75402-0000
Phone: 9034543354
Fax: 9034548926

Uses, Certifications, and Standards

Application	45° change in direction of a conduit run
Standard	Conforms to UL651 and NEMA TC3

CANTEX INC.
301 COMMERCE STE. 2700
FORT WORTH, TEXAS 76102
817-215-7000 FAX: 817-215-7001
www.cantexinc.com

Schedule 40 45° Elbow - Plain End

Part Number	Trade Size	Carton Qty.	"R"	"O"	"H'	"S" MIN	"L"
5133763	1/2	50	4.000	1.188	2.875	1.500	3.125
5133764	3/4	25	4.500	1.313	3.188	1.500	3.500
5133765	1	20	5.750	1.688	4.000	1.875	4.500
5133766	1-1/4	25	7.250	2.125	5.125	2.000	5.688
5133767	1-1/2	20	8.250	2.375	5.875	2.000	6.500
5133768	2	10	9.500	2.813	6.750	2.000	7.500
5133769	2-1/2	20	10.500	2.563	7.375	3.000	8.250
5133770	3	8	13.000	3.813	9.188	3.125	10.250
5133771	3-1/2	5	15.000	4.375	10.625	3.250	11.875
5133772	4	20	16.000	4.688	11.438	3.375	12.625
5133773	5	30*	24.00	7.000	17.000	3.625	18.875
5133774	6	25*	30.000	8.813	21.250	3.750	22.875

* Pallet Quantity

Dimensions are nominal



Conforms to UL651 and NEMA TC3

Material is Rigid PVC

Bend Tolerance is ±2°

