



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685



## 54910BE 2/0 Long Barrel Lug

*Abb Installation Products, Inc*

|                  |   |
|------------------|---|
| Catalog Number   | 54910BE   |
| Manufacturer     | Abb Installation Products, Inc  |
| Description      | Compression Lug, 2/0 Awg Conductor Size, Non-Insulated, Copper Conductor Material, Black (Die Color) Insulation Color, 2.28 In Overall Length, Tongue Terminal, 35 KV, 0.08 LB/Ea |
| Weight per unit  | 0.0750 (lbs/each)   |
| Product Category | Large Terminals & Connectors  |

### Features

|                 |         |
|-----------------|---------|
| Cable Size      | 2/0 AWG |
| insulation      | None    |
| Material        | Copper  |
| Number of Holes | 1       |
| Stud Size       | 3/8 in  |
| Voltage Rating  | 35 kV   |

### Material, Color, and Finish

|       |       |
|-------|-------|
| Color | Black |
|-------|-------|

### Descriptions

|                        |                                    |
|------------------------|------------------------------------|
| Description            | 2/0 LONG BARREL LUG                |
| extra long description | ABB 54910BE 1 HOLE LONG BARREL 3/8 |

### Manufacturer Information

|       |                |
|-------|----------------|
| Brand | COLOR-KEYED    |
| GTIN  | 00786210898162 |
| UPC   | 786210898162   |

### Taxonomies, Classifications, and Categories

|                      |                                   |
|----------------------|-----------------------------------|
| Category Description | Comp & Mech Lugs and Butt Splices |
| Type                 | Long Barrel                       |

### Packaging

|                 |       |
|-----------------|-------|
| Carton          | 10    |
| Weight Per each | 0.075 |

### Uses, Certifications, and Standards

|          |                     |
|----------|---------------------|
| standard | UL E9809 / UL E9809 |
|----------|---------------------|