

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



Packaging Carton

Package

Weight Per each

670GSA 2" Alu FM7 Cond CVR/Gasket Crouse-Hinds

| Catalog Number | 670GSA |
|---------------------------------|---|
| Manufacturer | Crouse-Hinds |
| Description | Eaton Crouse-Hinds Series Condulet Form 7 Cover With Integral Gasket, Sheet Aluminum, 2" |
| Weight per unit | 0.0300 (lbs/each) |
| Product Category | Alum |
| tures | |
| dimensions | 3.6000 IN X 3.2600 IN X 1.5100 IN |
| Material | Sheet aluminum |
| criptions | |
| Description | 2" ALU FM7 COND CVR/GASKET |
| extra long description | CRS-H 670G SA 2 WDGNUT SHT AL FORM |
| Features | One hundred years after the introduction of the Condulet, Eaton remains the leader in conduit outlet bodies with its Crouse-Hinds series. The line has grown to six families manufactured in a variety of materials, and Form 7 bodies are offered in 11 different shapes to provide the most flexible offering on the market. Form 7 Condulet outlet bodies approach conduit in size for neat, compact installations. Many shapes and sizes are available for rigid threaded conduit. Our Form 7 family features an exclus |
| Long Description | Eaton Crouse-Hinds series Condulet Form 7 cover with integral gasket, Sheet aluminum, 2" |
| Product Type | 2 Mdgayt CLT Al Form 7 CVD/Cook |
| Special Features | With Neoprene Integral Gasket |
| nufacturer Information | |
| Brand | Eaton |
| GTIN | 00782274247953 |
| Manufacturers Part Number | 670G SA |
| UPC | 782274247953 |
| onomies, Classifications, and C | categories |
| Category Description | FORM 7 O CONDUITE COVERS O CASVETS |
| Type | Cover with integral gasket |

1 10

0.03

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Uses, Certifications, and Standards

| Application | Ind Facilities & Factories - Industrial Facilities/Factories - Other |
|-------------|--|
| standard | UL 514B, CSA C22.2, FEDERAL SPECIFICATION W-C-586D |