


ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685





7010B Photo Eye Smoke Detect. Battery Back Up *BRK Brands/Ademco/First Alert*

Catalog Number	7010B
Manufacturer	BRK Brands/Ademco/First Alert
Description	Discontinued, Replaced By: Model SM100V-Ac/1046721 Hardwired Smoke Alarm With Replaceable Battery Backup. Ac 120V Interconnectable With Silence and Latching Features. Includes Photoelectric Smoke Sensing Technology and A 9V Carbon Zinc Battery.
Weight per unit	· · · · · · · · · · · · · · · · · · ·
Product Category	
eatures	
alarm type	Audio
dimensions	5.0" diameter x 2.1" height
Operating Voltage	120V AC 60Hz w/ 9V battery backup
Output Current	0.05 Amps
Sensor Type	Photo
Temperature Range	40 Degree F (4 Degree C) to 100 Degree F (38 Degree C)
laterial, Color, and Finish	
Color	White
Enclosure Material	Plastic
escriptions	
Description	PHOTO EYE SMOKE DETECT. BATTERY BACK UP
extra long description	BRK 7010B 120V AC/DC Photo Smoke AI
Features	Hardwired smoke alarm with replaceable battery backup. AC 120V Interconnectable with Silence and Latching features.
Long Description	Discontinued, replaced by: Model SM100V-AC/1046721 Hardwired smoke alarm with replaceable battery backup. AC 120V Interconnectable with Silence and Latching features. Includes Photoelectric smoke sensing technology and a 9V Carbon Zinc battery.
Product Type	120V Ac/DC Photo Smoke Alarm
lanufacturer Information	
Brand	BRK
GTIN	00029054112019
Manufacturers Part Number	7010B
UPC	029054112019



standard

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Taxonomies, Classifications, and Cate	gories
Category Description	SMOKE DETECTORS
Туре	SMOKE ALARM
Packaging	
Carton	1
Weight Per each	0.589
Uses, Certifications, and Standards	
Application	Single and or multiple station alarm specifically designed to
	detect smoke in residential and institutional applications
	including sleeping rooms of hospitals, hotels, motels, dormitories
	and other multi-family dwellings
environmental conditions	10 percent to 90 percent relative humidity (RH)
Mounting	Electrical junction box, wall or ceiling

UL217