

Hex-Key Wrenches

Klein hex-keys are the tools professionals cannot afford to be without. Heat-treated and tempered for superior strength and durability, Klein hex-keys are designed for a precise fit in sockets, preventing slippage and stripping of the socket.



For Professionals...
Since 1857™

JOURNEYMAN

T-Handle Hex-Keys



TORX® is a trademark of Acument Intellectual Properties, LLC.

T-Handle Ball-End Hex-Keys - SAE

Includes core Journeyman™ T-handle hex-key features plus:

- Short blade-through handle provides maximum tool versatility



JTH6E13BE

| Cat. No. | Hex Size | Blade Length | Weight |
|-----------|----------|---------------|-------------------|
| JTH6E06BE | 3/32" | 6" (152.4 mm) | 0.64 oz (18.1 g) |
| JTH6E07BE | 7/64" | 6" (152.4 mm) | 0.80 oz (22.7 g) |
| JTH6E08BE | 1/8" | 6" (152.4 mm) | 1.0 oz (28 g) |
| JTH6E09BE | 9/64" | 6" (152.4 mm) | 1.1 oz (31 g) |
| JTH6E10BE | 5/32" | 6" (152.4 mm) | 0.12 lb (0.05 kg) |
| JTH6E11BE | 3/16" | 6" (152.4 mm) | 0.14 lb (0.06 kg) |

| Cat. No. | Hex Size | Blade Length | Weight |
|-----------|----------|---------------|-------------------|
| JTH6E12BE | 7/32" | 6" (152.4 mm) | 0.17 lb (0.08 kg) |
| JTH6E13BE | 1/4" | 6" (152.4 mm) | 0.27 lb (0.12 kg) |
| JTH6E14BE | 5/16" | 6" (152.4 mm) | 0.35 lb (0.16 kg) |
| JTH6E15BE | 3/8" | 6" (152.4 mm) | 0.45 lb (0.20 kg) |
| JTH6E17BE | 1/2" | 6" (152.4 mm) | 0.70 lb (0.32 kg) |

T-Handle Ball-End Hex-Key Set with Stand - SAE

Includes core Journeyman™ T-handle hex-key features plus:

- Metal stand for convenient hanging, storage on bench or wall
- Short blade-through handle provides maximum tool versatility

| Cat. No. | Set Contains | Weight |
|----------|--------------|-----------------|
| JTH610EB | | 3.0 lb (1.4 kg) |

| Cat. No. | Hex Size | Blade Length |
|-----------|----------|---------------|
| JTH6E06BE | 3/32" | 6" (152.4 mm) |
| JTH6E07BE | 7/64" | 6" (152.4 mm) |
| JTH6E08BE | 1/8" | 6" (152.4 mm) |
| JTH6E09BE | 9/64" | 6" (152.4 mm) |
| JTH6E10BE | 5/32" | 6" (152.4 mm) |
| JTH6E11BE | 3/16" | 6" (152.4 mm) |
| JTH6E12BE | 7/32" | 6" (152.4 mm) |
| JTH6E13BE | 1/4" | 6" (152.4 mm) |
| JTH6E14BE | 5/16" | 6" (152.4 mm) |
| JTH6E15BE | 3/8" | 6" (152.4 mm) |



JTH610EB



JOURNEYMAN™

T-Handle Hex-Keys

T-Handle Hex-Keys - SAE

Includes core Journeyman™ T-handle hex-key features plus:

- Short blade-through handle provides maximum tool versatility



JTH6E15

| Cat. No. | Hex Size | Blade Length | Weight |
|------------------|----------|---------------|------------------|
| 4" Length | | | |
| JTH4E06 | 3/32" | 4" (101.6 mm) | 0.05 oz (1.4 g) |
| JTH4E07 | 7/64" | 4" (101.6 mm) | 0.05 oz (1.4 g) |
| JTH4E08 | 1/8" | 4" (101.6 mm) | 0.05 oz (1.4 g) |
| JTH4E09 | 9/64" | 4" (101.6 mm) | 0.06 oz (1.7 g) |
| JTH4E10 | 5/32" | 4" (101.6 mm) | 0.11 oz (3.1 g) |
| JTH4E11 | 3/16" | 4" (101.6 mm) | 0.13 oz (3.7 g) |
| JTH4E12 | 7/32" | 4" (101.6 mm) | 0.14 oz (4.0 g) |
| JTH4E13 | 1/4" | 4" (101.6 mm) | 0.24 oz (6.8 g) |
| JTH4E14 | 5/16" | 4" (101.6 mm) | 0.30 oz (8.5 g) |
| JTH4E15 | 3/8" | 4" (101.6 mm) | 0.38 oz (10.8 g) |
| JTH4E17 | 1/2" | 4" (101.6 mm) | 0.59 oz (16.7 g) |
| 6" Length | | | |
| JTH6E06 | 3/32" | 6" (152.4 mm) | 0.05 oz (1.4 g) |
| JTH6E07 | 7/64" | 6" (152.4 mm) | 0.05 oz (1.4 g) |
| JTH6E08 | 1/8" | 6" (152.4 mm) | 0.05 oz (1.4 g) |
| JTH6E09 | 9/64" | 6" (152.4 mm) | 0.06 oz (1.7 g) |
| JTH6E10 | 5/32" | 6" (152.4 mm) | 0.11 oz (3.1 g) |
| JTH6E11 | 3/16" | 6" (152.4 mm) | 0.13 oz (3.7 g) |
| JTH6E12 | 7/32" | 6" (152.4 mm) | 0.14 oz (4.0 g) |
| JTH6E13 | 1/4" | 6" (152.4 mm) | 0.24 oz (6.8 g) |
| JTH6E14 | 5/16" | 6" (152.4 mm) | 0.30 oz (8.5 g) |
| JTH6E15 | 3/8" | 6" (152.4 mm) | 0.38 oz (10.8 g) |
| JTH6E17 | 1/2" | 6" (152.4 mm) | 0.59 oz (16.7 g) |
| 9" Length | | | |
| JTH9E06 | 3/32" | 9" (228.6 mm) | 0.05 oz (1.4 g) |
| JTH9E07 | 7/64" | 9" (228.6 mm) | 0.05 oz (1.4 g) |
| JTH9E08 | 1/8" | 9" (228.6 mm) | 0.06 oz (1.7 g) |
| JTH9E09 | 9/64" | 9" (228.6 mm) | 0.06 oz (1.7 g) |
| JTH9E10 | 5/32" | 9" (228.6 mm) | 0.11 oz (3.1 g) |
| JTH9E11 | 3/16" | 9" (228.6 mm) | 0.14 oz (4.0 g) |
| JTH9E12 | 7/32" | 9" (228.6 mm) | 0.18 oz (5.1 g) |
| JTH9E13 | 1/4" | 9" (228.6 mm) | 0.27 oz (7.7 g) |
| JTH9E14 | 5/16" | 9" (228.6 mm) | 0.35 oz (9.9 g) |
| JTH9E15 | 3/8" | 9" (228.6 mm) | 0.45 oz (12.8 g) |
| JTH9E17 | 1/2" | 9" (228.6 mm) | 0.70 oz (19.8 g) |

T-Handle Hex-Key Sets with Stand - SAE

Includes core Journeyman™ T-handle hex-key features plus:

- Metal stand for convenient mounting on bench or wall
- Short blade-through handle provides maximum tool versatility



JTH610E

| Cat. No. | Set Contains | Weight |
|----------|--|-----------------|
| JTH410E | T-Handle Set with Stand, SAE, 4" Blade 10 Pc | 2.7 lb (1.2 kg) |

| Cat. No. | Hex Size | Blade Length |
|----------|----------|---------------|
| JTH4E06 | 3/32" | 4" (101.6 mm) |
| JTH4E07 | 7/64" | 4" (101.6 mm) |
| JTH4E08 | 1/8" | 4" (101.6 mm) |
| JTH4E09 | 9/64" | 4" (101.6 mm) |
| JTH4E10 | 5/32" | 4" (101.6 mm) |
| JTH4E11 | 3/16" | 4" (101.6 mm) |
| JTH4E12 | 7/32" | 4" (101.6 mm) |
| JTH4E13 | 1/4" | 4" (101.6 mm) |
| JTH4E14 | 5/16" | 4" (101.6 mm) |
| JTH4E15 | 3/8" | 4" (101.6 mm) |

| Cat. No. | Set Contains | Weight |
|----------|--|-----------------|
| JTH610E | T-Handle Set with Stand, SAE, 6" Blade 10 Pc | 2.7 lb (1.2 kg) |

| Cat. No. | Hex Size | Blade Length |
|----------|----------|---------------|
| JTH6E06 | 3/32" | 6" (152.4 mm) |
| JTH6E07 | 7/64" | 6" (152.4 mm) |
| JTH6E08 | 1/8" | 6" (152.4 mm) |
| JTH6E09 | 9/64" | 6" (152.4 mm) |
| JTH6E10 | 5/32" | 6" (152.4 mm) |
| JTH6E11 | 3/16" | 6" (152.4 mm) |
| JTH6E12 | 7/32" | 6" (152.4 mm) |
| JTH6E13 | 1/4" | 6" (152.4 mm) |
| JTH6E14 | 5/16" | 6" (152.4 mm) |
| JTH6E15 | 3/8" | 6" (152.4 mm) |

| Cat. No. | Set Contains | Weight |
|----------|--|-----------------|
| JTH910E | T-Handle Set with Stand, SAE, 9" Blade 10 Pc | 3.6 lb (1.6 kg) |

| Cat. No. | Hex Size | Blade Length |
|----------|----------|---------------|
| JTH9E06 | 3/32" | 9" (228.6 mm) |
| JTH9E07 | 7/64" | 9" (228.6 mm) |
| JTH9E08 | 1/8" | 9" (228.6 mm) |
| JTH9E09 | 9/64" | 9" (228.6 mm) |
| JTH9E10 | 5/32" | 9" (228.6 mm) |
| JTH9E11 | 3/16" | 9" (228.6 mm) |
| JTH9E12 | 7/32" | 9" (228.6 mm) |
| JTH9E13 | 1/4" | 9" (228.6 mm) |
| JTH9E14 | 5/16" | 9" (228.6 mm) |
| JTH9E15 | 3/8" | 9" (228.6 mm) |

See page 310 for additional information on warnings.



JOURNEYMAN

T-Handle Hex-Keys

T-Handle Ball-End Hex-Keys - Metric

Includes core Journeyman™ T-handle hex-key features plus:

- Short blade-through handle provides maximum tool versatility

| Cat. No. | Hex Size | Blade Length | Weight |
|-----------|----------|---------------|-------------------|
| JTH6M2BE | 2 mm | 6" (152.4 mm) | 0.64 oz (18.1 g) |
| JTH6M25BE | 2.5 mm | 6" (152.4 mm) | 0.80 oz (22.7 g) |
| JTH6M3BE | 3 mm | 6" (152.4 mm) | 1.0 oz (28 g) |
| JTH6M4BE | 4 mm | 6" (152.4 mm) | 1.1 oz (31 g) |
| JTH6M5BE | 5 mm | 6" (152.4 mm) | 0.15 lb (0.07 kg) |
| JTH6M6BE | 6 mm | 6" (152.4 mm) | 0.19 lb (0.09 kg) |
| JTH6M8BE | 8 mm | 6" (152.4 mm) | 0.35 lb (0.16 kg) |
| JTH6M10BE | 10 mm | 6" (152.4 mm) | 0.48 lb (0.22 kg) |



JTH6M8BE

T-Handle Ball-End Hex-Key Set with Stand - Metric

Includes core Journeyman™ T-handle hex-key features plus:

- Metal stand for convenient mounting on bench or wall
- Short blade-through handle provides maximum tool versatility

| Cat. No. | Set Contains | Weight | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---------------|----------|--------------|----------|------|---------------|-----------|--------|---------------|----------|------|---------------|----------|------|---------------|----------|------|---------------|----------|------|---------------|----------|------|---------------|-----------|-------|---------------|-----------------|
| JTH68MB | <table border="1"> <thead> <tr> <th>Cat. No.</th> <th>Hex Size</th> <th>Blade Length</th> </tr> </thead> <tbody> <tr> <td>JTH6M2BE</td> <td>2 mm</td> <td>6" (152.4 mm)</td> </tr> <tr> <td>JTH6M25BE</td> <td>2.5 mm</td> <td>6" (152.4 mm)</td> </tr> <tr> <td>JTH6M3BE</td> <td>3 mm</td> <td>6" (152.4 mm)</td> </tr> <tr> <td>JTH6M4BE</td> <td>4 mm</td> <td>6" (152.4 mm)</td> </tr> <tr> <td>JTH6M5BE</td> <td>5 mm</td> <td>6" (152.4 mm)</td> </tr> <tr> <td>JTH6M6BE</td> <td>6 mm</td> <td>6" (152.4 mm)</td> </tr> <tr> <td>JTH6M8BE</td> <td>8 mm</td> <td>6" (152.4 mm)</td> </tr> <tr> <td>JTH6M10BE</td> <td>10 mm</td> <td>6" (152.4 mm)</td> </tr> </tbody> </table> | Cat. No. | Hex Size | Blade Length | JTH6M2BE | 2 mm | 6" (152.4 mm) | JTH6M25BE | 2.5 mm | 6" (152.4 mm) | JTH6M3BE | 3 mm | 6" (152.4 mm) | JTH6M4BE | 4 mm | 6" (152.4 mm) | JTH6M5BE | 5 mm | 6" (152.4 mm) | JTH6M6BE | 6 mm | 6" (152.4 mm) | JTH6M8BE | 8 mm | 6" (152.4 mm) | JTH6M10BE | 10 mm | 6" (152.4 mm) | 2.7 lb (1.2 kg) |
| Cat. No. | Hex Size | Blade Length | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| JTH6M2BE | 2 mm | 6" (152.4 mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| JTH6M25BE | 2.5 mm | 6" (152.4 mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| JTH6M3BE | 3 mm | 6" (152.4 mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| JTH6M4BE | 4 mm | 6" (152.4 mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| JTH6M5BE | 5 mm | 6" (152.4 mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| JTH6M6BE | 6 mm | 6" (152.4 mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| JTH6M8BE | 8 mm | 6" (152.4 mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| JTH6M10BE | 10 mm | 6" (152.4 mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | |



JTH68MB

T-Handle Hex-Keys - Metric

Includes core Journeyman™ T-handle hex-key features plus:


- Short blade-through handle provides maximum tool versatility

| Cat. No. | Hex Size | Blade Length | Weight |
|----------|----------|---------------|-------------------|
| JTH6M2 | 2 mm | 6" (152.4 mm) | 0.64 oz (18.1 g) |
| JTH6M25 | 2.5 mm | 6" (152.4 mm) | 0.80 oz (22.7 g) |
| JTH6M3 | 3 mm | 6" (152.4 mm) | 1.0 oz (28 g) |
| JTH6M4 | 4 mm | 6" (152.4 mm) | 0.10 oz (2.8 g) |
| JTH6M5 | 5 mm | 6" (152.4 mm) | 0.15 lb (0.07 kg) |
| JTH6M6 | 6 mm | 6" (152.4 mm) | 0.17 lb (0.08 kg) |
| JTH6M8 | 8 mm | 6" (152.4 mm) | 0.35 lb (0.16 kg) |
| JTH6M10 | 10 mm | 6" (152.4 mm) | 0.48 lb (0.22 kg) |
| JTH9M10 | 10 mm | 9" (228.6 mm) | 0.48 oz (13.6 g) |
| JTH9M2 | 2 mm | 9" (228.6 mm) | 0.05 oz (1.4 g) |
| JTH9M25 | 2.5 mm | 9" (228.6 mm) | 0.05 oz (1.4 g) |
| JTH9M3 | 3 mm | 9" (228.6 mm) | 0.06 oz (1.7 g) |
| JTH9M4 | 4 mm | 9" (228.6 mm) | 1.4 oz (40 g) |
| JTH9M5 | 5 mm | 9" (228.6 mm) | 0.18 oz (5.1 g) |
| JTH9M6 | 6 mm | 9" (228.6 mm) | 0.22 oz (6.2 g) |
| JTH9M8 | 8 mm | 9" (228.6 mm) | 0.42 oz (11.9 g) |



JTH6M8





JOURNEYMAN™

T-Handle Hex-Keys

T-Handle Hex-Key Sets with Stand - Metric

Includes core Journeyman™ T-handle hex-key features plus:

- Metal stand for convenient mounting on bench or wall
- Short blade-through handle provides maximum tool versatility



JTH68M

| Cat. No. | Set Contains | Weight |
|----------|--|-----------------|
| JTH68M | 6" Metric Journeyman T-Handle Set 8 Pc | 1.8 lb (0.8 kg) |

| Cat. No. | Hex Size | Blade Length |
|----------|----------|---------------|
| JTH6M2 | 2 mm | 6" (152.4 mm) |
| JTH6M25 | 2.5 mm | 6" (152.4 mm) |
| JTH6M3 | 3 mm | 6" (152.4 mm) |
| JTH6M4 | 4 mm | 6" (152.4 mm) |
| JTH6M5 | 5 mm | 6" (152.4 mm) |
| JTH6M6 | 6 mm | 6" (152.4 mm) |
| JTH6M8 | 8 mm | 6" (152.4 mm) |
| JTH6M10 | 10 mm | 6" (152.4 mm) |

| Cat. No. | Set Contains | Weight |
|----------|--|-----------------|
| JTH98M | 9" Metric Journeyman T-Handle Set 8 Pc | 2.1 lb (1.0 kg) |

| Cat. No. | Hex Size | Blade Length |
|----------|----------|---------------|
| JTH9M2 | 2 mm | 9" (228.6 mm) |
| JTH9M25 | 2.5 mm | 9" (228.6 mm) |
| JTH9M3 | 3 mm | 9" (228.6 mm) |
| JTH9M4 | 4 mm | 9" (228.6 mm) |
| JTH9M5 | 5 mm | 9" (228.6 mm) |
| JTH9M6 | 6 mm | 9" (228.6 mm) |
| JTH9M8 | 8 mm | 9" (228.6 mm) |
| JTH9M10 | 10 mm | 9" (228.6 mm) |

T-Handle Hex-Keys - TORX®

Includes core features plus:

- Short blade-through handle provides maximum tool versatility

| Cat. No. | Hex Size | Blade Length | Weight |
|----------|----------|---------------|-------------------|
| JTH6T10 | T10 | 6" (152.4 mm) | 0.80 oz (22.7 g) |
| JTH6T15 | T15 | 6" (152.4 mm) | 1.0 oz (28 g) |
| JTH6T20 | T20 | 6" (152.4 mm) | 1.1 oz (31 g) |
| JTH6T25 | T25 | 6" (152.4 mm) | 0.13 lb (0.06 kg) |
| JTH6T27 | T27 | 6" (152.4 mm) | 0.16 lb (0.07 kg) |
| JTH6T30 | T30 | 6" (152.4 mm) | 0.18 lb (0.08 kg) |
| JTH6T40 | T40 | 6" (152.4 mm) | 0.29 lb (0.13 kg) |

TORX® is a trademark of Acument Intellectual Properties, LLC.



JTH6T40

T-Handle Hex-Key Set with Stand - TORX®

Includes core features plus:

- Metal stand for convenient mounting on bench or wall
- Short blade-through handle provides maximum tool versatility

| Cat. No. | Set Contains | Weight |
|----------|---------------------------------------|-----------------|
| JTH67T | 6" Torx® T-Handle Set with Stand 7 Pc | 1.3 lb (0.6 kg) |

| Cat. No. | Hex Size | Blade Length |
|----------|----------|---------------|
| JTH6T10 | T10 | 6" (152.4 mm) |
| JTH6T15 | T15 | 6" (152.4 mm) |
| JTH6T20 | T20 | 6" (152.4 mm) |
| JTH6T25 | T25 | 6" (152.4 mm) |
| JTH6T27 | T27 | 6" (152.4 mm) |
| JTH6T30 | T30 | 6" (152.4 mm) |
| JTH6T40 | T40 | 6" (152.4 mm) |

TORX® is a trademark of Acument Intellectual Properties, LLC.



JTH67T

See page 310 for additional information on warnings.



Folding Hex-Key Sets

Hex-Key Sets

- Two key positions (straight-out or right angle) for extra leverage
- Hex ends are square-cut for a secure full-depth fit and maximum contact with the hex socket to prevent slippage and stripping of the socket
- Handy sets fit in your pocket or tool box easily and help eliminate the lost key problem
- Made in the U.S.A.

Improved Strength



70579

| Cat. No. | Description | Size | Handle Length | Key Lengths | Color | Weight |
|----------|--------------------------------------|---|-------------------|--|--------|-------------------|
| 70591 | Nine-Key Inch Folding Hex Key Set | 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4" | 4-3/8" (111.1 mm) | 2-11/16" to 3-13/16" (68.3 to 96.8 mm) | Silver | 0.50 lb (0.23 kg) |
| 70581 | Eight-Key Inch Folding Hex Key Set | 1/20", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32" | 3-1/16" (77.8 mm) | 1-7/8" to 3" (47.6 to 76.2 mm) | Silver | 0.20 lb (0.09 kg) |
| 70579 | Five-Key Inch Folding Hex Key Set | 3/16", 7/32", 1/4", 5/16", 3/8" | 5-3/8" (136.5 mm) | 2-11/16" to 3-13/16" (68.3 to 96.8 mm) | Silver | 0.85 lb (0.39 kg) |
| 70582 | Seven-Key Metric Folding Hex Key Set | 1-1/2 mm, 2 mm, 2-1/2 mm, 3 mm, 4 mm, 5 mm, 6 mm | 3-45/64" (94 mm) | 19/32" to 1-25/32" (15 to 45 mm) | Silver | 0.27 lb (0.12 kg) |
| 70580 | Six-Key Metric Folding Hex Key Set | 3 mm, 4 mm, 5 mm, 6 mm, 8 mm, 10 mm | 5-3/8" (136.5 mm) | 2-3/8" to 4" (60 to 101 mm) | Silver | 0.85 lb (0.39 kg) |

Grip-It™ Hex-Key Sets

- Blades rotate independently up to 270°
- Precision fit so hex tool end reduces stripping problems. Keys are industrial strength, impact-resistant and tested for performance to below freezing
- Glass-reinforced nylon handle
- Hex ends are square-cut for a secure full-depth fit and maximum contact with the hex socket to prevent slippage and stripping of the socket (Cat. Nos. 70570, 70573, 70574, and 70575)
- Ball design allows for a thicker neck diameter increasing torque capacity, while maintaining operational angles to 25% (Cat. Nos. 70571 and 70572)
- Made in the U.S.A.



70570

| Cat. No. | Description | Size | Handle Length | Key Lengths | Color | Weight |
|----------|---|---|--------------------|--|--------|-------------------|
| 70570 | Grip-It® Five Key Hex Set - Inch | 3/16", 7/32", 1/4", 5/16", 3/8" | 4-7/16" (112.7 mm) | 1-37/64" to 1-31/32" (40.1 to 50.0 mm) | Yellow | 0.58 lb (0.26 kg) |
| 70571 | Grip-It® Five Key Ball Hex Set - Inch | 3/16", 7/32", 1/4", 5/16", 3/8" | 4-7/16" (112.7 mm) | 1-35/64" to 2" (39.3 mm to 50.8 mm) | Yellow | 0.58 lb (0.26 kg) |
| 70572 | Grip-It® Five Key Ball Hex Set - Metric | 5 mm, 6 mm, 7 mm, 8 mm, 10 mm | 4-7/16" (112.7 mm) | 1-19/32" to 1-15/16" (40.5 to 49.2 mm) | Red | 0.58 lb (0.26 kg) |
| 70573 | Grip-It® 12 Key Hex Set - Inch/Metric | 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 1.5 mm, 2 mm, 2.5 mm, 3 mm, 4 mm, 5 mm | 4-7/16" (112.7 mm) | 1-7/16" to 2-17/64" (36.5 to 57.6 mm) | Blue | 0.30 lb (0.14 kg) |
| 70574 | Grip-It® Nine Key Hex Set 2 Positions | 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4" | 4-7/16" (112.7 mm) | 1-3/4" to 2-17/64" (44.5 to 57.6 mm) | Yellow | 0.33 lb (0.15 kg) |
| 70575 | Grip-It® Nine Key Hex Set Square Cut | 3/64", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16" | 3-13/16" (96.8 mm) | 1-25/64" to 1-27/32" (35.3 to 46.8 mm) | Yellow | 0.20 lb (0.09 kg) |

TORX® Sets

Folding TORX® Set

- TORX® drive cuts slippage, saves fasteners, efficiently transmits more torque to the work
- Keys are tough, heat-treated chrome-nickel alloy steel for strength and durability
- Keys fold flat into handle
- Can be used straight out or at an angle for extra leverage

| Cat. No. | Size | Handle Length | Key Lengths | Color | Weight |
|----------|-----------------------------------|-------------------|----------------------------------|--------|-------------------|
| 70586 | T10, T15, T20, T25, T27, T30, T40 | 4-3/8" (111.1 mm) | 2-13/16" to 3" (71.4 to 76.2 mm) | Silver | 0.30 lb (0.14 kg) |


TORX® is a trademark of Acument Intellectual Properties, LLC.



70586




Hex-Key Wrenches



L-Style Hex-Keys

Rust and corrosion resistant surfaces

Top-grade alloy steel



Ball-End Hex



L-Style Hex-Keys

Includes core L-Style hex key features plus:

- Allows easy access, even in restricted areas

LL8

| Cat. No. | Hex Size | Short Arm Length | Long Arm Length | Weight |
|----------|----------|---------------------|---------------------|-------------------|
| LL2 | 0.050" | 9/16" (14.28 mm) | 2-7/8" (73.0 mm) | 0.08 oz (2.3 g) |
| LL4 | 1/16" | 5/8" (15.87 mm) | 3-1/16" (77.8 mm) | 0.08 oz (2.3 g) |
| LL5 | 5/64" | 11/16" (17.46 mm) | 3-1/4" (82.6 mm) | 0.08 oz (2.3 g) |
| LL6 | 3/32" | 3/4" (19.05 mm) | 3-1/2" (88.9 mm) | 0.16 oz (4.5 g) |
| LL7 | 7/64" | 13/16" (20.63 mm) | 3-11/16" (93.7 mm) | 0.32 oz (9.1 g) |
| LL8 | 1/8" | 7/8" (22.22 mm) | 3-7/8" (98.4 mm) | 0.32 oz (9.1 g) |
| LL9 | 9/64" | 15/16" (23.81 mm) | 4-1/8" (104.8 mm) | 0.48 oz (13.6 g) |
| LL10 | 5/32" | 1" (25.4 mm) | 4-3/8" (111.1 mm) | 0.48 oz (13.6 g) |
| LL12 | 3/16" | 1-1/8" (28.57 mm) | 4-11/16" (119.1 mm) | 0.80 oz (22.7 g) |
| LL14 | 7/32" | 1-1/4" (31.75 mm) | 5-1/16" (128.6 mm) | 0.70 lb (0.32 kg) |
| LL16 | 1/4" | 1-3/8" (34.92 mm) | 5-1/2" (139.7 mm) | 0.10 lb (0.05 kg) |
| LL20 | 5/16" | 1-9/16" (39.68 mm) | 6-5/16" (160.33 mm) | 0.18 lb (0.08 kg) |
| LL24 | 3/8" | 1-3/4" (44.45 mm) | 7-1/8" (181.0 mm) | 0.25 lb (0.11 kg) |
| Metric | | | | |
| LLM15 | 1.5 mm | 9/16" (14.28 mm) | 3-1/8" (79.4 mm) | 0.08 oz (2.3 g) |
| LLM2 | 2 mm | 11/16" (17.46 mm) | 3-1/32" (77.0 mm) | 0.08 oz (2.3 g) |
| LLM25 | 2.5 mm | 13/16" (20.63 mm) | 3-9/16" (90.5 mm) | 0.16 oz (4.5 g) |
| LLM3 | 3 mm | 7/8" (22.22 mm) | 4" (101.6 mm) | 0.32 oz (9.1 g) |
| LLM4 | 4 mm | 1" (25.4 mm) | 4-1/2" (114.3 mm) | 0.48 oz (13.6 g) |
| LLM5 | 5 mm | 1-1/4" (31.75 mm) | 4-7/8" (123.8 mm) | 0.80 oz (22.7 g) |
| LLM6 | 6 mm | 1-7/16" (36.51 mm) | 5-11/16" (144.5 mm) | 1.3 oz (37 g) |
| LLM8 | 8 mm | 1-11/16" (42.86 mm) | 6-5/16" (160.33 mm) | 0.15 lb (0.07 kg) |
| LLM10 | 10 mm | 1-15/16" (49.21 mm) | 7-1/8" (181.0 mm) | 0.25 lb (0.11 kg) |

L-Style Ball-End Hex-Keys

Includes core L-Style hex key features plus:

- Allows easy access, even in restricted areas
- Ball-end works on angles up to 30°

BL8

| Cat. No. | Hex Size | Short Arm Length | Long Arm Length | Weight |
|----------|----------|---------------------|---------------------|-------------------|
| BL2 | 0.050" | 9/16" (14.28 mm) | 2-7/8" (73.0 mm) | 0.03 oz (0.9 g) |
| BL4 | 1/16" | 5/8" (15.87 mm) | 3-1/16" (77.8 mm) | 0.03 oz (0.9 g) |
| BL5 | 5/64" | 11/16" (17.46 mm) | 3-1/4" (82.6 mm) | 0.08 oz (2.3 g) |
| BL6 | 3/32" | 3/4" (19.05 mm) | 3-1/2" (88.9 mm) | 0.08 oz (2.3 g) |
| BL7 | 7/64" | 3/4" (19.05 mm) | 3-11/16" (93.7 mm) | 0.16 oz (4.5 g) |
| BL8 | 1/8" | 7/8" (22.22 mm) | 3-7/8" (98.4 mm) | 0.32 oz (9.1 g) |
| BL9 | 9/64" | 15/16" (23.81 mm) | 4-1/8" (104.8 mm) | 0.32 oz (9.1 g) |
| BL10 | 5/32" | 1" (25.4 mm) | 4-3/8" (111.1 mm) | 0.48 oz (13.6 g) |
| BL12 | 3/16" | 1-1/8" (28.57 mm) | 4-11/16" (119.1 mm) | 0.80 oz (22.7 g) |
| BL14 | 7/32" | 1-1/4" (31.75 mm) | 5-1/16" (128.6 mm) | 1.0 oz (28 g) |
| BL16 | 1/4" | 1-3/8" (34.92 mm) | 5-13/16" (147.6 mm) | 1.4 oz (40 g) |
| BL20 | 5/16" | 1-9/16" (39.68 mm) | 6-5/16" (160.33 mm) | 0.17 lb (0.08 kg) |
| BL24 | 3/8" | 1-3/4" (44.45 mm) | 7-1/8" (181.0 mm) | 0.23 lb (0.10 kg) |
| Metric | | | | |
| BLM15 | 1.5 mm | 9/16" (14.28 mm) | 3-1/16" (77.8 mm) | 0.16 oz (4.5 g) |
| BLM2 | 2 mm | 11/16" (17.46 mm) | 3-5/16" (84.1 mm) | 0.16 oz (4.5 g) |
| BLM25 | 2.5 mm | 13/16" (20.63 mm) | 3-9/16" (90.5 mm) | 0.16 oz (4.5 g) |
| BLM3 | 3 mm | 7/8" (22.22 mm) | 4" (101.6 mm) | 0.32 oz (9.1 g) |
| BLM4 | 4 mm | 1" (25.4 mm) | 4-1/2" (114.3 mm) | 0.48 oz (13.6 g) |
| BLM5 | 5 mm | 1-1/4" (31.75 mm) | 4-7/8" (123.8 mm) | 0.80 oz (22.7 g) |
| BLM6 | 6 mm | 1-7/16" (36.51 mm) | 5-11/16" (144.5 mm) | 1.3 oz (37 g) |
| BLM8 | 8 mm | 1-11/16" (42.86 mm) | 6-5/16" (160.33 mm) | 0.14 lb (0.06 kg) |
| BLM10 | 10 mm | 1-15/16" (49.21 mm) | 6-1/8" (155.6 mm) | 0.24 lb (0.11 kg) |



L-Style Hex-Key Sets

L-Style Caddy Sets

Includes core L-Style hex key features plus:

- L-style hex-keys organized in convenient, durable caddy sets
- Each set contains a unique locking feature and marked slots for each key
- Ball-end works on angles up to 30° (Cat. Nos. BLK12 and BLMK10)



BLK12



LMK10

| Cat. No. | Set Contains | Weight |
|----------|--|-------------------|
| BLK12 | L Style Ball End Hex Key Caddy Set 12 Pc | 0.53 lb (0.24 kg) |

| Cat. No. | Hex Size | Short Arm Length | Long Arm Length |
|----------|----------|--------------------|---------------------|
| BL2 | 0.050" | 9/16" (14.28 mm) | 2-7/8" (73.0 mm) |
| BL4 | 1/16" | 5/8" (15.87 mm) | 3-1/16" (77.8 mm) |
| BL5 | 5/64" | 11/16" (17.46 mm) | 3-1/4" (82.6 mm) |
| BL6 | 3/32" | 3/4" (19.05 mm) | 3-1/2" (88.9 mm) |
| BL7 | 7/64" | 3/4" (19.05 mm) | 3-11/16" (93.7 mm) |
| BL8 | 1/8" | 7/8" (22.22 mm) | 3-7/8" (98.4 mm) |
| BL9 | 9/64" | 15/16" (23.81 mm) | 4-1/8" (104.8 mm) |
| BL10 | 5/32" | 1" (25.4 mm) | 4-3/8" (111.1 mm) |
| BL12 | 3/16" | 1-1/8" (28.57 mm) | 4-11/16" (119.1 mm) |
| BL14 | 7/32" | 1-1/4" (31.75 mm) | 5-1/16" (128.6 mm) |
| BL16 | 1/4" | 1-3/8" (34.92 mm) | 5-13/16" (147.6 mm) |
| BL20 | 5/16" | 1-9/16" (39.68 mm) | 6-5/16" (160.33 mm) |

| Cat. No. | Set Contains | Weight |
|----------|--|-------------------|
| BLMK10 | L Style Ball End Hex Key Caddy Set Metric 9 Pc | 0.62 lb (0.28 kg) |

| Cat. No. | Hex Size | Short Arm Length | Long Arm Length |
|----------|----------|---------------------|---------------------|
| BLM15 | 1.5 mm | 9/16" (14.28 mm) | 3-1/16" (77.8 mm) |
| BLM2 | 2 mm | 11/16" (17.46 mm) | 3-5/16" (84.1 mm) |
| BLM25 | 2.5 mm | 13/16" (20.63 mm) | 3-9/16" (90.5 mm) |
| BLM3 | 3 mm | 7/8" (22.22 mm) | 4" (101.6 mm) |
| BLM4 | 4 mm | 1" (25.4 mm) | 4-1/2" (114.3 mm) |
| BLM5 | 5 mm | 1-1/4" (31.75 mm) | 4-7/8" (123.8 mm) |
| BLM6 | 6 mm | 1-7/16" (36.51 mm) | 5-11/16" (144.5 mm) |
| BLM8 | 8 mm | 1-11/16" (42.86 mm) | 6-5/16" (160.33 mm) |
| BLM10 | 10 mm | 1-15/16" (49.21 mm) | 6-1/8" (155.6 mm) |

| Cat. No. | Set Contains | Weight |
|----------|---------------------------------|-------------------|
| LLK12 | L-Style Hex Key Caddy Set 12 Pc | 0.54 lb (0.24 kg) |

| Cat. No. | Hex Size | Short Arm Length | Long Arm Length |
|----------|----------|--------------------|---------------------|
| LL2 | 0.050" | 9/16" (14.28 mm) | 2-7/8" (73.0 mm) |
| LL4 | 1/16" | 5/8" (15.87 mm) | 3-1/16" (77.8 mm) |
| LL5 | 5/64" | 11/16" (17.46 mm) | 3-1/4" (82.6 mm) |
| LL6 | 3/32" | 3/4" (19.05 mm) | 3-1/2" (88.9 mm) |
| LL7 | 7/64" | 13/16" (20.63 mm) | 3-11/16" (93.7 mm) |
| LL8 | 1/8" | 7/8" (22.22 mm) | 3-7/8" (98.4 mm) |
| LL9 | 9/64" | 15/16" (23.81 mm) | 4-1/8" (104.8 mm) |
| LL10 | 5/32" | 1" (25.4 mm) | 4-3/8" (111.1 mm) |
| LL12 | 3/16" | 1-1/8" (28.57 mm) | 4-11/16" (119.1 mm) |
| LL14 | 7/32" | 1-1/4" (31.75 mm) | 5-1/16" (128.6 mm) |
| LL16 | 1/4" | 1-3/8" (34.92 mm) | 5-1/2" (139.7 mm) |
| LL20 | 5/16" | 1-9/16" (39.68 mm) | 6-5/16" (160.33 mm) |

| Cat. No. | Set Contains | Weight |
|----------|---------------------------------------|-------------------|
| LMK10 | L-Style Hex Key Caddy Set Metric 9 Pc | 0.63 lb (0.29 kg) |

| Cat. No. | Hex Size | Short Arm Length | Long Arm Length |
|----------|----------|---------------------|---------------------|
| LLM15 | 1.5 mm | 9/16" (14.28 mm) | 3-1/8" (79.4 mm) |
| LLM2 | 2 mm | 11/16" (17.46 mm) | 3-1/32" (77.0 mm) |
| LLM25 | 2.5 mm | 13/16" (20.63 mm) | 3-9/16" (90.5 mm) |
| LLM3 | 3 mm | 7/8" (22.22 mm) | 4" (101.6 mm) |
| LLM4 | 4 mm | 1" (25.4 mm) | 4-1/2" (114.3 mm) |
| LLM5 | 5 mm | 1-1/4" (31.75 mm) | 4-7/8" (123.8 mm) |
| LLM6 | 6 mm | 1-7/16" (36.51 mm) | 5-11/16" (144.5 mm) |
| LLM8 | 8 mm | 1-11/16" (42.86 mm) | 6-5/16" (160.33 mm) |
| LLM10 | 10 mm | 1-15/16" (49.21 mm) | 7-1/8" (181.0 mm) |



Hex-Key Wrenches

Klein hex-keys are the tools professionals cannot afford to be without. Heat-treated and tempered for superior strength and durability, Klein hex-keys are designed for a precise fit in sockets, preventing slippage and stripping of the socket.



For Professionals...
Since 1857™

JOURNEYMAN

T-Handle Hex-Keys



TORX® is a trademark of Acument Intellectual Properties, LLC.

T-Handle Ball-End Hex-Keys - SAE

Includes core Journeyman™ T-handle hex-key features plus:

- Short blade-through handle provides maximum tool versatility



JTH6E13BE

| Cat. No. | Hex Size | Blade Length | Weight |
|-----------|----------|---------------|-------------------|
| JTH6E06BE | 3/32" | 6" (152.4 mm) | 0.64 oz (18.1 g) |
| JTH6E07BE | 7/64" | 6" (152.4 mm) | 0.80 oz (22.7 g) |
| JTH6E08BE | 1/8" | 6" (152.4 mm) | 1.0 oz (28 g) |
| JTH6E09BE | 9/64" | 6" (152.4 mm) | 1.1 oz (31 g) |
| JTH6E10BE | 5/32" | 6" (152.4 mm) | 0.12 lb (0.05 kg) |
| JTH6E11BE | 3/16" | 6" (152.4 mm) | 0.14 lb (0.06 kg) |

| Cat. No. | Hex Size | Blade Length | Weight |
|-----------|----------|---------------|-------------------|
| JTH6E12BE | 7/32" | 6" (152.4 mm) | 0.17 lb (0.08 kg) |
| JTH6E13BE | 1/4" | 6" (152.4 mm) | 0.27 lb (0.12 kg) |
| JTH6E14BE | 5/16" | 6" (152.4 mm) | 0.35 lb (0.16 kg) |
| JTH6E15BE | 3/8" | 6" (152.4 mm) | 0.45 lb (0.20 kg) |
| JTH6E17BE | 1/2" | 6" (152.4 mm) | 0.70 lb (0.32 kg) |

T-Handle Ball-End Hex-Key Set with Stand - SAE

Includes core Journeyman™ T-handle hex-key features plus:

- Metal stand for convenient hanging, storage on bench or wall
- Short blade-through handle provides maximum tool versatility

| Cat. No. | Set Contains | Weight |
|----------|--------------|-----------------|
| JTH610EB | | 3.0 lb (1.4 kg) |

| Cat. No. | Hex Size | Blade Length |
|-----------|----------|---------------|
| JTH6E06BE | 3/32" | 6" (152.4 mm) |
| JTH6E07BE | 7/64" | 6" (152.4 mm) |
| JTH6E08BE | 1/8" | 6" (152.4 mm) |
| JTH6E09BE | 9/64" | 6" (152.4 mm) |
| JTH6E10BE | 5/32" | 6" (152.4 mm) |
| JTH6E11BE | 3/16" | 6" (152.4 mm) |
| JTH6E12BE | 7/32" | 6" (152.4 mm) |
| JTH6E13BE | 1/4" | 6" (152.4 mm) |
| JTH6E14BE | 5/16" | 6" (152.4 mm) |
| JTH6E15BE | 3/8" | 6" (152.4 mm) |



JTH610EB



JOURNEYMAN™

T-Handle Hex-Keys

T-Handle Hex-Keys - SAE

Includes core Journeyman™ T-handle hex-key features plus:

- Short blade-through handle provides maximum tool versatility



JTH6E15

| Cat. No. | Hex Size | Blade Length | Weight |
|------------------|----------|---------------|------------------|
| 4" Length | | | |
| JTH4E06 | 3/32" | 4" (101.6 mm) | 0.05 oz (1.4 g) |
| JTH4E07 | 7/64" | 4" (101.6 mm) | 0.05 oz (1.4 g) |
| JTH4E08 | 1/8" | 4" (101.6 mm) | 0.05 oz (1.4 g) |
| JTH4E09 | 9/64" | 4" (101.6 mm) | 0.06 oz (1.7 g) |
| JTH4E10 | 5/32" | 4" (101.6 mm) | 0.11 oz (3.1 g) |
| JTH4E11 | 3/16" | 4" (101.6 mm) | 0.13 oz (3.7 g) |
| JTH4E12 | 7/32" | 4" (101.6 mm) | 0.14 oz (4.0 g) |
| JTH4E13 | 1/4" | 4" (101.6 mm) | 0.24 oz (6.8 g) |
| JTH4E14 | 5/16" | 4" (101.6 mm) | 0.30 oz (8.5 g) |
| JTH4E15 | 3/8" | 4" (101.6 mm) | 0.38 oz (10.8 g) |
| JTH4E17 | 1/2" | 4" (101.6 mm) | 0.59 oz (16.7 g) |
| 6" Length | | | |
| JTH6E06 | 3/32" | 6" (152.4 mm) | 0.05 oz (1.4 g) |
| JTH6E07 | 7/64" | 6" (152.4 mm) | 0.05 oz (1.4 g) |
| JTH6E08 | 1/8" | 6" (152.4 mm) | 0.05 oz (1.4 g) |
| JTH6E09 | 9/64" | 6" (152.4 mm) | 0.06 oz (1.7 g) |
| JTH6E10 | 5/32" | 6" (152.4 mm) | 0.11 oz (3.1 g) |
| JTH6E11 | 3/16" | 6" (152.4 mm) | 0.13 oz (3.7 g) |
| JTH6E12 | 7/32" | 6" (152.4 mm) | 0.14 oz (4.0 g) |
| JTH6E13 | 1/4" | 6" (152.4 mm) | 0.24 oz (6.8 g) |
| JTH6E14 | 5/16" | 6" (152.4 mm) | 0.30 oz (8.5 g) |
| JTH6E15 | 3/8" | 6" (152.4 mm) | 0.38 oz (10.8 g) |
| JTH6E17 | 1/2" | 6" (152.4 mm) | 0.59 oz (16.7 g) |
| 9" Length | | | |
| JTH9E06 | 3/32" | 9" (228.6 mm) | 0.05 oz (1.4 g) |
| JTH9E07 | 7/64" | 9" (228.6 mm) | 0.05 oz (1.4 g) |
| JTH9E08 | 1/8" | 9" (228.6 mm) | 0.06 oz (1.7 g) |
| JTH9E09 | 9/64" | 9" (228.6 mm) | 0.06 oz (1.7 g) |
| JTH9E10 | 5/32" | 9" (228.6 mm) | 0.11 oz (3.1 g) |
| JTH9E11 | 3/16" | 9" (228.6 mm) | 0.14 oz (4.0 g) |
| JTH9E12 | 7/32" | 9" (228.6 mm) | 0.18 oz (5.1 g) |
| JTH9E13 | 1/4" | 9" (228.6 mm) | 0.27 oz (7.7 g) |
| JTH9E14 | 5/16" | 9" (228.6 mm) | 0.35 oz (9.9 g) |
| JTH9E15 | 3/8" | 9" (228.6 mm) | 0.45 oz (12.8 g) |
| JTH9E17 | 1/2" | 9" (228.6 mm) | 0.70 oz (19.8 g) |

T-Handle Hex-Key Sets with Stand - SAE

Includes core Journeyman™ T-handle hex-key features plus:

- Metal stand for convenient mounting on bench or wall
- Short blade-through handle provides maximum tool versatility



JTH610E

| Cat. No. | Set Contains | Weight |
|----------|--|-----------------|
| JTH410E | T-Handle Set with Stand, SAE, 4" Blade 10 Pc | 2.7 lb (1.2 kg) |

| Cat. No. | Hex Size | Blade Length |
|----------|----------|---------------|
| JTH4E06 | 3/32" | 4" (101.6 mm) |
| JTH4E07 | 7/64" | 4" (101.6 mm) |
| JTH4E08 | 1/8" | 4" (101.6 mm) |
| JTH4E09 | 9/64" | 4" (101.6 mm) |
| JTH4E10 | 5/32" | 4" (101.6 mm) |
| JTH4E11 | 3/16" | 4" (101.6 mm) |
| JTH4E12 | 7/32" | 4" (101.6 mm) |
| JTH4E13 | 1/4" | 4" (101.6 mm) |
| JTH4E14 | 5/16" | 4" (101.6 mm) |
| JTH4E15 | 3/8" | 4" (101.6 mm) |

| Cat. No. | Set Contains | Weight |
|----------|--|-----------------|
| JTH610E | T-Handle Set with Stand, SAE, 6" Blade 10 Pc | 2.7 lb (1.2 kg) |

| Cat. No. | Hex Size | Blade Length |
|----------|----------|---------------|
| JTH6E06 | 3/32" | 6" (152.4 mm) |
| JTH6E07 | 7/64" | 6" (152.4 mm) |
| JTH6E08 | 1/8" | 6" (152.4 mm) |
| JTH6E09 | 9/64" | 6" (152.4 mm) |
| JTH6E10 | 5/32" | 6" (152.4 mm) |
| JTH6E11 | 3/16" | 6" (152.4 mm) |
| JTH6E12 | 7/32" | 6" (152.4 mm) |
| JTH6E13 | 1/4" | 6" (152.4 mm) |
| JTH6E14 | 5/16" | 6" (152.4 mm) |
| JTH6E15 | 3/8" | 6" (152.4 mm) |

| Cat. No. | Set Contains | Weight |
|----------|--|-----------------|
| JTH910E | T-Handle Set with Stand, SAE, 9" Blade 10 Pc | 3.6 lb (1.6 kg) |

| Cat. No. | Hex Size | Blade Length |
|----------|----------|---------------|
| JTH9E06 | 3/32" | 9" (228.6 mm) |
| JTH9E07 | 7/64" | 9" (228.6 mm) |
| JTH9E08 | 1/8" | 9" (228.6 mm) |
| JTH9E09 | 9/64" | 9" (228.6 mm) |
| JTH9E10 | 5/32" | 9" (228.6 mm) |
| JTH9E11 | 3/16" | 9" (228.6 mm) |
| JTH9E12 | 7/32" | 9" (228.6 mm) |
| JTH9E13 | 1/4" | 9" (228.6 mm) |
| JTH9E14 | 5/16" | 9" (228.6 mm) |
| JTH9E15 | 3/8" | 9" (228.6 mm) |

See page 310 for additional information on warnings.



JOURNEYMAN

T-Handle Hex-Keys

T-Handle Ball-End Hex-Keys - Metric

Includes core Journeyman™ T-handle hex-key features plus:

- Short blade-through handle provides maximum tool versatility

| Cat. No. | Hex Size | Blade Length | Weight |
|-----------|----------|---------------|-------------------|
| JTH6M2BE | 2 mm | 6" (152.4 mm) | 0.64 oz (18.1 g) |
| JTH6M25BE | 2.5 mm | 6" (152.4 mm) | 0.80 oz (22.7 g) |
| JTH6M3BE | 3 mm | 6" (152.4 mm) | 1.0 oz (28 g) |
| JTH6M4BE | 4 mm | 6" (152.4 mm) | 1.1 oz (31 g) |
| JTH6M5BE | 5 mm | 6" (152.4 mm) | 0.15 lb (0.07 kg) |
| JTH6M6BE | 6 mm | 6" (152.4 mm) | 0.19 lb (0.09 kg) |
| JTH6M8BE | 8 mm | 6" (152.4 mm) | 0.35 lb (0.16 kg) |
| JTH6M10BE | 10 mm | 6" (152.4 mm) | 0.48 lb (0.22 kg) |



JTH6M8BE

T-Handle Ball-End Hex-Key Set with Stand - Metric

Includes core Journeyman™ T-handle hex-key features plus:

- Metal stand for convenient mounting on bench or wall
- Short blade-through handle provides maximum tool versatility

| Cat. No. | Set Contains | Weight | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------|---|---------------|----------|--------------|----------|------|---------------|-----------|--------|---------------|----------|------|---------------|----------|------|---------------|----------|------|---------------|----------|------|---------------|----------|------|---------------|-----------|-------|---------------|-----------------|
| JTH68MB | <table border="1"> <thead> <tr> <th>Cat. No.</th> <th>Hex Size</th> <th>Blade Length</th> </tr> </thead> <tbody> <tr> <td>JTH6M2BE</td> <td>2 mm</td> <td>6" (152.4 mm)</td> </tr> <tr> <td>JTH6M25BE</td> <td>2.5 mm</td> <td>6" (152.4 mm)</td> </tr> <tr> <td>JTH6M3BE</td> <td>3 mm</td> <td>6" (152.4 mm)</td> </tr> <tr> <td>JTH6M4BE</td> <td>4 mm</td> <td>6" (152.4 mm)</td> </tr> <tr> <td>JTH6M5BE</td> <td>5 mm</td> <td>6" (152.4 mm)</td> </tr> <tr> <td>JTH6M6BE</td> <td>6 mm</td> <td>6" (152.4 mm)</td> </tr> <tr> <td>JTH6M8BE</td> <td>8 mm</td> <td>6" (152.4 mm)</td> </tr> <tr> <td>JTH6M10BE</td> <td>10 mm</td> <td>6" (152.4 mm)</td> </tr> </tbody> </table> | Cat. No. | Hex Size | Blade Length | JTH6M2BE | 2 mm | 6" (152.4 mm) | JTH6M25BE | 2.5 mm | 6" (152.4 mm) | JTH6M3BE | 3 mm | 6" (152.4 mm) | JTH6M4BE | 4 mm | 6" (152.4 mm) | JTH6M5BE | 5 mm | 6" (152.4 mm) | JTH6M6BE | 6 mm | 6" (152.4 mm) | JTH6M8BE | 8 mm | 6" (152.4 mm) | JTH6M10BE | 10 mm | 6" (152.4 mm) | 2.7 lb (1.2 kg) |
| Cat. No. | Hex Size | Blade Length | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| JTH6M2BE | 2 mm | 6" (152.4 mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| JTH6M25BE | 2.5 mm | 6" (152.4 mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| JTH6M3BE | 3 mm | 6" (152.4 mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| JTH6M4BE | 4 mm | 6" (152.4 mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| JTH6M5BE | 5 mm | 6" (152.4 mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| JTH6M6BE | 6 mm | 6" (152.4 mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| JTH6M8BE | 8 mm | 6" (152.4 mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| JTH6M10BE | 10 mm | 6" (152.4 mm) | | | | | | | | | | | | | | | | | | | | | | | | | | | |



JTH68MB

T-Handle Hex-Keys - Metric

Includes core Journeyman™ T-handle hex-key features plus:


- Short blade-through handle provides maximum tool versatility

| Cat. No. | Hex Size | Blade Length | Weight |
|----------|----------|---------------|-------------------|
| JTH6M2 | 2 mm | 6" (152.4 mm) | 0.64 oz (18.1 g) |
| JTH6M25 | 2.5 mm | 6" (152.4 mm) | 0.80 oz (22.7 g) |
| JTH6M3 | 3 mm | 6" (152.4 mm) | 1.0 oz (28 g) |
| JTH6M4 | 4 mm | 6" (152.4 mm) | 0.10 oz (2.8 g) |
| JTH6M5 | 5 mm | 6" (152.4 mm) | 0.15 lb (0.07 kg) |
| JTH6M6 | 6 mm | 6" (152.4 mm) | 0.17 lb (0.08 kg) |
| JTH6M8 | 8 mm | 6" (152.4 mm) | 0.35 lb (0.16 kg) |
| JTH6M10 | 10 mm | 6" (152.4 mm) | 0.48 lb (0.22 kg) |
| JTH9M10 | 10 mm | 9" (228.6 mm) | 0.48 oz (13.6 g) |
| JTH9M2 | 2 mm | 9" (228.6 mm) | 0.05 oz (1.4 g) |
| JTH9M25 | 2.5 mm | 9" (228.6 mm) | 0.05 oz (1.4 g) |
| JTH9M3 | 3 mm | 9" (228.6 mm) | 0.06 oz (1.7 g) |
| JTH9M4 | 4 mm | 9" (228.6 mm) | 1.4 oz (40 g) |
| JTH9M5 | 5 mm | 9" (228.6 mm) | 0.18 oz (5.1 g) |
| JTH9M6 | 6 mm | 9" (228.6 mm) | 0.22 oz (6.2 g) |
| JTH9M8 | 8 mm | 9" (228.6 mm) | 0.42 oz (11.9 g) |



JTH6M8





JOURNEYMAN™

T-Handle Hex-Keys

T-Handle Hex-Key Sets with Stand - Metric

Includes core Journeyman™ T-handle hex-key features plus:

- Metal stand for convenient mounting on bench or wall
- Short blade-through handle provides maximum tool versatility



| Cat. No. | Set Contains | Weight |
|----------|--|-----------------|
| JTH68M | 6" Metric Journeyman T-Handle Set 8 Pc | 1.8 lb (0.8 kg) |

| Cat. No. | Hex Size | Blade Length |
|----------|----------|---------------|
| JTH6M2 | 2 mm | 6" (152.4 mm) |
| JTH6M25 | 2.5 mm | 6" (152.4 mm) |
| JTH6M3 | 3 mm | 6" (152.4 mm) |
| JTH6M4 | 4 mm | 6" (152.4 mm) |
| JTH6M5 | 5 mm | 6" (152.4 mm) |
| JTH6M6 | 6 mm | 6" (152.4 mm) |
| JTH6M8 | 8 mm | 6" (152.4 mm) |
| JTH6M10 | 10 mm | 6" (152.4 mm) |

| Cat. No. | Set Contains | Weight |
|----------|--|-----------------|
| JTH98M | 9" Metric Journeyman T-Handle Set 8 Pc | 2.1 lb (1.0 kg) |

| Cat. No. | Hex Size | Blade Length |
|----------|----------|---------------|
| JTH9M2 | 2 mm | 9" (228.6 mm) |
| JTH9M25 | 2.5 mm | 9" (228.6 mm) |
| JTH9M3 | 3 mm | 9" (228.6 mm) |
| JTH9M4 | 4 mm | 9" (228.6 mm) |
| JTH9M5 | 5 mm | 9" (228.6 mm) |
| JTH9M6 | 6 mm | 9" (228.6 mm) |
| JTH9M8 | 8 mm | 9" (228.6 mm) |
| JTH9M10 | 10 mm | 9" (228.6 mm) |

T-Handle Hex-Keys - TORX®

Includes core features plus:

- Short blade-through handle provides maximum tool versatility

| Cat. No. | Hex Size | Blade Length | Weight |
|----------|----------|---------------|-------------------|
| JTH6T10 | T10 | 6" (152.4 mm) | 0.80 oz (22.7 g) |
| JTH6T15 | T15 | 6" (152.4 mm) | 1.0 oz (28 g) |
| JTH6T20 | T20 | 6" (152.4 mm) | 1.1 oz (31 g) |
| JTH6T25 | T25 | 6" (152.4 mm) | 0.13 lb (0.06 kg) |
| JTH6T27 | T27 | 6" (152.4 mm) | 0.16 lb (0.07 kg) |
| JTH6T30 | T30 | 6" (152.4 mm) | 0.18 lb (0.08 kg) |
| JTH6T40 | T40 | 6" (152.4 mm) | 0.29 lb (0.13 kg) |

TORX® is a trademark of Acument Intellectual Properties, LLC.



JTH6T40

T-Handle Hex-Key Set with Stand - TORX®

Includes core features plus:

- Metal stand for convenient mounting on bench or wall
- Short blade-through handle provides maximum tool versatility

| Cat. No. | Set Contains | Weight |
|----------|---------------------------------------|-----------------|
| JTH67T | 6" Torx® T-Handle Set with Stand 7 Pc | 1.3 lb (0.6 kg) |

| Cat. No. | Hex Size | Blade Length |
|----------|----------|---------------|
| JTH6T10 | T10 | 6" (152.4 mm) |
| JTH6T15 | T15 | 6" (152.4 mm) |
| JTH6T20 | T20 | 6" (152.4 mm) |
| JTH6T25 | T25 | 6" (152.4 mm) |
| JTH6T27 | T27 | 6" (152.4 mm) |
| JTH6T30 | T30 | 6" (152.4 mm) |
| JTH6T40 | T40 | 6" (152.4 mm) |

TORX® is a trademark of Acument Intellectual Properties, LLC.



JTH67T

See page 310 for additional information on warnings.



Folding Hex-Key Sets

Hex-Key Sets

- Two key positions (straight-out or right angle) for extra leverage
- Hex ends are square-cut for a secure full-depth fit and maximum contact with the hex socket to prevent slippage and stripping of the socket
- Handy sets fit in your pocket or tool box easily and help eliminate the lost key problem
- Made in the U.S.A.

Improved Strength



70579

| Cat. No. | Description | Size | Handle Length | Key Lengths | Color | Weight |
|----------|--------------------------------------|---|-------------------|--|--------|-------------------|
| 70591 | Nine-Key Inch Folding Hex Key Set | 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4" | 4-3/8" (111.1 mm) | 2-11/16" to 3-13/16" (68.3 to 96.8 mm) | Silver | 0.50 lb (0.23 kg) |
| 70581 | Eight-Key Inch Folding Hex Key Set | 1/20", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32" | 3-1/16" (77.8 mm) | 1-7/8" to 3" (47.6 to 76.2 mm) | Silver | 0.20 lb (0.09 kg) |
| 70579 | Five-Key Inch Folding Hex Key Set | 3/16", 7/32", 1/4", 5/16", 3/8" | 5-3/8" (136.5 mm) | 2-11/16" to 3-13/16" (68.3 to 96.8 mm) | Silver | 0.85 lb (0.39 kg) |
| 70582 | Seven-Key Metric Folding Hex Key Set | 1-1/2 mm, 2 mm, 2-1/2 mm, 3 mm, 4 mm, 5 mm, 6 mm | 3-45/64" (94 mm) | 19/32" to 1-25/32" (15 to 45 mm) | Silver | 0.27 lb (0.12 kg) |
| 70580 | Six-Key Metric Folding Hex Key Set | 3 mm, 4 mm, 5 mm, 6 mm, 8 mm, 10 mm | 5-3/8" (136.5 mm) | 2-3/8" to 4" (60 to 101 mm) | Silver | 0.85 lb (0.39 kg) |

Grip-It™ Hex-Key Sets

- Blades rotate independently up to 270°
- Precision fit so hex tool end reduces stripping problems. Keys are industrial strength, impact-resistant and tested for performance to below freezing
- Glass-reinforced nylon handle
- Hex ends are square-cut for a secure full-depth fit and maximum contact with the hex socket to prevent slippage and stripping of the socket (Cat. Nos. 70570, 70573, 70574, and 70575)
- Ball design allows for a thicker neck diameter increasing torque capacity, while maintaining operational angles to 25% (Cat. Nos. 70571 and 70572)
- Made in the U.S.A.



70570

| Cat. No. | Description | Size | Handle Length | Key Lengths | Color | Weight |
|----------|---|---|--------------------|--|--------|-------------------|
| 70570 | Grip-It® Five Key Hex Set - Inch | 3/16", 7/32", 1/4", 5/16", 3/8" | 4-7/16" (112.7 mm) | 1-37/64" to 1-31/32" (40.1 to 50.0 mm) | Yellow | 0.58 lb (0.26 kg) |
| 70571 | Grip-It® Five Key Ball Hex Set - Inch | 3/16", 7/32", 1/4", 5/16", 3/8" | 4-7/16" (112.7 mm) | 1-35/64" to 2" (39.3 mm to 50.8 mm) | Yellow | 0.58 lb (0.26 kg) |
| 70572 | Grip-It® Five Key Ball Hex Set - Metric | 5 mm, 6 mm, 7 mm, 8 mm, 10 mm | 4-7/16" (112.7 mm) | 1-19/32" to 1-15/16" (40.5 to 49.2 mm) | Red | 0.58 lb (0.26 kg) |
| 70573 | Grip-It® 12 Key Hex Set - Inch/Metric | 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 1.5 mm, 2 mm, 2.5 mm, 3 mm, 4 mm, 5 mm | 4-7/16" (112.7 mm) | 1-7/16" to 2-17/64" (36.5 to 57.6 mm) | Blue | 0.30 lb (0.14 kg) |
| 70574 | Grip-It® Nine Key Hex Set 2 Positions | 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16", 7/32", 1/4" | 4-7/16" (112.7 mm) | 1-3/4" to 2-17/64" (44.5 to 57.6 mm) | Yellow | 0.33 lb (0.15 kg) |
| 70575 | Grip-It® Nine Key Hex Set Square Cut | 3/64", 1/16", 5/64", 3/32", 7/64", 1/8", 9/64", 5/32", 3/16" | 3-13/16" (96.8 mm) | 1-25/64" to 1-27/32" (35.3 to 46.8 mm) | Yellow | 0.20 lb (0.09 kg) |

TORX® Sets

Folding TORX® Set

- TORX® drive cuts slippage, saves fasteners, efficiently transmits more torque to the work
- Keys are tough, heat-treated chrome-nickel alloy steel for strength and durability
- Keys fold flat into handle
- Can be used straight out or at an angle for extra leverage

| Cat. No. | Size | Handle Length | Key Lengths | Color | Weight |
|----------|-----------------------------------|-------------------|----------------------------------|--------|-------------------|
| 70586 | T10, T15, T20, T25, T27, T30, T40 | 4-3/8" (111.1 mm) | 2-13/16" to 3" (71.4 to 76.2 mm) | Silver | 0.30 lb (0.14 kg) |


TORX® is a trademark of Acument Intellectual Properties, LLC.



70586




Hex-Key Wrenches



L-Style Hex-Keys

Rust and corrosion resistant surfaces

Top-grade alloy steel



L-Style Hex-Keys

Includes core L-Style hex key features plus:

- Allows easy access, even in restricted areas

LL8

| Cat. No. | Hex Size | Short Arm Length | Long Arm Length | Weight |
|----------|----------|---------------------|---------------------|-------------------|
| LL2 | 0.050" | 9/16" (14.28 mm) | 2-7/8" (73.0 mm) | 0.08 oz (2.3 g) |
| LL4 | 1/16" | 5/8" (15.87 mm) | 3-1/16" (77.8 mm) | 0.08 oz (2.3 g) |
| LL5 | 5/64" | 11/16" (17.46 mm) | 3-1/4" (82.6 mm) | 0.08 oz (2.3 g) |
| LL6 | 3/32" | 3/4" (19.05 mm) | 3-1/2" (88.9 mm) | 0.16 oz (4.5 g) |
| LL7 | 7/64" | 13/16" (20.63 mm) | 3-11/16" (93.7 mm) | 0.32 oz (9.1 g) |
| LL8 | 1/8" | 7/8" (22.22 mm) | 3-7/8" (98.4 mm) | 0.32 oz (9.1 g) |
| LL9 | 9/64" | 15/16" (23.81 mm) | 4-1/8" (104.8 mm) | 0.48 oz (13.6 g) |
| LL10 | 5/32" | 1" (25.4 mm) | 4-3/8" (111.1 mm) | 0.48 oz (13.6 g) |
| LL12 | 3/16" | 1-1/8" (28.57 mm) | 4-11/16" (119.1 mm) | 0.80 oz (22.7 g) |
| LL14 | 7/32" | 1-1/4" (31.75 mm) | 5-1/16" (128.6 mm) | 0.70 lb (0.32 kg) |
| LL16 | 1/4" | 1-3/8" (34.92 mm) | 5-1/2" (139.7 mm) | 0.10 lb (0.05 kg) |
| LL20 | 5/16" | 1-9/16" (39.68 mm) | 6-5/16" (160.33 mm) | 0.18 lb (0.08 kg) |
| LL24 | 3/8" | 1-3/4" (44.45 mm) | 7-1/8" (181.0 mm) | 0.25 lb (0.11 kg) |
| Metric | | | | |
| LLM15 | 1.5 mm | 9/16" (14.28 mm) | 3-1/8" (79.4 mm) | 0.08 oz (2.3 g) |
| LLM2 | 2 mm | 11/16" (17.46 mm) | 3-1/32" (77.0 mm) | 0.08 oz (2.3 g) |
| LLM25 | 2.5 mm | 13/16" (20.63 mm) | 3-9/16" (90.5 mm) | 0.16 oz (4.5 g) |
| LLM3 | 3 mm | 7/8" (22.22 mm) | 4" (101.6 mm) | 0.32 oz (9.1 g) |
| LLM4 | 4 mm | 1" (25.4 mm) | 4-1/2" (114.3 mm) | 0.48 oz (13.6 g) |
| LLM5 | 5 mm | 1-1/4" (31.75 mm) | 4-7/8" (123.8 mm) | 0.80 oz (22.7 g) |
| LLM6 | 6 mm | 1-7/16" (36.51 mm) | 5-11/16" (144.5 mm) | 1.3 oz (37 g) |
| LLM8 | 8 mm | 1-11/16" (42.86 mm) | 6-5/16" (160.33 mm) | 0.15 lb (0.07 kg) |
| LLM10 | 10 mm | 1-15/16" (49.21 mm) | 7-1/8" (181.0 mm) | 0.25 lb (0.11 kg) |

L-Style Ball-End Hex-Keys

Includes core L-Style hex key features plus:

- Allows easy access, even in restricted areas
- Ball-end works on angles up to 30°

BL8

| Cat. No. | Hex Size | Short Arm Length | Long Arm Length | Weight |
|----------|----------|---------------------|---------------------|-------------------|
| BL2 | 0.050" | 9/16" (14.28 mm) | 2-7/8" (73.0 mm) | 0.03 oz (0.9 g) |
| BL4 | 1/16" | 5/8" (15.87 mm) | 3-1/16" (77.8 mm) | 0.03 oz (0.9 g) |
| BL5 | 5/64" | 11/16" (17.46 mm) | 3-1/4" (82.6 mm) | 0.08 oz (2.3 g) |
| BL6 | 3/32" | 3/4" (19.05 mm) | 3-1/2" (88.9 mm) | 0.08 oz (2.3 g) |
| BL7 | 7/64" | 3/4" (19.05 mm) | 3-11/16" (93.7 mm) | 0.16 oz (4.5 g) |
| BL8 | 1/8" | 7/8" (22.22 mm) | 3-7/8" (98.4 mm) | 0.32 oz (9.1 g) |
| BL9 | 9/64" | 15/16" (23.81 mm) | 4-1/8" (104.8 mm) | 0.32 oz (9.1 g) |
| BL10 | 5/32" | 1" (25.4 mm) | 4-3/8" (111.1 mm) | 0.48 oz (13.6 g) |
| BL12 | 3/16" | 1-1/8" (28.57 mm) | 4-11/16" (119.1 mm) | 0.80 oz (22.7 g) |
| BL14 | 7/32" | 1-1/4" (31.75 mm) | 5-1/16" (128.6 mm) | 1.0 oz (28 g) |
| BL16 | 1/4" | 1-3/8" (34.92 mm) | 5-13/16" (147.6 mm) | 1.4 oz (40 g) |
| BL20 | 5/16" | 1-9/16" (39.68 mm) | 6-5/16" (160.33 mm) | 0.17 lb (0.08 kg) |
| BL24 | 3/8" | 1-3/4" (44.45 mm) | 7-1/8" (181.0 mm) | 0.23 lb (0.10 kg) |
| Metric | | | | |
| BLM15 | 1.5 mm | 9/16" (14.28 mm) | 3-1/16" (77.8 mm) | 0.16 oz (4.5 g) |
| BLM2 | 2 mm | 11/16" (17.46 mm) | 3-5/16" (84.1 mm) | 0.16 oz (4.5 g) |
| BLM25 | 2.5 mm | 13/16" (20.63 mm) | 3-9/16" (90.5 mm) | 0.16 oz (4.5 g) |
| BLM3 | 3 mm | 7/8" (22.22 mm) | 4" (101.6 mm) | 0.32 oz (9.1 g) |
| BLM4 | 4 mm | 1" (25.4 mm) | 4-1/2" (114.3 mm) | 0.48 oz (13.6 g) |
| BLM5 | 5 mm | 1-1/4" (31.75 mm) | 4-7/8" (123.8 mm) | 0.80 oz (22.7 g) |
| BLM6 | 6 mm | 1-7/16" (36.51 mm) | 5-11/16" (144.5 mm) | 1.3 oz (37 g) |
| BLM8 | 8 mm | 1-11/16" (42.86 mm) | 6-5/16" (160.33 mm) | 0.14 lb (0.06 kg) |
| BLM10 | 10 mm | 1-15/16" (49.21 mm) | 6-1/8" (155.6 mm) | 0.24 lb (0.11 kg) |



L-Style Hex-Key Sets

L-Style Caddy Sets

Includes core L-Style hex key features plus:

- L-style hex-keys organized in convenient, durable caddy sets
- Each set contains a unique locking feature and marked slots for each key
- Ball-end works on angles up to 30° (Cat. Nos. BLK12 and BLMK10)



BLK12



LMK10

| Cat. No. | Set Contains | Weight |
|----------|--|-------------------|
| BLK12 | L Style Ball End Hex Key Caddy Set 12 Pc | 0.53 lb (0.24 kg) |

| Cat. No. | Hex Size | Short Arm Length | Long Arm Length |
|----------|----------|--------------------|---------------------|
| BL2 | 0.050" | 9/16" (14.28 mm) | 2-7/8" (73.0 mm) |
| BL4 | 1/16" | 5/8" (15.87 mm) | 3-1/16" (77.8 mm) |
| BL5 | 5/64" | 11/16" (17.46 mm) | 3-1/4" (82.6 mm) |
| BL6 | 3/32" | 3/4" (19.05 mm) | 3-1/2" (88.9 mm) |
| BL7 | 7/64" | 3/4" (19.05 mm) | 3-11/16" (93.7 mm) |
| BL8 | 1/8" | 7/8" (22.22 mm) | 3-7/8" (98.4 mm) |
| BL9 | 9/64" | 15/16" (23.81 mm) | 4-1/8" (104.8 mm) |
| BL10 | 5/32" | 1" (25.4 mm) | 4-3/8" (111.1 mm) |
| BL12 | 3/16" | 1-1/8" (28.57 mm) | 4-11/16" (119.1 mm) |
| BL14 | 7/32" | 1-1/4" (31.75 mm) | 5-1/16" (128.6 mm) |
| BL16 | 1/4" | 1-3/8" (34.92 mm) | 5-13/16" (147.6 mm) |
| BL20 | 5/16" | 1-9/16" (39.68 mm) | 6-5/16" (160.33 mm) |

| Cat. No. | Set Contains | Weight |
|----------|--|-------------------|
| BLMK10 | L Style Ball End Hex Key Caddy Set Metric 9 Pc | 0.62 lb (0.28 kg) |

| Cat. No. | Hex Size | Short Arm Length | Long Arm Length |
|----------|----------|---------------------|---------------------|
| BLM15 | 1.5 mm | 9/16" (14.28 mm) | 3-1/16" (77.8 mm) |
| BLM2 | 2 mm | 11/16" (17.46 mm) | 3-5/16" (84.1 mm) |
| BLM25 | 2.5 mm | 13/16" (20.63 mm) | 3-9/16" (90.5 mm) |
| BLM3 | 3 mm | 7/8" (22.22 mm) | 4" (101.6 mm) |
| BLM4 | 4 mm | 1" (25.4 mm) | 4-1/2" (114.3 mm) |
| BLM5 | 5 mm | 1-1/4" (31.75 mm) | 4-7/8" (123.8 mm) |
| BLM6 | 6 mm | 1-7/16" (36.51 mm) | 5-11/16" (144.5 mm) |
| BLM8 | 8 mm | 1-11/16" (42.86 mm) | 6-5/16" (160.33 mm) |
| BLM10 | 10 mm | 1-15/16" (49.21 mm) | 6-1/8" (155.6 mm) |

| Cat. No. | Set Contains | Weight |
|----------|---------------------------------|-------------------|
| LLK12 | L-Style Hex Key Caddy Set 12 Pc | 0.54 lb (0.24 kg) |

| Cat. No. | Hex Size | Short Arm Length | Long Arm Length |
|----------|----------|--------------------|---------------------|
| LL2 | 0.050" | 9/16" (14.28 mm) | 2-7/8" (73.0 mm) |
| LL4 | 1/16" | 5/8" (15.87 mm) | 3-1/16" (77.8 mm) |
| LL5 | 5/64" | 11/16" (17.46 mm) | 3-1/4" (82.6 mm) |
| LL6 | 3/32" | 3/4" (19.05 mm) | 3-1/2" (88.9 mm) |
| LL7 | 7/64" | 13/16" (20.63 mm) | 3-11/16" (93.7 mm) |
| LL8 | 1/8" | 7/8" (22.22 mm) | 3-7/8" (98.4 mm) |
| LL9 | 9/64" | 15/16" (23.81 mm) | 4-1/8" (104.8 mm) |
| LL10 | 5/32" | 1" (25.4 mm) | 4-3/8" (111.1 mm) |
| LL12 | 3/16" | 1-1/8" (28.57 mm) | 4-11/16" (119.1 mm) |
| LL14 | 7/32" | 1-1/4" (31.75 mm) | 5-1/16" (128.6 mm) |
| LL16 | 1/4" | 1-3/8" (34.92 mm) | 5-1/2" (139.7 mm) |
| LL20 | 5/16" | 1-9/16" (39.68 mm) | 6-5/16" (160.33 mm) |

| Cat. No. | Set Contains | Weight |
|----------|---------------------------------------|-------------------|
| LMK10 | L-Style Hex Key Caddy Set Metric 9 Pc | 0.63 lb (0.29 kg) |

| Cat. No. | Hex Size | Short Arm Length | Long Arm Length |
|----------|----------|---------------------|---------------------|
| LLM15 | 1.5 mm | 9/16" (14.28 mm) | 3-1/8" (79.4 mm) |
| LLM2 | 2 mm | 11/16" (17.46 mm) | 3-1/32" (77.0 mm) |
| LLM25 | 2.5 mm | 13/16" (20.63 mm) | 3-9/16" (90.5 mm) |
| LLM3 | 3 mm | 7/8" (22.22 mm) | 4" (101.6 mm) |
| LLM4 | 4 mm | 1" (25.4 mm) | 4-1/2" (114.3 mm) |
| LLM5 | 5 mm | 1-1/4" (31.75 mm) | 4-7/8" (123.8 mm) |
| LLM6 | 6 mm | 1-7/16" (36.51 mm) | 5-11/16" (144.5 mm) |
| LLM8 | 8 mm | 1-11/16" (42.86 mm) | 6-5/16" (160.33 mm) |
| LLM10 | 10 mm | 1-15/16" (49.21 mm) | 7-1/8" (181.0 mm) |

