

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



Weight Per each

AH420C7W Conn Pin&Sleeve 20A 480V 3PH 3P4W WT RD Eaton Wiring Devices

•	
Catalog Number	AH420C7W
Manufacturer	Eaton Wiring Devices
Description	Eaton Arrow Hart Pin and Sleeve Connector, IP69K Rated, #12 - #10 Awg, 20A, 3Ø 480V, Back Wire, Red, Nickel Plated Brass, IP67, Nylon, Three-Pole, Four-Wire, Grounding, 0.333-0.775IN (0.85-1.97CM), Female, 5 HP, Nylon, Three-Phase
Weight per unit	40.0 (lbs/each)
Product Category	Pin & Sleeve Devices
Features	
dimensions	8.5000 IN X 4.3750 IN X 4.3750 IN
Material	Nylon
media	Yes
Descriptions	
Description	CONN PIN&SLEEVE 20A 480V 3PH 3P4W WT RD
extra long description	EWD AH420C7W Conn Pin&Sleeve 20A 48
Features	Eaton's Arrow Hart full line of pin and sleeve devices offer sturdy
	nylon construction, rugged design with corrosion resistant components for lasting electrical performance, and watertight sealing that provides IP69K protection so you can feel confident in even the most severe washdown environments.
Long Description	Eaton Arrow Hart pin and sleeve connector, IP69K Rated, #12 - #10 AWG, 20A, 3Ø 480V, Back wire, Red, Nickel plated brass, IP67, Nylon, Three-pole, Four-wire, grounding, 0.333-0.775in (0.85-1.97cm), Female, 5 HP, Nylon, Three-phase
Product Type	Conn Pin and Sleeve 20A 480V 3PH 3P4W WT
Special Features	Watertight P&S connectors
Manufacturer Information	
Brand	Eaton
GTIN	00326647334750
Manufacturers Part Number	AH420C7W
UPC	032664733475
Taxonomies, Classifications, and (Categories
Category Description	Dia 0 Classa Davissa
Туре	Pin and Sleeve connector
Packaging	
Carton	1
Package	40

40

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Uses, Certifications, and Standards

Application	Ind Facilities & Factories - Facility: Power Distribution and Control
standard	cRUus