

Duraclad[®] Bare Armored Ground Cable

Steel Interlocked Armor. Bare Copper Ground.



APPLICATIONS

Southwire Duraclad[®] Bare Armored Ground Cable is suitable for use as a grounding electrode conductor for Residential Service Systems.

STANDARDS & REFERENCES

Southwire Duraclad[®] Bare Armored Ground Cable meets or exceeds the requirements of UL Standard 467.

CONSTRUCTION

Southwire Duraclad[®] Bare Armored Ground Cable is constructed with a bare soft-drawn copper. A galvanized steel interlocking armor is applied over the bare conductor.



Southwire
One Southwire Drive
Carrollton, Ga. 30119 USA

green ϕ Spec[™]
RoHS Compliant



Copyright 2009, Southwire Company.
All Rights Reserved.

[®]Southwire is a registered trademark
of Southwire Company.

Duraclad Type BAG Bare Armored Ground Cable

Conductor Size (AWG) /# of Cond.	Stranding	Outside Diameter	Approx. Weight (lbs./1000 ft.)
8/1	solid	0.460	150
6/1	solid	0.485	200
4/1	stranded	0.515	290



Southwire
One Southwire Drive
Carrollton, Ga. 30119 USA

greenSpec
RoHS Compliant



Copyright 2009, Southwire Company.
All Rights Reserved.

®Southwire is a registered trademark
of Southwire Company.

Duraclad[®] Bare Armored Ground Cable

Steel Interlocked Armor. Bare Copper Ground.



APPLICATIONS

Southwire Duraclad[®] Bare Armored Ground Cable is suitable for use as a grounding electrode conductor for Residential Service Systems.

STANDARDS & REFERENCES

Southwire Duraclad[®] Bare Armored Ground Cable meets or exceeds the requirements of UL Standard 467.

CONSTRUCTION

Southwire Duraclad[®] Bare Armored Ground Cable is constructed with a bare soft-drawn copper. A galvanized steel interlocking armor is applied over the bare conductor.



Southwire
One Southwire Drive
Carrollton, Ga. 30119 USA

green ϕ Spec[™]
RoHS Compliant



Copyright 2009, Southwire Company.
All Rights Reserved.

[®]Southwire is a registered trademark
of Southwire Company.

Duraclad Type BAG Bare Armored Ground Cable

Conductor Size (AWG) /# of Cond.	Stranding	Outside Diameter	Approx. Weight (lbs./1000 ft.)
8/1	solid	0.460	150
6/1	solid	0.485	200
4/1	stranded	0.515	290



Southwire
One Southwire Drive
Carrollton, Ga. 30119 USA

green Spec[™]
RoHS Compliant



Copyright 2009, Southwire Company.
All Rights Reserved.

®Southwire is a registered trademark
of Southwire Company.