

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



BAF1 1A 250V Midget Fuse Bussmann Fuses

Taxonomies, Classifications, and Categories

Category Description

Type

<u> </u>		
Catalog Number	BAF1	
Manufacturer	Bussmann Fuses	
Description	Eaton Bussmann Series Baf Fuse, Fast Acting, 1 A, Non-Indicating, Ferrule End X Ferrule End, 35 Aic At 250 Vac, 10 Kaic At 125 Vac, Nickel-Plated Brass Endcaps, Standard, 250 V	
Weight per unit	0.2500 (lbs/each)	
Product Category	Small Dimension Fuses	
Features		
amperage rating	1 Amp	
class	Supplemental	
connection	Ferrule End X Ferrule End	
dimensions	0.4100 IN X 0.4100 IN X 1.5000 IN	
interrupt rating	35 Amp at 250 Vac, 10000 Amp at 125 Vac	
Material	Nickel-plated brass endcaps	
media	Yes	
Voltage Rating	250 VAC	
Dimensions and Weight		
Size	13/32 In Diameter X 1-1/2 In Length	
Descriptions		
Description	1A 250V MIDGET FUSE	
extra long description	BUSS BAF-1 BUSS MIDGET FUSE	
Features	Bussmann offers the broadest selection of Supplemental and Midget fuses in both time-delay and fast-acting designs with voltages as high as 600Vac and 600Vdc.	
Long Description	Eaton Bussmann series BAF fuse, Fast acting, 1 A, Non-indicating, Ferrule end x ferrule end, 35 AIC at 250 Vac, 10 kAIC at 125 Vac, Nickel-plated brass endcaps, Standard, 250 V	
Product Type	Puge Midget Fuge	
Special Features	Nickel Plated Brass Endcap	
Manufacturer Information		
Brand	Eaton Bussmann series	
GTIN	00051712320016	
Manufacturers Part Number	BAF-1	
UPC	051712320016	

Fuses & Fuse Accessories

FUSE



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Packag	ıng
--------	-----

Carton	1	
Package	10	
Weight Per each	0.25	

Uses, Certifications, and Standards

Application	Ind Facilities & Factories - Facility: Safety and Security Systems
standard	CE Marked