



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



BR40NEU 4/0 Lug Adapter Neutral Bar

Eaton Corp

Catalog Number	BR40NEU
Manufacturer	Eaton Corp
Description	Eaton 4/0 Lug Adapter For Neutral Bar, Lug to Be Installed In Breaker Terminal In Order to Fit A 4/0 Wire Into A 2/0 Terminal, Neutral Bar For BR 4/0 Lug, 1 Inch, BR Loadcenters
Weight per unit	0.2000 (lbs/each)
Product Category	Load Center Accessories

Features

dimensions	9.0000 IN X 5.0000 IN X 0.5000 IN
------------	-----------------------------------

Dimensions and Weight

Size	1 in
------	------

Descriptions

Description	4/0 LUG ADAPTER NEUTRAL BAR
extra long description	ETN BR40NEU 4/0 LUG ADAPTER NEUTRAL
Features	Specially designed for easy installation, Eaton's BR 1-inch load centers house the branch circuit breakers and the wiring required to distribute power to individual circuits. They serve as main breaker for service entrances or as main lug when adding circuits to existing service. The main breaker protects the entire panel and can be used as a service disconnect. The branch breakers protect the wires leading to individual electrical loads such as fixtures and outlets.
Long Description	Eaton 4/0 Lug Adapter for Neutral Bar,Lug to be installed in breaker terminal in order to fit a 4/0 wire into a 2/0 terminal,Neutral bar for BR 4/0 lug,1 inch,BR loadcenters
Product Type	4/0 Lug Adapter Neutral Bar
Special Features	Lug to be installed in breaker terminal in order to fit a 4/0 wire into a 2/0 terminal

Manufacturer Information

Brand	Eaton
GTIN	00786676036559
Manufacturers Part Number	BR40NEU
UPC	786676036559

Taxonomies, Classifications, and Categories

Category Description	LOADCENTER ACCESSORIES
Type	Accessory



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Packaging

Carton	1
Weight Per each	0.2

Uses, Certifications, and Standards

Application	Other
standard	Contact Manufacturer