

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



Packaging Carton

Weight Per each

BRCAF120CS Eaton BR Afci Circuit Bre

Catalog Number	BRCAF120CS
Manufacturer	Eaton Corp
Description	Eaton BR Afci Circuit Breaker, Afci Circuit Breaker, Clamshell Pack, 20 A, 10 Kaic, Single-Pole, 120 V, BRC, Pigtail, #14-4 Awg Cu/Al, Q30, Type BR Loadcenters
Weight per unit	
Product Category	In Circuit Breakers
tures	
connection	Pigtail
dimensions	6.0000 IN X 3.5000 IN X 1.2500 IN
interrupt rating	
Poles	1
Voltage Rating	120 V
criptions	
Description	EATON BR AFCI CIRCUIT BRE
extra long description	ETN BRCAF120CS BR COMBINATION AFCI,
Features	Eaton's BR circuit breakers are used in indoor and outdoor BR loadcenters, spa panels, meter breakers and sub panels. They ar designed for a wide range of applications such as high short-circuit interrupt, series rating combinations with upstream main breakers, thermal magnetic, AFCI, GFCI, equipment protection and dual function AF/GF.
Long Description	Eaton BR AFCI circuit breaker, AFCI Circuit breaker, Clamshell pack, 20 A, 10 kAIC, Single-pole, 120 V, BRC, Pigtail, #14-4 AWG Cu/AI, Q30, Type BR Loadcenters
Product Type	BR Combination Afci, 1P, 20A, 10KAIC,
Special Features	Clamshell pack
nufacturer Information	
Brand	Eaton
GTIN	00786685514376
Manufacturers Part Number	BRCAF120CS
UPC	786685514376
onomies, Classifications, and C	Categories
Category Description	Loadcenter Plug In Breakers and Accessories
Type	AFCI circuit breakers

1

0.45

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Uses, Certifications, and Standards

Application	Generation - Conventional Energy - Conventional
	EnergyOtherMarine Vessels and Equipment - Marine Vessels and
	Equipment - OtherGeneration - Renewable Energy - Alternative
	EnergyDatacenters - IT Space: CI and Hyper Converged
standard	UL 1699, Federal Specifications Classification W-C375