

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



BRN120DF BR Dual Function Af/GF 1P 20A Pigtail Neutral Eaton Corp

Catalog Number	BRN120DF	
Manufacturer	Eaton Corp	
Description	Eaton BR Arc Fault / Ground Fault Circuit Breaker, BR Dual Function Af/GF 1P 20A, Pigtail Neutral	
Weight per unit	0.4500 (lbs/each)	
Product Category	In Circuit Breakers	
Features		
dimensions	2.9000 IN X 2.9000 IN X 0.9000 IN	
interrupt rating	10	
Poles	1	
Descriptions		
Description	BR DUAL FUNCTION AF/GF 1P 20A PIGTAIL NEUTRAL	
extra long description	ETN BRN120DF BR AF/GF PIGTAIL 1P 20	
Features	Eaton's BR circuit breakers are used in indoor and outdoor BR loadcenters, spa panels, meter breakers and sub panels. They are designed for a wide range of applications such as high short-circuit interrupt, series rating combinations with upstream main breakers, thermal magnetic, AFCI, GFCI, equipment protection and dual function AF/GF.	
Long Description	Eaton BR arc fault / ground fault circuit breaker, BR dual function AF/GF 1P 20A, Pigtail neutral	
Product Type	BR Af/GF Pigtail 1P 20A 10KAIC UI Only	
Special Features	Pigtail neutral	
Manufacturer Information	- ·	

Ma

Brand	Eaton	
GTIN	00786689059699	
Manufacturers Part Number	BRN120DF	
UPC	786689059699	

Taxonomies, Classifications, and Categories

Category Description	Fault Sensing Breakers (AFCI/GFCI)
Туре	Arc Fault / Ground Fault Circuit Breakers

Packaging

Carton	1	
Package	10	
Weight Per each	0.45	



Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Uses, Certifications, and Standards

Application

standard

OtherGeneration - Conventional Energy - Conventional EnergyDatacenters - IT Space: CI and Hyper ConvergedMarine Vessels and Equipment - Marine Vessels and Equipment -OtherGeneration - Renewable Energy - Alternative Energy UL Listed