

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



Weight Per each

BWH2100 Type BWH 2-Pole 100A Single Pack *Eaton Corp*

Eaton Corp	_
Catalog Number	BWH2100
Manufacturer	Eaton Corp
Description	Eaton Type BR Main Circuit Breaker, Main Circuit Breaker, 100 A, 25 Kaic, Two-Pole, 120/240 V, BR, #2 Awg-300 Kcmil Cu/Al, BR, BW, Used In Ecb Unit Enclosure
Weight per unit	4.0 (lbs/each)
Product Category	Main Circuit Breaker Modules
Features	
dimensions	6.2500 IN X 5.2500 IN X 5.2500 IN
interrupt rating	25 kAIC
Poles	2
Voltage Rating	120/240 V
Descriptions	
Description	TYPE BWH 2-POLE 100A SINGLE PACK
extra long description	ETN BWH2100 Type BWH 2-Pole 100A Si
Features	Eaton's main circuit breakers are used in a variety of applications including the main or emergency disconnect on the outside of a house, a tenant main breaker in group metering stacks and feed-through lug blocks specifically designed for sub-feeding from an existing panel. Main breakers are available with a variety of accessories including shunt trip, bell alarms and auxiliary switches.
Long Description	Eaton Type BR Main Circuit Breaker, Main circuit breaker, 100 A, 25 kAIC, Two-pole, 120/240 V, BR, #2 AWG-300 kcmil Cu/AI, BR, BW, Used in ECB Unit Enclosure
Product Type	Type BWH 2-Pole 100A Single Pack
Manufacturer Information	
Brand	Eaton
GTIN	00782116061105
Manufacturers Part Number	BWH2100
UPC	782116061105
Taxonomies, Classifications, and (Categories
Category Description	Breaker Enclosures with or without Breaker
Туре	MAIN BREAKER
Packaging	
Carton	1

4

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Uses, Certifications, and Standards

303, 001 tilloutions, und Sturidai de	,
Application	Generation - Renewable Energy - Alternative EnergyMarine
	Vessels and Equipment - Marine Vessels and Equipment -
	OtherGeneration - Conventional Energy - Conventional
	EnergyDatacenters - IT Space: CI and Hyper ConvergedOther
standard	UL 489, Federal Specifications Classification W-C375