
# Eaton CDR3023

# Catalog Number: CDR3023

Eaton Crouse-Hinds series PowerMate CDR receptacle, 30A, Two-wire, three-pole, Style 2, Copper-free aluminum, 600 Vac/250 Vdc





Catalog Number
e CDR3023

CDR receptacle

UPC

662276276987

Product Length/Depth

Product Height

2.88 in

3.38 in

**Product Width** 

**Product Weight** 

3.38 in

2.2 lb





# Certifications and compliances

### Area classification

Ordinary/Non-Hazardous Locations

### Standards type

NEC/CEC

# **NEMA Rating**

4X

# Product specifications

# Amperage Rating

30A

### Grounding type

Style 2

### Configuration

Two-wire, three-pole

### Voltage rating

600 Vac/250 Vdc

### Material

Copper-free aluminum

# Resources

### 3D CAD drawing package

Eaton Crouse-Hinds CDR3023 3D drawing

#### **Brochures**

PowerMate Drilling Pin and Sleeve Devices brochure

# Catalogs

PowerMate Drilling Pin and Sleeve Devices catalog page

# Certification reports

PowerMate Drilling Pin and Sleeve Devices UL certification (Receptacles)

### Installation instructions

IF 1834 - PowerMate Pin and Sleeve Devices with Nested Bushing

IF 1632 - 30, 60, 100 and 150A PowerMate Pin and Sleeve Devices

### Specifications and datasheets

PowerMate Connectors

Eaton Specification Sheet - CDR3023



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.




Eaton.com/socialmedia

# Eaton CDR3023

# Catalog Number: CDR3023

Eaton Crouse-Hinds series PowerMate CDR receptacle, 30A, Two-wire, three-pole, Style 2, Copper-free aluminum, 600 Vac/250 Vdc





Catalog Number
e CDR3023

CDR receptacle

UPC

662276276987

Product Length/Depth

Product Height

2.88 in

3.38 in

**Product Width** 

**Product Weight** 

3.38 in

2.2 lb





# Certifications and compliances

### Area classification

Ordinary/Non-Hazardous Locations

### Standards type

NEC/CEC

# **NEMA Rating**

4X

# Product specifications

# Amperage Rating

30A

### Grounding type

Style 2

### Configuration

Two-wire, three-pole

### Voltage rating

600 Vac/250 Vdc

### Material

Copper-free aluminum

# Resources

### 3D CAD drawing package

Eaton Crouse-Hinds CDR3023 3D drawing

#### **Brochures**

PowerMate Drilling Pin and Sleeve Devices brochure

# Catalogs

PowerMate Drilling Pin and Sleeve Devices catalog page

# Certification reports

PowerMate Drilling Pin and Sleeve Devices UL certification (Receptacles)

### Installation instructions

IF 1834 - PowerMate Pin and Sleeve Devices with Nested Bushing

IF 1632 - 30, 60, 100 and 150A PowerMate Pin and Sleeve Devices

### Specifications and datasheets

PowerMate Connectors

Eaton Specification Sheet - CDR3023



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

Reserved.

Eaton is a registered trademark.

All other trademarks are © 2024 Eaton. All Rights property of their respective owners.



Eaton.com/socialmedia