



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



CES2214 3/4" 3W 4P RCPT *Crouse-Hinds*

Catalog Number	CES2214
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Arktite Ces Receptacle, 7A/30A, Through Feed, Three-Wire, Four-Pole, Brass or Copper Contact, Style 2, 1 HP/3 HP, Copper-Free Aluminum, 3-Phase, Spring Door, 3/4", Delayed Action Circuit Breaking, 120-240/480 Vac
Weight per unit	5.1 (lbs/each)
Product Category	Pin & Sleeve Devices

Features

dimensions	4.1300 IN X 4.6300 IN X 7.4400 IN
Phase	3
Voltage Rating	120 To 240/480 Vac at 60 Hz

Dimensions and Weight

Height	7-7/16
Width	4-5/8

Descriptions

Description	3/4" 3W 4P RCPT
extra long description	CRS-H CES2214 3W4P ARK RCPT 3 HUBS
Features	CES and CESD receptacles with CPH plugs from Eaton Crouse-Hinds Division are used with portable electrically operated devices, such as motor generator sets, compressors, conveyors, portable tools and lighting systems. Used in damp or corrosive locations, or those which are hazardous due to the presence of flammable vapors or gases. Ideal for petroleum refineries, chemical and petrochemical plants and other process industry facilities.
Long Description	Eaton Crouse-Hinds series Arktite CES receptacle, 7A/30A, Through feed, Three-wire, four-pole, Brass or copper contact, Style 2, 1 HP/3 HP, Copper-free aluminum, 3-phase, Spring door, 3/4", Delayed action circuit breaking, 120-240/480 Vac
Product Type	3W4P Ark RCPT 3 Hubs 2 Pipe PLGS 3/4
Special Features	Power Rating 1 Hp at 480 Vac, 3 Hp at 120 To 240 Vac

Manufacturer Information

Brand	Eaton
GTIN	00782274127606
Manufacturers Part Number	CES2214
UPC	782274127606



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Taxonomies, Classifications, and Categories

Category Description	Pin & Sleeve Devices
Type	RECEPTACLE

Packaging

Carton	1
Weight Per each	5.05

Uses, Certifications, and Standards

Application	Ind Facilities & Factories - Facility: Power Distribution and Control
standard	UL 1010, CSA C22.2