Specifications



Photo is representative

Eaton CLSURGE

Plug-on Surge Protective Device, Single phase, 60 Hz, BR Loadcenter, LED protection status, 120/240V, Two-pole

General specifications	
PRODUCT NAME	Eaton Type CH plug on module surge protection device
CATALOG NUMBER	CLSURGE
UPC	786676025522
PRODUCT LENGTH/DEPTH	3 in
PRODUCT HEIGHT	4.5 in
PRODUCT WIDTH	0.6 in
PRODUCT WEIGHT	0.6 lb
WARRANTY	1 year
COMPLIANCES	Contact Manufacturer



FREQUENCY RATING	60 Hz
NUMBER OF POLES	Two-pole
USED WITH	BR Loadcenter
VOLTAGE RATING	120/240 V
PHASE	Single-phase

SPECIFICATIONS AND	Eaton Specification Sheet -
DATASHEETS	CLSURGE

PROJECT NAME:	
PROJECT NUMBER:	
PREPARED BY:	
DATE:	



Eaton Corporation plc

Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of

Follow us on social media to get the latest product and support information.

their respective owners.









Specifications



Photo is representative

Eaton CLSURGE

Plug-on Surge Protective Device, Single phase, 60 Hz, BR Loadcenter, LED protection status, 120/240V, Two-pole

General specifications	
PRODUCT NAME	Eaton Type CH plug on module surge protection device
CATALOG NUMBER	CLSURGE
UPC	786676025522
PRODUCT LENGTH/DEPTH	3 in
PRODUCT HEIGHT	4.5 in
PRODUCT WIDTH	0.6 in
PRODUCT WEIGHT	0.6 lb
WARRANTY	1 year
COMPLIANCES	Contact Manufacturer



FREQUENCY RATING	60 Hz
NUMBER OF POLES	Two-pole
USED WITH	BR Loadcenter
VOLTAGE RATING	120/240 V
PHASE	Single-phase

SPECIFICATIONS AND	Eaton Specification Sheet -
DATASHEETS	CLSURGE

PROJECT NAME:	
PROJECT NUMBER:	
PREPARED BY:	
DATE:	



Eaton Corporation plc

Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com

© 2025 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of

Follow us on social media to get the latest product and support information.

their respective owners.







