

Klein Pliers

Klein specializes in the making of the world's finest pliers... pliers that professionals have trusted for more than 160 years. Klein pliers feel right and work right. They are job-matched for every kind of work you do; designed and built with exceptional quality standards in a tradition that dates back to 1857.



For Professionals...
Since 1857™

Introduction – Pliers

Klein Quality

Klein pliers are made of the finest U.S. steel alloy. Forged, precision machined, hardened, and carefully tempered for maximum strength, Klein pliers provide exceptional performance and durability.

All pliers mating surfaces and dimensions are precision machined and hot riveted for uniformly smooth opening and closing action. Cutting knives are manufactured for long-lasting edges and are designed to perfectly align and meet according to the way each is used.

Side-cutting and long-nose pliers with side cutters have knives that meet at the hinge first and then meet at least one-half of the knife length. Diagonal-cutting pliers meet at the tip first and then meet at least one-half of the knife length.

These precise knife-closing designs increase knife life and facilitate resharpening.

Klein pliers are individually adjusted to meet performance standards far exceeding application requirements – ensuring that nothing less than outstanding quality ever carries the Klein name.

Using Pliers

A professional knows all the rules about using pliers, but a review of the following points may help you recall any you may have forgotten.

- 1. Never use pliers to do another tool's job.** Pliers should not be used as a hammer or pry tool or a wrench. Using pliers instead of the proper tools risks damaging the work, damaging yourself, and losing time.
- 2. Never push pliers beyond their capacity.** Bending stiff wire with light pliers or the tip of needle-nose pliers can spring or break them. Use a stronger, blunt-nose pliers. When you need greater leverage, use pliers with greater leverage. Don't extend the length of the pliers handles. Bolts should be cut with a bolt cutter, and large cable with a cable cutter.
- 3. Never expose pliers to excessive heat.** Direct flame on metal can ruin the tool. Cutting pliers are especially vulnerable to high, direct heat.
- 4. Never cut hardened wire with ordinary pliers.** Pliers should not be used for cutting hardened wire unless they are specifically recommended for this use.
- 5. Never rock pliers from side to side when cutting wire...and never bend the wire back and forth against the cutting knives.** Either practice can dull or nick the cutting

edges. Cut wire at a right angle only. If it won't cut readily, the knives may need sharpening, or you may need pliers with greater leverage.

6. Never cut any wire or metal unless your eyes are protected. Goggles or other protective devices are an absolute must. Don't take shortcuts. Operate safely...the professional way.

7. Never cut any wire or metal unless your fellow workers' eyes are also protected. The wire that doesn't get you may get someone else. Think about the "other guy" as well as yourself.

8. Never depend on plastic-dipped handles to insulate you from electricity. Plastic-dipped and Journeyman™ handles are intended for comfort and a firmer grip only. They are not intended for protection against electric shock. Never use any pliers or cutting tools on live electrical circuits. Only use insulated tools that are marked with the official international 1000-volt rating symbol if there is any chance that the tool will make contact with an energized source.

Pliers Catalog Number Prefixes/Suffixes

"D" (Prefix) – Indicates the pliers have plastic-dipped handles for comfort, NOT for protection against electrical shock.

"HD" (Prefix) – Indicates the pliers have heavy-duty plastic-dipped handles to provide an extra level of user comfort, NOT for protection against electrical shock.

"J" (Prefix) – Indicates the pliers have State-of-the-art dual material molded Journeyman™ handles for a softer, more comfortable grip on the outer surface and a harder, more durable grip on the inner surface and handle ends, NOT for protection against electrical shock.


"C" (Suffix) – Indicates the pliers have a coil spring in the handles for self-opening action.

Pliers Cutting Edges

Knife-edge descriptions refer to the angle of the outside cutting edges of the knives when fully closed.


Standard Cutting Edges

Cuts hard wire. Found on all Klein side-cutters, long-nose, and on most diagonal-cutting pliers.




Semi-Flush Cutting Edges

Closely cuts medium wire. Found on select diagonal-cutting pliers.



Full-Flush Cutting Edges

Close, flat cutting of soft wire only. Found on select diagonal-cutting pliers.






Introduction – Pliers

Pliers Dimensions


All Klein pliers are listed with necessary dimensions in both inches and millimeters. The following drawings of six basic types of pliers are keyed by letter to the dimensions given for each pliers listed. All dimensions are subject to commercial tolerances.

| | |
|---------------------------|----------------------------|
| A – Overall Length | D – Jaw Thickness |
| B – Jaw Length | E – Knife Length |
| C – Jaw Width | F – Point Thickness |


1. Side-Cutting Pliers




3. End Cutting Pliers




5. Flat-Nose and Duck-Bill Pliers




2. Diagonal-Cutting Pliers



4. Long-Nose Pliers



6. Curved-Nose Pliers




Pliers dimensions shown are accurate within accepted commercial tolerances, which allow slight variations that normally result from forging and grinding operations.

JOURNEYMAN™

MADE IN USA

State-of-the-art dual material molding process

Innovative dual material grips are more comfortable and last longer than other handles.



US Patent: D468988

AVAILABLE ON KLEIN SIDE-CUTTING PLIERS | DIAGONAL-CUTTING PLIERS | LONG-NOSE PLIERS | SNIPS

See page 295 for additional information on warnings.



Side-Cutting Pliers

Plastic-dipped handles for comfort and ease of identification

"Handform" handles for full gripping and cutting power

Precision-hardened plier head for on-the-job toughness

Unique handle tempering helps absorb the "snap" when cutting wire

Hot-riveted joint ensures smooth action and no handle wobble

Induction hardened cutting knives for long life

Sure-gripping cross-hatched knurled jaws



FORGED STEEL
from Klein's US-made, proprietary blend

High-Leverage Side-Cutting Pliers

Includes core side-cutting features plus:

- High-leverage design. Rivet is closer to the cutting edge for 46% greater cutting and gripping power than other pliers designs
- Combination polished and black-oxide finish
- New England nose (Cat. No. J20008 has New England Tapered nose; Cat. No. D213-9 has Square nose)
- Cat. No. D2000-9NEGLW features glow in the dark grips to easily locate your tool in dark or low lit areas
- D213-9NETT has split tether ring for use with tether device




D213-9NE



SPLIT TETHER RING
D213-9NETT



Plain



Plastic-Dipped



JOURNEYMAN™
Dual-Material



Oversized,
Plastic-Dipped

Refer to the insulated section for insulated pliers.

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Knife Length | Handle Color | Handle Finish | Weight |
|---|---------------------|--------------------|-------------------|--------------------|------------------|------------------|---------------------------------------|-------------------|
| 213-9NE | 9-1/4" (235.0 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Black | Plain | 1.1 lb (0.5 kg) |
| D213-9 | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Dark Blue | Plastic-Dipped | 1.1 lb (0.5 kg) |
| D213-8NE | 8-11/16" (220.7 mm) | 1-7/16" (36.5 mm) | 1-3/16" (30.2 mm) | 1-7/16" (36.5 mm) | 23/32" (18.3 mm) | Dark Blue | Plastic-Dipped | 0.90 lb (0.41 kg) |
| D213-9NE | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Dark Blue | Plastic Dipped | 1.1 lb (0.5 kg) |
| D213-9NETT | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Dark Blue | Plastic Dipped | 1.1 lb (0.5 kg) |
| HD213-9NE | 9-1/2" (241.3 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Light Red | Heavy-Duty, Oversized, Plastic-Dipped | 1.2 lb (0.5 kg) |
| J2138NE | 8-13/16" (223.8 mm) | 1-7/16" (36.5 mm) | 1-3/16" (30.2 mm) | 1-7/16" (36.5 mm) | 23/32" (18.3 mm) | Dark Blue/Black | Journeyman | 0.97 lb (0.44 kg) |
| J213-9NE | 9-1/2" (241.3 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Dark Blue/Black | Journeyman | 1.1 lb (0.5 kg) |
| Pliers with heavy-duty cutting knives designed to cut ACSR, screws, nails and most hardened wire | | | | | | | | |
| D2000-7 | 7-7/8" (200.02 mm) | 1-9/32" (32.54 mm) | 1-1/32" (26.2 mm) | 1-9/32" (32.54 mm) | 3/4" (19.05 mm) | Light Blue | Plastic-Dipped | 0.66 lb (0.30 kg) |
| D2000-8 | 8-11/16" (220.7 mm) | 1-7/16" (36.5 mm) | 1-7/64" (28.2 mm) | 1-7/16" (36.5 mm) | 3/4" (19.1 mm) | Light Blue | Plastic-Dipped | 0.85 lb (0.39 kg) |
| D2000-9NE | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Light Blue | Plastic-Dipped | 1.1 lb (0.5 kg) |
| D20009NEGLW | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Glow in the Dark | Plastic-Dipped | 1.1 lb (0.5 kg) |
| HD2000-9NE | 9-1/2" (241.3 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Light Red | Heavy-Duty, Oversized, Plastic-Dipped | 1.2 lb (0.5 kg) |
| J20008 | 8-13/16" (223.8 mm) | 1-7/16" (36.5 mm) | 1-7/64" (28.2 mm) | 1-7/16" (36.5 mm) | 3/4" (19.1 mm) | Light Blue/Black | Journeyman | 0.93 lb (0.42 kg) |
| J2000-9NE | 9-1/2" (241.3 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Light Blue/Black | Journeyman | 1.1 lb (0.5 kg) |





Side-Cutting Pliers


High-Leverage Side-Cutting Pliers - Fish Tape Pulling

Includes core side-cutting features plus:

- Easily pulls 1/8" or 1/4" flat steel fish tape without damaging the tape
- High-leverage design. Rivet is closer to the cutting edge for 46% greater cutting and gripping power than other pliers designs
- Cat. No. J2000-9NECRTP crimps non-insulated connectors, lugs, and terminals



D213-9NETP



Plastic-Dipped



JOURNEYMAN™ Dual-Material

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Knife Length | Handle Color | Handle Finish | Weight |
|---|-------------------|--------------------|------------------|--------------------|------------------|------------------|----------------|-----------------|
| D213-9NETP | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Dark Blue | Plastic-Dipped | 1.1 lb (0.5 kg) |
| J213-9NETP | 9-1/2" (241.3 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Dark Blue/Black | Journeyman | 1.1 lb (0.5 kg) |
| Pliers with heavy-duty cutting knives designed to cut ACSR, screws, nails and most hardened wire | | | | | | | | |
| D2000-9NETP | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Light Blue | Plastic-Dipped | 1.1 lb (0.5 kg) |
| J2000-9NETP | 9-1/2" (241.3 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Light Blue/Black | Journeyman | 1.1 lb (0.5 kg) |
| J2000-9NECRTP | 9-1/2" (241.3 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Blue/Black | Journeyman | 1.1 lb (0.5 kg) |


High-Leverage Side-Cutting Pliers - Lineman's Bolt-Thread Holding

Includes core side-cutting features plus:

- Hinge opening holds and cleans 5/8" pole line and hardware bolts or threaded rods
- High-leverage design. Rivet is closer to the cutting edge for 46% greater cutting and gripping power than other pliers designs



D213-9NETH



Plastic-Dipped



Oversized, Plastic-Dipped

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Knife Length | Handle Color | Handle Finish | Weight |
|---|-------------------|--------------------|------------------|--------------------|------------------|--------------|---------------------------------------|-----------------|
| D213-9NETH | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Dark Blue | Plastic-Dipped | 1.1 lb (0.5 kg) |
| HD213-9NETH | 9-1/2" (241.3 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Light Red | Heavy-Duty, Oversized, Plastic-Dipped | 1.2 lb (0.5 kg) |
| Pliers with heavy-duty cutting knives designed to cut ACSR, screws, nails and most hardened wire | | | | | | | | |
| D2000-9NETH | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Light Blue | Plastic-Dipped | 1.2 lb (0.5 kg) |

High-Leverage Side-Cutting Pliers - Connector Crimping

Includes core side-cutting features plus:


- Crimping die behind hinge for superior leverage crimping non-insulated connectors, lugs and terminals
- Cat. No. J213-9NECRN cleanly strips 10 and 12 solid AWG wire and 12 and 14 AWG stranded wire
- High-leverage design. Rivet is closer to the cutting edge for 46% greater cutting and gripping power than other pliers designs



D213-9NECR



WIRE STRIPPING HEAD
J213-9NECRN



Plastic-Dipped



JOURNEYMAN™ Dual-Material

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Knife Length | Handle Color | Handle Finish | Weight |
|---|-------------------|--------------------|------------------|--------------------|------------------|------------------|----------------|-----------------|
| D213-9NE-CR | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Yellow | Plastic-Dipped | 1.0 lb (0.5 kg) |
| J213-9NECR | 9-1/2" (241.3 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Yellow/Black | Journeyman | 1.1 lb (0.5 kg) |
| J2139NECRN | 9-1/2" (241.3 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 5/8" (15.9 mm) | 25/32" (19.8 mm) | Yellow/Black | Journeyman | 1.1 lb (0.5 kg) |
| Pliers with heavy-duty cutting knives designed to cut ACSR, screws, nails and most hardened wire | | | | | | | | |
| D2000-9NECR | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Light Blue | Plastic-Dipped | 1.1 lb (0.5 kg) |
| J2000-9NECR | 9-1/2" (241.3 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Light Blue/Black | Journeyman | 1.1 lb (0.5 kg) |



Side-Cutting Pliers

Side-Cutting Pliers

Includes core side-cutting features plus:

- J20017NE features Journeyman™ Series dual-material handles



D201-9NE



Plastic-Dipped



JOURNEYMAN™ Dual-Material

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Knife Length | Handle Color | Handle Finish | Weight |
|----------|---------------------|--------------------|-------------------|--------------------|------------------|------------------|----------------|-------------------|
| D201-8 | 8-11/16" (220.7 mm) | 1-7/16" (36.5 mm) | 1-7/32" (31.0 mm) | 1-7/16" (36.5 mm) | 23/32" (18.3 mm) | Dark Blue | Plastic-Dipped | 0.93 lb (0.42 kg) |
| D201-7NE | 7-7/16" (188.9 mm) | 1-9/32" (32.5 mm) | 1-1/16" (27.0 mm) | 1-9/32" (32.5 mm) | 5/8" (15.9 mm) | Dark Blue | Plastic-Dipped | 0.55 lb (0.25 kg) |
| D201-8NE | 8-11/16" (220.7 mm) | 1-7/16" (36.5 mm) | 1-3/16" (30.2 mm) | 1-7/16" (36.5 mm) | 23/32" (18.3 mm) | Dark Blue | Plastic-Dipped | 0.92 lb (0.42 kg) |
| D201-9NE | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-5/16" (33.3 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Dark Blue | Plastic-Dipped | 1.1 lb (0.5 kg) |
| J20017NE | 7-9/16" (192.1 mm) | 1-9/32" (32.5 mm) | 1-1/16" (27.0 mm) | 1-9/32" (32.5 mm) | 5/8" (15.9 mm) | Light Blue/Black | Journeyman | 0.61 lb (0.28 kg) |


High-Leverage Universal Combination Pliers

Includes core side-cutting features plus:

- Crimping die behind hinge for superior leverage crimping non-insulated connectors, lugs and terminals
- High-leverage design. Rivet is closer to the cutting edge for 46% greater cutting and gripping power than other pliers designs
- Toothed pipe-grip for greater gripping power



12098



Plastic-Dipped



JOURNEYMAN™ Dual-Material

Refer to the insulated section for insulated pliers.

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Knife Length | Handle Color | Handle Finish | Weight |
|----------|-------------------|--------------------|-------------------|--------------------|----------------|-----------------|----------------|-------------------|
| 12098 | 8-5/8" (219.1 mm) | 1-25/32" (45.2 mm) | 1-1/32" (26.2 mm) | 1-25/32" (45.2 mm) | 3/4" (19.1 mm) | Dark Blue | Plastic-Dipped | 0.72 lb (0.33 kg) |
| J12098 | 8-3/4" (222.3 mm) | 1-25/32" (45.2 mm) | 1-1/32" (26.2 mm) | 1-25/32" (45.2 mm) | 3/4" (19.1 mm) | Dark Blue/Black | Journeyman | 0.82 lb (0.37 kg) |

Ironworker's Pliers

Includes core side-cutting features plus:

- Twists and cuts soft annealed rebar tie wire
- Cat. Nos. 213-9ST, D213-9ST and D20009ST feature high-leverage design. Rivet is closer to the cutting edge for 46% greater cutting and gripping power than other pliers designs
- Hook bend handle
- Spring-loaded action for self-opening
- Cat. Nos. D201-7CSTA, D213-9STT, 213-9ST, D213-9ST and D2000-9ST feature heavy-duty knurled jaws
- D201-7CSTT and D213-9STT has split tether ring for use with tether device



SPLIT TETHER RING
D201-7CSTT
D213-9STT

NEW!



D201-7CSTA



Plain



DEEPER CHANNELS ON KNURL
D201-7CSTA



Plastic-Dipped

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Knife Length | Handle Color | Handle Finish | Weight |
|------------------------|-------------------|--------------------|-------------------|--------------------|------------------|--------------|---------------|-------------------|
| 201-7CST | 9-1/8" (231.8 mm) | 1-9/32" (32.5 mm) | 1-5/32" (29.4 mm) | 1-9/32" (32.5 mm) | 5/8" (15.9 mm) | Black | Plain | 0.65 lb (0.29 kg) |
| D201-7CST | 9-1/4" (235.0 mm) | 1-9/32" (32.5 mm) | 1-5/32" (29.4 mm) | 1-9/32" (32.5 mm) | 5/8" (15.9 mm) | Blue | Plastic | 0.75 lb (0.34 kg) |
| D201-7CSTA NEW! | 9-1/4" (235.0 mm) | 1-9/32" (32.5 mm) | 1-5/32" (29.4 mm) | 1-9/32" (32.5 mm) | 5/8" (15.9 mm) | Red | Plastic | 0.75 lb (0.34 kg) |
| D201-7CSTT | 9" (228.6 mm) | 1-1/2" (38.1 mm) | 1-1/4" (31.8 mm) | 1-1/2" (38.1 mm) | 5/8" (15.9 mm) | Blue | Plastic | 0.68 lb (0.31 kg) |
| 213-9ST | 9-1/4" (235.0 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Black | Plain | 1.0 lb (0.5 kg) |
| D213-9ST | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Blue | Plastic | 1.1 lb (0.5 kg) |
| D213-9STT | 9-3/8" (238.1 mm) | 2" (50.8 mm) | 1-1/4" (31.8 mm) | 2" (50.8 mm) | 25/32" (19.8 mm) | Blue | Plastic | 1.1 lb (0.5 kg) |

Pliers with heavy-duty cutting knives designed to cut ACSR, screws, nails and most hardened wire

| | | | | | | | | |
|------------|-------------------|--------------------|-------------------|--------------------|------------------|------|----------------|-------------------|
| D2000-7CST | 9-1/4" (235.0 mm) | 1-9/32" (32.5 mm) | 1-5/32" (29.4 mm) | 1-9/32" (32.5 mm) | 5/8" (15.9 mm) | Blue | Plastic | 0.70 lb (0.32 kg) |
| D2000-9ST | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Blue | Plastic Dipped | 1.1 lb (0.5 kg) |





Diagonal-Cutting Pliers



MADE IN USA

FORGED STEEL

from Klein's US-made, proprietary blend

Plastic-dipped handles for comfort and ease of identification

Hot-riveted joint ensures smooth action and no handle wobble

Induction-hardened cutting knives for long life

Short jaws and beveled cutting edges permit close cutting of wire

High-Leverage Diagonal-Cutting Pliers

Includes core diagonal-cutting features plus:

- High-leverage design. Rivet is closer to the cutting edge for 36% greater cutting power than other pliers design
- Cat. No. D2000-28GLW and D248-8GLW feature glow in the dark grips to easily locate your tool in dark or low lit areas
- D228-8TT has split tether ring for use with tether device



D228-8TT
SPLIT TETHER RING



D2000-28



Plastic-Dipped



JOURNEYMAN™
Dual-Material

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Cutting Knives | Handle Color | Handle Finish | Weight |
|---|--------------------|------------------|-------------------|------------------|----------------|------------------|----------------|-------------------|
| D228-7 | 7-1/8" (181.0 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 13/16" (20.6 mm) | Standard | Red | Plastic Dipped | 0.54 lb (0.24 kg) |
| D228-8 | 8-1/16" (204.8 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 13/16" (20.6 mm) | Standard | Red | Plastic Dipped | 0.60 lb (0.27 kg) |
| D228-8TT | 8" (203.2 mm) | 1" (25.4 mm) | 1-1/4" (31.8 mm) | 1" (25.4 mm) | Standard | Red | Plastic Dipped | 0.68 lb (0.31 kg) |
| J228-8 | 8-1/8" (206.4 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 13/16" (20.6 mm) | Standard | Red/Black | Journeyman | 0.67 lb (0.30 kg) |
| Pliers with heavy-duty cutting knives designed to cut ACSR, screws, nails and most hardened wire | | | | | | | | |
| D2000-28 | 8-1/16" (204.8 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 13/16" (20.6 mm) | Standard | Light Blue | Plastic Dipped | 0.60 lb (0.27 kg) |
| D200028GLW | 8-1/16" (204.8 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 13/16" (20.6 mm) | Standard | Glow in the Dark | Plastic Dipped | 0.60 lb (0.27 kg) |
| J2000-28 | 8-1/8" (206.4 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 13/16" (20.6 mm) | Standard | Light Blue/Black | Journeyman | 0.67 lb (0.30 kg) |

Heavy-Duty Diagonal-Cutting Pliers

NEW!

Includes core diagonal-cutting features plus:

- Extra-long cutting blades provide greater cutting ability
- Beefier, more reinforced head lasts longer than standard diagonal-cutters
- 2000 series heavy-duty cutting knives cut ACSR, screws, nails and most hardened wire
- Angled blade design for easier access to cut screws and bolts
- High-leverage design has 46% more cutting power
- Dual-material handles provide better grip and added comfort



J2000-59

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Cutting Knives | Handle Color | Handle Finish | Weight |
|----------------------|----------------|------------------|--------------------|----------------|----------------|--------------|---------------|-----------------|
| J2000-59 NEW! | 9" (228.6 mm) | 1-1/4" (31.8 mm) | 1-13/64" (30.6 mm) | 5/8" (15.9 mm) | Standard | Blue/Black | Journeyman™ | 1.0 lb (0.5 kg) |

See page 295 for additional information on warnings.



Diagonal-Cutting Pliers

High-Leverage Diagonal-Cutting Pliers - Angled Head

Includes core diagonal-cutting features plus:

- Angled head design for easy work in confined spaces
- High-leverage design. Rivet is closer to the cutting edge for 36% greater cutting and gripping power than other plier designs
- Cat. No. D248-8GLW features glow in the dark grips to easily locate your tool in dark or low lit areas
- For use on non-ferrous wire only




D2000-49

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Cutting Knives | Handle Color | Handle Finish | Weight |
|---|--------------------|------------------|-------------------|------------------|----------------|------------------|----------------|-------------------|
| D238-8 | 8-1/16" (204.8 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 13/16" (20.6 mm) | Semi-Flush | Red | Plastic-Dipped | 0.59 lb (0.27 kg) |
| D248-8 | 8-1/16" (204.8 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 13/16" (20.6 mm) | Standard | Red | Plastic-Dipped | 0.60 lb (0.27 kg) |
| D248-8-GLW | 8-1/16" (204.8 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 13/16" (20.6 mm) | Standard | Glow in the Dark | Plastic-Dipped | 0.60 lb (0.27 kg) |
| J248-8 | 8-1/8" (206.4 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 13/16" (20.6 mm) | Standard | Red/Black | Journeyman | 0.61 lb (0.28 kg) |
| Pliers with heavy-duty cutting knives designed to cut ACSR, screws, nails and most hardened wire | | | | | | | | |
| D2000-48 | 8" (203.2 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 13/16" (20.6 mm) | Standard | Blue | Plastic Dipped | 0.60 lb (0.27 kg) |
| D2000-49 | 9" (228.6 mm) | 13/16" (20.6 mm) | 1-1/4" (31.8 mm) | 13/16" (20.6 mm) | Standard | Yellow | Plastic Dipped | 0.64 lb (0.29 kg) |
| J2000-48 | 8-1/8" (206.4 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 13/16" (20.6 mm) | Standard | Light Blue/Black | Journeyman | 0.61 lb (0.28 kg) |

High-Leverage Diagonal-Cutting Pliers - Ironworker's

Includes core diagonal-cutting features plus:

- Angled head design for easy working in confined spaces
- Hooked handle for improved grip
- High-leverage design. Rivet is closer to the cutting edge for 36% greater cutting power than other pliers designs
- Cat. No. D248-9STT has split tether ring for use with tether device



D248-9STT

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Cutting Knives | Handle Color | Handle Finish | Weight |
|-----------|--------------------|------------------|-------------------|------------------|----------------|--------------|----------------|-------------------|
| D248-9ST | 9-3/16" (233.4 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 13/16" (20.6 mm) | Standard | Red | Plastic Dipped | 0.68 lb (0.31 kg) |
| D248-9STT | 9" (228.6 mm) | 1" (25.4 mm) | 1-1/4" (31.8 mm) | 1" (25.4 mm) | Standard | Red | Plastic Dipped | 0.68 lb (0.31 kg) |

High-Leverage Diagonal-Cutting Pliers - Stripping Holes

Includes core diagonal-cutting features plus:

- Cleanly strips 12 and 14 solid AWG wire
- High-leverage design. Rivet is closer to the cutting edge for 36% greater cutting power than other pliers designs



D243-8

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Cutting Knives | Handle Color | Handle Finish | Weight |
|----------|--------------------|------------------|-------------------|------------------|----------------|--------------|----------------|-------------------|
| D243-8 | 8-1/16" (204.8 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 13/16" (20.6 mm) | Standard | Red | Plastic-Dipped | 0.60 lb (0.27 kg) |



Diagonal-Cutting Pliers

Heavy-Duty Diagonal-Cutting Pliers - Tapered Nose

Includes core diagonal-cutting features plus:

- Heavier design for all-purpose use
- Tapered nose for easy working in confined areas



D220-7

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Cutting Knives | Handle Color | Handle Finish | Weight |
|--|---------------------|------------------|------------------|------------------|----------------|--------------|----------------|-------------------|
| D220-7 | 7-11/16" (195.3 mm) | 1" (25.4 mm) | 31/32" (24.6 mm) | 1" (25.4 mm) | Standard | Red | Plastic-Dipped | 0.54 lb (0.24 kg) |
| D252-6 | 6-1/8" (155.6 mm) | 13/16" (20.6 mm) | 3/4" (19.1 mm) | 13/16" (20.6 mm) | Standard | Red | Plastic-Dipped | 0.38 lb (0.17 kg) |
| Bell System Type "W" Notches - Slits insulation cleanly | | | | | | | | |
| D252-6SW | 6-1/8" (155.6 mm) | 13/16" (20.6 mm) | 3/4" (19.1 mm) | 13/16" (20.6 mm) | Standard | Red | Plastic-Dipped | 0.33 lb (0.15 kg) |

Standard Diagonal-Cutting Pliers

Includes core diagonal-cutting features plus:

- Tapered nose for easy working in confined areas and close tip cutting
- Trims plastic or printed circuit boards (Cat. D210-6C)
- Cleanly strips 16 AWG solid wire (Cat. No. D240-6)



D245-5

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Cutting Knives | Handle Color | Handle Finish | Weight |
|--|---------------------|------------------|------------------|------------------|----------------|--------------|----------------|-------------------|
| D202-6 | 6-1/8" (155.6 mm) | 13/16" (20.6 mm) | 11/16" (17.5 mm) | 13/16" (20.6 mm) | Standard | Red | Plastic-Dipped | 0.29 lb (0.13 kg) |
| D202-6C | 6-1/8" (155.6 mm) | 13/16" (20.6 mm) | 11/16" (17.5 mm) | 13/16" (20.6 mm) | Standard | Red | Plastic-Dipped | 0.31 lb (0.14 kg) |
| D245-5 | 5-1/16" (128.6 mm) | 11/16" (17.5 mm) | 9/16" (14.3 mm) | 11/16" (17.5 mm) | Standard | Red | Plastic-Dipped | 0.20 lb (0.09 kg) |
| D210-6C | 6-1/8" (155.6 mm) | 13/16" (20.6 mm) | 11/16" (17.5 mm) | 13/16" (20.6 mm) | Semi-Flush | Red | Plastic-Dipped | 0.29 lb (0.13 kg) |
| D240-6 | 6-1/8" (155.6 mm) | 13/16" (20.6 mm) | 11/16" (17.5 mm) | 13/16" (20.6 mm) | Standard | Red | Plastic-Dipped | 0.30 lb (0.14 kg) |
| Bell-System Type "W" & "V" Notches - For quick insulation slitting | | | | | | | | |
| D528V | 5-13/16" (147.6 mm) | 13/16" (20.6 mm) | 9/16" (14.3 mm) | 13/16" (20.6 mm) | Standard | Red | Plastic-Dipped | 0.20 lb (0.09 kg) |
| Telephone Type D-6 "V" Notches - For quick insulation slitting and includes .030" and .045" stripping holes | | | | | | | | |
| 72192 | 6-1/8" (155.6 mm) | 13/16" (20.6 mm) | 3/4" (19.1 mm) | 13/16" (20.6 mm) | Standard | Red | Plastic-Dipped | 0.33 lb (0.15 kg) |

Diagonal-Cutting Electronics Pliers


Midget Diagonal-Cutting Pliers

Includes core diagonal-cutting features plus:

- Sharp pointed nose for precise tip cutting
- Tapered nose for easy working in confined areas and close tip cutting (Cat No. D295-4C, D257-4 & D257-4C)
- Spring loaded for self-opening action (Not available on Cat. No. D257-4)
- Narrow jaw and hinge for delicate work in tight areas (Cat. No. D259-4C & D2445C)
- Miniature jaw for close-quarter work with maximum visibility (Cat. No. D295-4C)



D257-4C



Tapered Nose Standard Jaw Tapered Nose Mini Jaw Pointed Nose Standard Jaw Pointed Nose Narrow Jaw Pointed Nose Extra Narrow Jaw

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Cutting Knives | Handle Color | Handle Finish | Weight |
|----------|--------------------|------------------|------------------|------------------|----------------|--------------|----------------|-------------------|
| D209-4C | 4-1/4" (108.0 mm) | 1/2" (12.7 mm) | 7/16" (11.1 mm) | 1/2" (12.7 mm) | Semi-Flush | Light Blue | Plastic-Dipped | 0.13 lb (0.06 kg) |
| D209-5C | 5-1/16" (128.6 mm) | 11/16" (17.5 mm) | 9/16" (14.3 mm) | 11/16" (17.5 mm) | Semi-Flush | Light Blue | Plastic-Dipped | 0.19 lb (0.09 kg) |
| D244-5C | 5-1/16" (128.6 mm) | 11/16" (17.5 mm) | 1/2" (12.7 mm) | 11/16" (17.5 mm) | Flush | Light Blue | Plastic-Dipped | 0.18 lb (0.08 kg) |
| D259-4C | 4-1/4" (108.0 mm) | 1/2" (12.7 mm) | 13/32" (10.3 mm) | 1/2" (12.7 mm) | Flush | Light Blue | Plastic-Dipped | 0.12 lb (0.05 kg) |
| D257-4 | 4-1/4" (108.0 mm) | 1/2" (12.7 mm) | 7/16" (11.1 mm) | 1/2" (12.7 mm) | Semi-Flush | Light Blue | Plastic-Dipped | 0.12 lb (0.05 kg) |
| D257-4C | 4-1/4" (108.0 mm) | 1/2" (12.7 mm) | 7/16" (11.1 mm) | 1/2" (12.7 mm) | Semi-Flush | Light Blue | Plastic-Dipped | 0.12 lb (0.05 kg) |
| D295-4C | 4-1/4" (108.0 mm) | 1/2" (12.7 mm) | 3/8" (9.5 mm) | 1/2" (12.7 mm) | Flush | Light Blue | Plastic-Dipped | 0.11 lb (0.05 kg) |

See page 295 for additional information on warnings.



Diagonal-Cutting Electronics Pliers

Midget Diagonal-Cutting Pliers - Nickel Ribbon Wire Cutters

Includes core diagonal-cutting features plus:

- Designed to cut nickel ribbon wire
- Nose tip is only 1/32" (0.8 mm) for precise work in confined areas
- Cutting knife tip is 3/16" (5 mm) long for precise cutting
- Spring-loaded action for self-opening



D230-4C

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Cutting Knives | Handle Color | Handle Finish | Weight |
|----------|-------------------|----------------|-----------------|----------------|----------------|--------------|----------------|-------------------|
| D230-4C | 4-1/4" (108.0 mm) | 1/2" (12.7 mm) | 7/16" (11.1 mm) | 1/2" (12.7 mm) | Semi-Flush | Light Blue | Plastic-Dipped | 0.12 lb (0.05 kg) |

Precision Flush Cutter

- Shears wire up to 16 AWG producing a flat, flush cut
- Shear cutting greatly reduces cutting effort and minimizes fly-off
- Molded flared grips for greater tool control
- Steel return spring for increased comfort during repetitive cutting
- Ultra slim profile increases access in confined areas
- Heat treated for increased durability



D275-5

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Cutting Knives | Handle Color | Handle Finish | Weight |
|----------|----------------|-----------------|----------------|-----------------|----------------|--------------|---------------|-------------------|
| D275-5 | 5" (127.0 mm) | 0.45" (11.4 mm) | 0.26" (6.6 mm) | 0.086" (2.2 mm) | Flush | Red | Plastic | 0.11 lb (0.05 kg) |

Diagonal-Cutting Specialty Pliers

Plastic-Cutting Pliers

Includes core diagonal-cutting features plus:

- Precisely cuts injection mold sprues, gates and other plastic
- Adjustable 1/16" hollow-head screw keeps knife-edges from damaging each other (not designed for use on metal)
- Spring-loaded for self-opening action



D227-7C

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Cutting Knives | Handle Color | Handle Finish | Weight |
|----------|---------------------|--------------|------------------|---------------|----------------|--------------|----------------|-------------------|
| D227-7C | 7-11/16" (195.3 mm) | 1" (25.4 mm) | 31/32" (24.6 mm) | 1" (25.4 mm) | Flush | Red | Plastic-Dipped | 0.55 lb (0.25 kg) |



Long-Nose Pliers

Plastic-dipped handles
for comfort and ease of identification

Hot-riveted joint
ensures smooth action
and no handle wobble

Slim head design
for working in
confined areas.



FORGED STEEL

from Klein's US-made,
proprietary blend

All-Purpose Pliers

- Cat. No. J206-8C strips 8-16 AWG solid and 10-18 AWG stranded wire
- Cat. No. J207-8CR strips 10-18 AWG solid and 12-20 AWG stranded wire and crimps non-insulated connectors, lugs and terminals
- Induction-hardened cutting knives for increased wire cutting performance, including hard wire
- Long nose for grabbing and looping wire
- 6-32 and 8-32 screw shearing



J206-8C




CRIMPING FEATURE
J207-8CR

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Diameter | Knife Length | Handle Color | Handle Finish | Weight |
|----------|-------------------|-------------------|--------------|----------------|----------------|----------------|--------------|---------------|-------------------|
| J206-8C | 8-5/8" (219.1 mm) | 2-3/16" (55.6 mm) | 1" (25.4 mm) | 1/2" (12.7 mm) | 1/8" (3.18 mm) | 1/2" (12.7 mm) | Yellow/Black | Journeyman | 0.60 lb (0.27 kg) |
| J207-8CR | 8-5/8" (219.1 mm) | 2-3/16" (55.6 mm) | 1" (25.4 mm) | 1/2" (12.7 mm) | 1/8" (3.18 mm) | 1/2" (12.7 mm) | Yellow/Black | Journeyman | 0.60 lb (0.27 kg) |


Heavy-Duty Long-Nose Pliers - Side-Cutting

Includes core long-nose features plus:

- Induction-hardened cutting knives for long life
- Heavier design for greater cutting power
- Extended handles provide added reach and greater leverage
- Cat. No. D203-8GLW features glow in the dark grips to easily locate your tool in dark or low lit areas



D203-8NCR



12 AWG WIRE STRIPPING
D203-8N
J203-8N



12 AWG WIRE STRIPPING
AND CRIMPING
D203-8NCR



Plastic-Dipped



JOURNEYMAN™
Dual-Material

Refer to the insulated section for insulated pliers.

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Diameter | Knife Length | Handle Color | Handle Finish | Weight |
|------------|--------------------|-------------------|--------------|----------------|----------------|----------------|------------------|----------------|-------------------|
| D203-8 | 8-7/16" (214.3 mm) | 2-5/16" (58.7 mm) | 1" (25.4 mm) | 1/2" (12.7 mm) | 1/8" (3.18 mm) | 5/8" (15.9 mm) | Yellow | Plastic-Dipped | 0.60 lb (0.27 kg) |
| D203-8-GLW | 8-7/16" (214.3 mm) | 2-5/16" (58.7 mm) | 1" (25.4 mm) | 1/2" (12.7 mm) | 1/8" (3.18 mm) | 5/8" (15.9 mm) | Glow in the Dark | Plastic-Dipped | 0.60 lb (0.27 kg) |
| J203-8 | 8-9/16" (217.5 mm) | 2-5/16" (58.7 mm) | 1" (25.4 mm) | 1/2" (12.7 mm) | 1/8" (3.18 mm) | 5/8" (15.9 mm) | Yellow/Black | Journeyman | 0.63 lb (0.29 kg) |
| D203-8N | 8-7/16" (214.3 mm) | 2-5/16" (58.7 mm) | 1" (25.4 mm) | 1/2" (12.7 mm) | 1/8" (3.18 mm) | 5/8" (15.9 mm) | Yellow | Plastic-Dipped | 0.59 lb (0.27 kg) |
| J203-8N | 8-9/16" (217.5 mm) | 2-5/16" (58.7 mm) | 1" (25.4 mm) | 1/2" (12.7 mm) | 1/8" (3.18 mm) | 5/8" (15.9 mm) | Yellow/Black | Journeyman | 0.64 lb (0.29 kg) |
| D203-8NCR | 8-7/16" (214.3 mm) | 2-5/16" (58.7 mm) | 1" (25.4 mm) | 1/2" (12.7 mm) | 1/8" (3.18 mm) | 5/8" (15.9 mm) | Yellow | Plastic-Dipped | 0.61 lb (0.28 kg) |

See page 295 for additional information on warnings.



Long-Nose Pliers


Standard Long-Nose Pliers - Side-Cutting

Includes core long-nose features plus:

- Induction-hardened, long-lasting cutting knives
- Knurled jaws for sure wrapping and looping
- Curved handles provide greater tool control
- Spring-loaded action for self-opening (Cat. Nos. D203-6C, D203-7C)



D203-6C



D203-6H2
19 & 22 AWG
WIRE STRIPPING



Plastic-Dipped



JOURNEYMAN™
Dual-Material

Refer to the insulated section for insulated pliers.

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Diameter | Knife Length | Handle Color | Handle Finish | Weight |
|----------|--------------------|-------------------|------------------|---------------|-----------------|----------------|--------------|----------------|-------------------|
| D203-6 | 6-5/8" (168.3 mm) | 1-7/8" (47.6 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 3/32" (2.38 mm) | 1/2" (12.7 mm) | Yellow | Plastic-Dipped | 0.27 lb (0.12 kg) |
| D203-6C | 6-5/8" (168.3 mm) | 1-7/8" (47.6 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 3/32" (2.38 mm) | 1/2" (12.7 mm) | Yellow | Plastic-Dipped | 0.27 lb (0.12 kg) |
| D203-7 | 7-3/16" (182.6 mm) | 2-7/16" (61.9 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 3/32" (2.38 mm) | 1/2" (12.7 mm) | Yellow | Plastic-Dipped | 0.29 lb (0.13 kg) |
| D203-7C | 7-3/16" (182.6 mm) | 2-7/16" (61.9 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 3/32" (2.38 mm) | 1/2" (12.7 mm) | Yellow | Plastic-Dipped | 0.29 lb (0.13 kg) |
| J203-6 | 6-3/4" (171.5 mm) | 1-7/8" (47.6 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 3/32" (2.4 mm) | 1/2" (12.7 mm) | Yellow/Black | Journeyman | 0.30 lb (0.14 kg) |
| J203-7 | 7-5/16" (185.7 mm) | 2-7/16" (61.9 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 3/32" (2.4 mm) | 1/2" (12.7 mm) | Yellow/Black | Journeyman | 0.33 lb (0.15 kg) |
| D203-6H2 | 6-5/8" (168.3 mm) | 1-7/8" (47.6 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 3/32" (2.4 mm) | 1/2" (12.7 mm) | Yellow | Plastic-Dipped | 0.26 lb (0.12 kg) |

Standard Long-Nose Pliers

Includes core long-nose features plus:

- Knurled jaws for sure wrapping and looping
- Curved handles provide greater tool control
- Spring-loaded action for self-opening (Cat. No. D301-6C)



D301-6

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Diameter | Handle Color | Handle Finish | Weight |
|----------|-------------------|------------------|------------------|---------------|-----------------|--------------|----------------|-------------------|
| D301-6 | 6-5/8" (168.3 mm) | 1-7/8" (47.6 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 3/32" (2.38 mm) | Yellow | Plastic-Dipped | 0.29 lb (0.13 kg) |
| D301-6C | 6-5/8" (168.3 mm) | 1-7/8" (47.6 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 3/32" (2.38 mm) | Yellow | Plastic-Dipped | 0.28 lb (0.13 kg) |

Slim Long-Nose Pliers

Includes core long-nose features plus:

- Longer nose and handles for deeper reach into work
- Spring-loaded for self-opening action
- Curved handles provide greater tool control



D307-5 1/2C

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Diameter | Handle Color | Handle Finish | Weight |
|------------|-------------------|--------------------|----------------|----------------|-----------------|--------------|----------------|-------------------|
| D307-51/2C | 5-5/8" (142.9 mm) | 1-11/16" (42.9 mm) | 1/2" (12.7 mm) | 5/16" (7.9 mm) | 1/32" (.79 mm) | Yellow | Plastic-Dipped | 0.15 lb (0.07 kg) |
| D327-51/2C | 5-5/8" (142.9 mm) | 1-11/16" (42.9 mm) | 1/2" (12.7 mm) | 5/16" (7.9 mm) | 1/16" (1.58 mm) | Dark Blue | Plastic-Dipped | 0.15 lb (0.07 kg) |





Electronics Long-Nose Pliers

Midget Long-Nose Pliers - Slim-Nose

Includes core long-nose features plus:

- Lightweight, slim-nose pliers for precision subminiature assembly work
- Knurled jaws for sure wrapping and looping
- Curved handles provide greater tool control
- Spring-loaded for self-opening action




D322-4 1/2C

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Diameter | Handle Color | Handle Finish | Weight |
|------------|---------------------|-------------------|-----------------|---------------|----------------------------------|--------------|----------------|-------------------|
| D321-41/2C | 4-13/16" (122.2 mm) | 1-1/16" (27.0 mm) | 7/16" (11.1 mm) | 1/4" (6.4 mm) | 1/32" x 1/16" (.79 mm x 1.58 mm) | Light Blue | Plastic-Dipped | 0.13 lb (0.06 kg) |
| D322-41/2C | 4-13/16" (122.2 mm) | 1-1/16" (27.0 mm) | 7/16" (11.1 mm) | 1/4" (6.4 mm) | 1/32" x 1/16" (.79 mm x 1.58 mm) | Light Blue | Plastic-Dipped | 0.13 lb (0.06 kg) |

Long Needle-Nose Pliers

Includes core long-nose features plus:

- Designed for accurate work in hard-to-reach areas
- Knurled jaws for sure wrapping and looping
- Spring-loaded for self-opening action
- Curved handles provide greater tool control
- Cat. No. D355-51/2C features an extra-slim hinge for work in extremely tight spaces



D310-6C

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Diameter | Handle Color | Handle Finish | Weight |
|------------|-------------------|--------------------|------------------|----------------|-----------------|--------------|----------------|-------------------|
| D310-6C | 6-5/8" (168.3 mm) | 1-7/8" (47.6 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 1/16" (1.58 mm) | Yellow | Plastic-Dipped | 0.27 lb (0.12 kg) |
| D318-51/2C | 5-5/8" (142.9 mm) | 1-11/16" (42.9 mm) | 1/2" (12.7 mm) | 5/16" (7.9 mm) | 1/16" (1.58 mm) | Yellow | Plastic-Dipped | 0.13 lb (0.06 kg) |
| D335-51/2C | 5-5/8" (142.9 mm) | 1-11/16" (42.9 mm) | 15/32" (11.9 mm) | 1/4" (6.4 mm) | 1/16" (1.58 mm) | Light Blue | Plastic-Dipped | 0.13 lb (0.06 kg) |

Curved Long-Nose Pliers

Includes core long-nose features plus:

- 70° bent nose for maximum work visibility in confined areas
- Knurled jaws for sure wrapping and looping
- Curved handles provide greater tool control



D302-6

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Diameter | Handle Color | Handle Finish | Weight |
|----------|-------------------|------------------|------------------|---------------|-----------------|--------------|----------------|-------------------|
| D302-6 | 6-3/8" (161.9 mm) | 1-1/2" (38.1 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 3/32" (2.38 mm) | Yellow | Plastic Dipped | 0.30 lb (0.14 kg) |

Midget Curved Chain-Nose Pliers

Includes core long-nose features plus:

- 60° bent nose for maximum work visibility in confined areas
- Easily bends and forms fine wire
- Polished inside jaws and radiused jaw edges prevent nicking wire
- Spring-loaded for self-opening action
- Curved handles provide greater tool control



D320-4 1/2C

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Diameter | Handle Color | Handle Finish | Weight |
|------------|-------------------|--------------|------------------|---------------|-----------------|--------------|----------------|-------------------|
| D320-41/2C | 4-3/4" (120.7 mm) | 1" (25.4 mm) | 13/32" (10.3 mm) | 1/4" (6.4 mm) | 1/16" (1.58 mm) | Light Blue | Plastic-Dipped | 0.13 lb (0.06 kg) |



Telecom Long-Nose Pliers


Long-Nose Pliers - Connector Crimping

Includes core long-nose features plus:

- Crimps UR/UY/UG insulation displacement connectors (IDC) - Scotchlok® type connectors
- Grooved jaws for wire wrapping, looping and twisting
- Cleanly strips 23 to 24 AWG wire
- Hot-riveted joint ensures smooth action and no handle wobble
- Induction-hardened cutting surface for long life



VDV026-049



UR IDC
VDV826-605

UG IDC

UY IDC
VDV826-604

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Diameter | Knife Length | Handle Color | Handle Finish | Weight |
|------------|---------------------|--------------|------------------|---------------|--|-----------------|--------------|----------------|-------------------|
| VDV026-049 | 6-51/64" (172.6 mm) | 2" (50.8 mm) | 45/64" (17.9 mm) | 3/8" (9.5 mm) | 0.095" x 0.125" (2.41 mm x 3.17 mm) | 7/16" (11.1 mm) | Yellow | Plastic Dipped | 0.28 lb (0.13 kg) |

Scotchlok® is a registered trademark of 3M Corporation


Connector Crimping Pliers

Includes core long-nose features plus:

- Crimps and seats UR/UY/UG insulation displacement connectors (IDC) - Scotchlok® type connectors
- Curved handles for greater control
- Induction-hardened side-cutting knives for long life
- Spring-loaded for self-opening action (Cat. No. D234-6C)



D234-6



UR IDC
VDV826-605

UG IDC

UY IDC
VDV826-604

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Knife Length | Handle Color | Handle Finish | Weight |
|----------|---------------------|-------------------|------------------|---------------|----------------|--------------|----------------|-------------------|
| D234-6 | 5-13/16" (147.6 mm) | 1-3/32" (27.8 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 1/2" (12.7 mm) | Yellow | Plastic Dipped | 0.25 lb (0.11 kg) |
| D234-6C | 5-13/16" (147.6 mm) | 1-3/32" (27.8 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 1/2" (12.7 mm) | Yellow | Plastic Dipped | 0.25 lb (0.11 kg) |

Scotchlok® is a registered trademark of 3M.

Standard Long-Nose Pliers - Switchboard Work

Includes core long-nose features plus:

- Cleanly strips 19 & 22 AWG wire
- Induction-hardened, long-lasting cutting knives
- Knurled jaws for sure wrapping and looping
- Curved handles provide greater tool control



D203-6H2

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Diameter | Knife Length | Handle Color | Handle Finish | Weight |
|----------|-------------------|------------------|------------------|---------------|----------------|----------------|--------------|----------------|-------------------|
| D203-6H2 | 6-5/8" (168.3 mm) | 1-7/8" (47.6 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 3/32" (2.4 mm) | 1/2" (12.7 mm) | Yellow | Plastic-Dipped | 0.26 lb (0.12 kg) |





Telecom Long-Nose Pliers

Long-Nose Telephone Work Pliers-Type L1

Includes core long-nose features plus:

- Knurled jaw tips for greater gripping power
- Induction-hardened side-cutting knives for long life
- Convenient 0.030" stripping hole
- Curved handles provide greater tool control



71980

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Diameter | Knife Length | Handle Color | Handle Finish | Weight |
|----------|-------------------|------------------|------------------|---------------|------------------------------------|----------------|--------------|----------------|-------------------|
| 71980 | 6-5/8" (168.3 mm) | 1-7/8" (47.6 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 1/16" x 3/32" (1.6 mm x 2.4 mm) | 1/2" (12.7 mm) | Yellow | Plastic-Dipped | 0.25 lb (0.11 kg) |

Long-Nose Telephone Work Pliers - Stripping

Includes core long-nose features plus:

- Cleanly strips 22 to 24 AWG wire
- Convenient insulation crushing slot
- Curved handles provide greater tool control



D2291

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Diameter | Handle Color | Handle Finish | Weight |
|----------|----------------|------------------|------------------|---------------|---------------------------------|--------------|----------------|-------------------|
| D2291 | 6" (152.4 mm) | 1-1/4" (31.8 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 1/16" x 3/32" (1.6 mm x 2.4 mm) | Yellow | Plastic-Dipped | 0.25 lb (0.11 kg) |


Special Use Pliers

Conduit Locknut and Reaming Pliers

- Tightens 1/2" (13 mm) and 3/4" (19 mm) EMT or 1/2" (13 mm) rigid locknuts
- Fits liquid tight fittings and caps
- Reams and deburrs both inside and outside of conduit
- Knurled jaws at nose tip pull wire or fish tape
- Machined nose fits snugly into locknut wings



D333-8



| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Diameter | Handle Color | Handle Finish | Weight |
|----------|-------------------|------------------|------------------|----------------|----------------|--------------|----------------|-------------------|
| D333-8 | 7-3/4" (196.9 mm) | 1-5/8" (41.3 mm) | 15/16" (23.8 mm) | 1/2" (12.7 mm) | 3/16" (4.8 mm) | Yellow | Plastic-Dipped | 0.55 lb (0.25 kg) |

End-Cutting Pliers

- Wide-throat clearance for clean, even cutting of wire or nails at close range
- High-leverage design provides greater cutting power at the knives than other plier designs
- Extended handles for longer reach and increased leverage



D232-8

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Knife Length | Handle Color | Handle Finish | Weight |
|----------|-------------------|---------------|-------------------|---------------|-------------------|--------------|----------------|-------------------|
| D232-8 | 8-1/2" (215.9 mm) | 3/8" (9.5 mm) | 1-3/16" (30.2 mm) | 3/8" (9.5 mm) | 1-3/16" (30.2 mm) | Red | Plastic-Dipped | 0.71 lb (0.32 kg) |



Pump Pliers

Klaw™ Pump Pliers

- Compact, narrow design for easy work in small or hard-to-reach spaces
- Gripping surfaces with specially hardened teeth for reduced wear and positive gripping
- Extended grips for added comfort
- **Quick-Adjust Pump Pliers:** Push button and quick ratchet feature allows for fast and easy adjustment to any position. (Cat. Nos. D504-10B, D504-12B)



D504-10



| Cat. No. | Overall Length | Jaw Capacity | Handle Color | Handle Finish | Weight |
|---------------------------------------|--------------------|------------------|--------------|----------------|-------------------|
| Quick-Adjust Klaw™ Pump Pliers | | | | | |
| D504-10B | 10-1/8" (257.2 mm) | 2-1/8" (54.0 mm) | Yellow | Plastic-Dipped | 0.79 lb (0.36 kg) |
| D504-12B | 12-1/2" (317.5 mm) | 2-3/4" (69.9 mm) | Yellow | Plastic-Dipped | 1.2 lb (0.5 kg) |
| Classic Klaw™ Pump Pliers | | | | | |
| D504-7 | 7-3/8" (187.3 mm) | 1-3/8" (34.9 mm) | Yellow | Plastic-Dipped | 0.34 lb (0.15 kg) |
| D504-10 | 9-7/8" (250.8 mm) | 2-1/8" (54.0 mm) | Yellow | Plastic-Dipped | 0.81 lb (0.37 kg) |
| D504-12 | 12" (304.8 mm) | 2-3/4" (69.9 mm) | Yellow | Plastic-Dipped | 1.4 lb (0.6 kg) |

Pump Pliers

- Secure tongue and groove design for non-slip grip - even with heavy pressure
- Wide range of versatile jaw positions
- Quick adjust rivet allows one handed, fast and easy adjustment of plier jaws
- TT Series feature split tether ring for securing tool when working at height



D502-6



SPLIT TETHER RING
D502-6TT
D502-10TT
D502-12TT



Plastic-Dipped



JOURNEYMAN™
Dual-Material

| Cat. No. | Overall Length | Jaw Capacity | Handle Color | Handle Finish | Weight |
|-----------------------|--------------------|-------------------|--------------|----------------|-------------------|
| D502-6 | 6-1/2" (165.1 mm) | 7/8" (22.2 mm) | Yellow | Plastic-Dipped | 0.41 lb (0.19 kg) |
| D502-6TT NEW! | 8" (203.2 mm) | 7/8" (22.2 mm) | Yellow | Plastic-Dipped | 0.41 lb (0.19 kg) |
| D502-10 | 10" (254.0 mm) | 1-3/4" (44.5 mm) | Yellow | Plastic-Dipped | 0.97 lb (0.44 kg) |
| D502-10TT NEW! | 11-1/4" (285.8 mm) | 1-3/4" (44.5 mm) | Yellow | Plastic Dipped | 0.95 lb (0.43 kg) |
| D502-12 | 12-1/4" (311.2 mm) | 2-3/8" (60.3 mm) | Yellow | Plastic-Dipped | 1.4 lb (0.6 kg) |
| D502-12TT NEW! | 13" (330.2 mm) | 2-3/8" (60.3 mm) | Yellow | Plastic Dipped | 1.4 lb (0.6 kg) |
| D502-16 | 16-1/4" (412.8 mm) | 4-1/4" (108.0 mm) | Yellow | Plastic-Dipped | 3.2 lb (1.5 kg) |
| J502-10 | 10-1/4" (260.4 mm) | 1-3/4" (44.5 mm) | Yellow/Black | Journeyman | 1.0 lb (0.5 kg) |



Slip-Joint Pliers

Slip-Joint Pliers

- Shear-type cutter for precision wire cutting
- Two versatile jaw positions
- Serrated jaws provide sure-gripping power
- Nickel-chrome plated for long life



D511-6

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Handle Color | Handle Finish | Weight |
|----------|--------------------|-------------------|-------------------|------------------|--------------|----------------|-------------------|
| D511-6 | 6-9/16" (166.7 mm) | 1-3/16" (30.2 mm) | 1-3/16" (30.2 mm) | 3/8" (9.5 mm) | Blue | Plastic-Dipped | 0.39 lb (0.18 kg) |
| D511-8 | 8-1/16" (204.8 mm) | 1-3/8" (34.9 mm) | 1-1/4" (31.8 mm) | 7/16" (11.1 mm) | Blue | Plastic-Dipped | 0.62 lb (0.28 kg) |
| D511-10 | 9-7/8" (250.8 mm) | 1-3/4" (44.5 mm) | 1-3/8" (34.9 mm) | 15/32" (11.9 mm) | Blue | Plastic-Dipped | 0.83 lb (0.38 kg) |

Slip-Joint Pliers - Hose Clamp

- Quickly installs and removes spring-tension hose clamps
- Grips with either end or side of jaws for work in confined areas
- Nickel-chrome plated for long life



D514-8


| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Handle Color | Handle Finish | Weight |
|----------|--------------------|------------------|------------------|-----------------|--------------|----------------|-------------------|
| D514-8 | 8-1/16" (204.8 mm) | 1-3/8" (34.9 mm) | 1-1/4" (31.8 mm) | 7/16" (11.1 mm) | Blue | Plastic-Dipped | 0.61 lb (0.28 kg) |

Pliers Handles

Replacement Klein-Koat™ Pliers Handles

- Plastic material for slip-resistant grip and comfort

| Cat. No. | Size to Fit Pliers | Color | Weight |
|----------|-----------------------------------|-------|-------------------|
| 60 | 6" (152.4 mm) Long | Red | 0.80 oz (22.7 g) |
| 70 | 7" (177.8 mm) Long | Red | 0.10 lb (0.05 kg) |
| 89 | 8" to 9" (203.2 to 228.6 mm) Long | Red | 0.10 lb (0.05 kg) |



70

Replacement Comfort-Grip Pliers Handles

- Klein exclusive slip-reducing pliers handles
- Aerated plastic construction provides firm and resilient cushion



55

| Cat. No. | Size to Fit Pliers | Color | Weight |
|----------|------------------------------------|-------|------------------|
| 55 | 5" and 6-1/2" (127.0 and 165.1 mm) | Red | 0.80 oz (22.7 g) |



Klein Pliers

Klein specializes in the making of the world's finest pliers... pliers that professionals have trusted for more than 160 years. Klein pliers feel right and work right. They are job-matched for every kind of work you do; designed and built with exceptional quality standards in a tradition that dates back to 1857.



For Professionals...
Since 1857™

Introduction – Pliers

Klein Quality

Klein pliers are made of the finest U.S. steel alloy. Forged, precision machined, hardened, and carefully tempered for maximum strength, Klein pliers provide exceptional performance and durability.

All pliers mating surfaces and dimensions are precision machined and hot riveted for uniformly smooth opening and closing action. Cutting knives are manufactured for long-lasting edges and are designed to perfectly align and meet according to the way each is used.

Side-cutting and long-nose pliers with side cutters have knives that meet at the hinge first and then meet at least one-half of the knife length. Diagonal-cutting pliers meet at the tip first and then meet at least one-half of the knife length.

These precise knife-closing designs increase knife life and facilitate resharpening.

Klein pliers are individually adjusted to meet performance standards far exceeding application requirements – ensuring that nothing less than outstanding quality ever carries the Klein name.

Using Pliers

A professional knows all the rules about using pliers, but a review of the following points may help you recall any you may have forgotten.

- 1. Never use pliers to do another tool's job.** Pliers should not be used as a hammer or pry tool or a wrench. Using pliers instead of the proper tools risks damaging the work, damaging yourself, and losing time.
- 2. Never push pliers beyond their capacity.** Bending stiff wire with light pliers or the tip of needle-nose pliers can spring or break them. Use a stronger, blunt-nose pliers. When you need greater leverage, use pliers with greater leverage. Don't extend the length of the pliers handles. Bolts should be cut with a bolt cutter, and large cable with a cable cutter.
- 3. Never expose pliers to excessive heat.** Direct flame on metal can ruin the tool. Cutting pliers are especially vulnerable to high, direct heat.
- 4. Never cut hardened wire with ordinary pliers.** Pliers should not be used for cutting hardened wire unless they are specifically recommended for this use.
- 5. Never rock pliers from side to side when cutting wire...and never bend the wire back and forth against the cutting knives.** Either practice can dull or nick the cutting

edges. Cut wire at a right angle only. If it won't cut readily, the knives may need sharpening, or you may need pliers with greater leverage.

6. Never cut any wire or metal unless your eyes are protected. Goggles or other protective devices are an absolute must. Don't take shortcuts. Operate safely...the professional way.

7. Never cut any wire or metal unless your fellow workers' eyes are also protected. The wire that doesn't get you may get someone else. Think about the "other guy" as well as yourself.

8. Never depend on plastic-dipped handles to insulate you from electricity. Plastic-dipped and Journeyman™ handles are intended for comfort and a firmer grip only. They are not intended for protection against electric shock. Never use any pliers or cutting tools on live electrical circuits. Only use insulated tools that are marked with the official international 1000-volt rating symbol if there is any chance that the tool will make contact with an energized source.

Pliers Catalog Number Prefixes/Suffixes

"D" (Prefix) – Indicates the pliers have plastic-dipped handles for comfort, NOT for protection against electrical shock.

"HD" (Prefix) – Indicates the pliers have heavy-duty plastic-dipped handles to provide an extra level of user comfort, NOT for protection against electrical shock.

"J" (Prefix) – Indicates the pliers have State-of-the-art dual material molded Journeyman™ handles for a softer, more comfortable grip on the outer surface and a harder, more durable grip on the inner surface and handle ends, NOT for protection against electrical shock.

"C" (Suffix) – Indicates the pliers have a coil spring in the handles for self-opening action.

Pliers Cutting Edges

Knife-edge descriptions refer to the angle of the outside cutting edges of the knives when fully closed.


Standard Cutting Edges

Cuts hard wire. Found on all Klein side-cutters, long-nose, and on most diagonal-cutting pliers.




Semi-Flush Cutting Edges

Closely cuts medium wire. Found on select diagonal-cutting pliers.



Full-Flush Cutting Edges

Close, flat cutting of soft wire only. Found on select diagonal-cutting pliers.






Introduction – Pliers

Pliers Dimensions


All Klein pliers are listed with necessary dimensions in both inches and millimeters. The following drawings of six basic types of pliers are keyed by letter to the dimensions given for each pliers listed. All dimensions are subject to commercial tolerances.

| | |
|---------------------------|----------------------------|
| A – Overall Length | D – Jaw Thickness |
| B – Jaw Length | E – Knife Length |
| C – Jaw Width | F – Point Thickness |


1. Side-Cutting Pliers




3. End Cutting Pliers




5. Flat-Nose and Duck-Bill Pliers




2. Diagonal-Cutting Pliers



4. Long-Nose Pliers



6. Curved-Nose Pliers




Pliers dimensions shown are accurate within accepted commercial tolerances, which allow slight variations that normally result from forging and grinding operations.

JOURNEYMAN

**MADE IN
USA**

State-of-the-art dual material molding process

Innovative dual material grips are more comfortable and last longer than other handles.



US Patent: D468988

AVAILABLE ON KLEIN SIDE-CUTTING PLIERS | DIAGONAL-CUTTING PLIERS | LONG-NOSE PLIERS | SNIPS

See page 295 for additional information on warnings.



Side-Cutting Pliers

Plastic-dipped handles for comfort and ease of identification

"Handform" handles for full gripping and cutting power

Precision-hardened plier head for on-the-job toughness

Unique handle tempering helps absorb the "snap" when cutting wire

Hot-riveted joint ensures smooth action and no handle wobble

Induction hardened cutting knives for long life

Sure-gripping cross-hatched knurled jaws



FORGED STEEL
from Klein's US-made, proprietary blend

High-Leverage Side-Cutting Pliers

Includes core side-cutting features plus:

- High-leverage design. Rivet is closer to the cutting edge for 46% greater cutting and gripping power than other pliers designs
- Combination polished and black-oxide finish
- New England nose (Cat. No. J20008 has New England Tapered nose; Cat. No. D213-9 has Square nose)
- Cat. No. D2000-9NEGLW features glow in the dark grips to easily locate your tool in dark or low lit areas
- D213-9NETT has split tether ring for use with tether device




D213-9NE



SPLIT TETHER RING
D213-9NETT



Plain



Plastic-Dipped



JOURNEYMAN™
Dual-Material



Oversized,
Plastic-Dipped

Refer to the insulated section for insulated pliers.

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Knife Length | Handle Color | Handle Finish | Weight |
|---|---------------------|--------------------|-------------------|--------------------|------------------|------------------|---------------------------------------|-------------------|
| 213-9NE | 9-1/4" (235.0 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Black | Plain | 1.1 lb (0.5 kg) |
| D213-9 | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Dark Blue | Plastic-Dipped | 1.1 lb (0.5 kg) |
| D213-8NE | 8-11/16" (220.7 mm) | 1-7/16" (36.5 mm) | 1-3/16" (30.2 mm) | 1-7/16" (36.5 mm) | 23/32" (18.3 mm) | Dark Blue | Plastic-Dipped | 0.90 lb (0.41 kg) |
| D213-9NE | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Dark Blue | Plastic Dipped | 1.1 lb (0.5 kg) |
| D213-9NETT | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Dark Blue | Plastic Dipped | 1.1 lb (0.5 kg) |
| HD213-9NE | 9-1/2" (241.3 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Light Red | Heavy-Duty, Oversized, Plastic-Dipped | 1.2 lb (0.5 kg) |
| J2138NE | 8-13/16" (223.8 mm) | 1-7/16" (36.5 mm) | 1-3/16" (30.2 mm) | 1-7/16" (36.5 mm) | 23/32" (18.3 mm) | Dark Blue/Black | Journeyman | 0.97 lb (0.44 kg) |
| J213-9NE | 9-1/2" (241.3 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Dark Blue/Black | Journeyman | 1.1 lb (0.5 kg) |
| Pliers with heavy-duty cutting knives designed to cut ACSR, screws, nails and most hardened wire | | | | | | | | |
| D2000-7 | 7-7/8" (200.02 mm) | 1-9/32" (32.54 mm) | 1-1/32" (26.2 mm) | 1-9/32" (32.54 mm) | 3/4" (19.05 mm) | Light Blue | Plastic-Dipped | 0.66 lb (0.30 kg) |
| D2000-8 | 8-11/16" (220.7 mm) | 1-7/16" (36.5 mm) | 1-7/64" (28.2 mm) | 1-7/16" (36.5 mm) | 3/4" (19.1 mm) | Light Blue | Plastic-Dipped | 0.85 lb (0.39 kg) |
| D2000-9NE | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Light Blue | Plastic-Dipped | 1.1 lb (0.5 kg) |
| D20009NEGLW | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Glow in the Dark | Plastic-Dipped | 1.1 lb (0.5 kg) |
| HD2000-9NE | 9-1/2" (241.3 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Light Red | Heavy-Duty, Oversized, Plastic-Dipped | 1.2 lb (0.5 kg) |
| J20008 | 8-13/16" (223.8 mm) | 1-7/16" (36.5 mm) | 1-7/64" (28.2 mm) | 1-7/16" (36.5 mm) | 3/4" (19.1 mm) | Light Blue/Black | Journeyman | 0.93 lb (0.42 kg) |
| J2000-9NE | 9-1/2" (241.3 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Light Blue/Black | Journeyman | 1.1 lb (0.5 kg) |





Side-Cutting Pliers


High-Leverage Side-Cutting Pliers - Fish Tape Pulling

Includes core side-cutting features plus:

- Easily pulls 1/8" or 1/4" flat steel fish tape without damaging the tape
- High-leverage design. Rivet is closer to the cutting edge for 46% greater cutting and gripping power than other pliers designs
- Cat. No. J2000-9NECRTP crimps non-insulated connectors, lugs, and terminals



D213-9NETP



Plastic-Dipped



JOURNEYMAN™
Dual-Material

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Knife Length | Handle Color | Handle Finish | Weight |
|---|-------------------|--------------------|------------------|--------------------|------------------|------------------|----------------|-----------------|
| D213-9NETP | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Dark Blue | Plastic-Dipped | 1.1 lb (0.5 kg) |
| J213-9NETP | 9-1/2" (241.3 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Dark Blue/Black | Journeyman | 1.1 lb (0.5 kg) |
| Pliers with heavy-duty cutting knives designed to cut ACSR, screws, nails and most hardened wire | | | | | | | | |
| D2000-9NETP | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Light Blue | Plastic-Dipped | 1.1 lb (0.5 kg) |
| J2000-9NETP | 9-1/2" (241.3 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Light Blue/Black | Journeyman | 1.1 lb (0.5 kg) |
| J2000-9NECRTP | 9-1/2" (241.3 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Blue/Black | Journeyman | 1.1 lb (0.5 kg) |


High-Leverage Side-Cutting Pliers - Lineman's Bolt-Thread Holding

Includes core side-cutting features plus:

- Hinge opening holds and cleans 5/8" pole line and hardware bolts or threaded rods
- High-leverage design. Rivet is closer to the cutting edge for 46% greater cutting and gripping power than other pliers designs



D213-9NETH



Plastic-Dipped



Oversized,
Plastic-Dipped

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Knife Length | Handle Color | Handle Finish | Weight |
|---|-------------------|--------------------|------------------|--------------------|------------------|--------------|---------------------------------------|-----------------|
| D213-9NETH | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Dark Blue | Plastic-Dipped | 1.1 lb (0.5 kg) |
| HD213-9NETH | 9-1/2" (241.3 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Light Red | Heavy-Duty, Oversized, Plastic-Dipped | 1.2 lb (0.5 kg) |
| Pliers with heavy-duty cutting knives designed to cut ACSR, screws, nails and most hardened wire | | | | | | | | |
| D2000-9NETH | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Light Blue | Plastic-Dipped | 1.2 lb (0.5 kg) |

High-Leverage Side-Cutting Pliers - Connector Crimping

Includes core side-cutting features plus:


- Crimping die behind hinge for superior leverage crimping non-insulated connectors, lugs and terminals
- Cat. No. J213-9NECRN cleanly strips 10 and 12 solid AWG wire and 12 and 14 AWG stranded wire
- High-leverage design. Rivet is closer to the cutting edge for 46% greater cutting and gripping power than other pliers designs



D213-9NECR



WIRE STRIPPING HEAD
J213-9NECRN



Plastic-Dipped



JOURNEYMAN™
Dual-Material

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Knife Length | Handle Color | Handle Finish | Weight |
|---|-------------------|--------------------|------------------|--------------------|------------------|------------------|----------------|-----------------|
| D213-9NE-CR | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Yellow | Plastic-Dipped | 1.0 lb (0.5 kg) |
| J213-9NECR | 9-1/2" (241.3 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Yellow/Black | Journeyman | 1.1 lb (0.5 kg) |
| J2139NECRN | 9-1/2" (241.3 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 5/8" (15.9 mm) | 25/32" (19.8 mm) | Yellow/Black | Journeyman | 1.1 lb (0.5 kg) |
| Pliers with heavy-duty cutting knives designed to cut ACSR, screws, nails and most hardened wire | | | | | | | | |
| D2000-9NECR | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Light Blue | Plastic-Dipped | 1.1 lb (0.5 kg) |
| J2000-9NECR | 9-1/2" (241.3 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Light Blue/Black | Journeyman | 1.1 lb (0.5 kg) |



Side-Cutting Pliers

Side-Cutting Pliers

Includes core side-cutting features plus:

- J20017NE features Journeyman™ Series dual-material handles



D201-9NE



Plastic-Dipped



JOURNEYMAN™ Dual-Material

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Knife Length | Handle Color | Handle Finish | Weight |
|----------|---------------------|--------------------|-------------------|--------------------|------------------|------------------|----------------|-------------------|
| D201-8 | 8-11/16" (220.7 mm) | 1-7/16" (36.5 mm) | 1-7/32" (31.0 mm) | 1-7/16" (36.5 mm) | 23/32" (18.3 mm) | Dark Blue | Plastic-Dipped | 0.93 lb (0.42 kg) |
| D201-7NE | 7-7/16" (188.9 mm) | 1-9/32" (32.5 mm) | 1-1/16" (27.0 mm) | 1-9/32" (32.5 mm) | 5/8" (15.9 mm) | Dark Blue | Plastic-Dipped | 0.55 lb (0.25 kg) |
| D201-8NE | 8-11/16" (220.7 mm) | 1-7/16" (36.5 mm) | 1-3/16" (30.2 mm) | 1-7/16" (36.5 mm) | 23/32" (18.3 mm) | Dark Blue | Plastic-Dipped | 0.92 lb (0.42 kg) |
| D201-9NE | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-5/16" (33.3 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Dark Blue | Plastic-Dipped | 1.1 lb (0.5 kg) |
| J20017NE | 7-9/16" (192.1 mm) | 1-9/32" (32.5 mm) | 1-1/16" (27.0 mm) | 1-9/32" (32.5 mm) | 5/8" (15.9 mm) | Light Blue/Black | Journeyman | 0.61 lb (0.28 kg) |


High-Leverage Universal Combination Pliers

Includes core side-cutting features plus:

- Crimping die behind hinge for superior leverage crimping non-insulated connectors, lugs and terminals
- High-leverage design. Rivet is closer to the cutting edge for 46% greater cutting and gripping power than other pliers designs
- Toothed pipe-grip for greater gripping power



12098



Plastic-Dipped



JOURNEYMAN™ Dual-Material

Refer to the insulated section for insulated pliers.

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Knife Length | Handle Color | Handle Finish | Weight |
|----------|-------------------|--------------------|-------------------|--------------------|----------------|-----------------|----------------|-------------------|
| 12098 | 8-5/8" (219.1 mm) | 1-25/32" (45.2 mm) | 1-1/32" (26.2 mm) | 1-25/32" (45.2 mm) | 3/4" (19.1 mm) | Dark Blue | Plastic-Dipped | 0.72 lb (0.33 kg) |
| J12098 | 8-3/4" (222.3 mm) | 1-25/32" (45.2 mm) | 1-1/32" (26.2 mm) | 1-25/32" (45.2 mm) | 3/4" (19.1 mm) | Dark Blue/Black | Journeyman | 0.82 lb (0.37 kg) |

Ironworker's Pliers

Includes core side-cutting features plus:


- Twists and cuts soft annealed rebar tie wire
- Cat. Nos. 213-9ST, D213-9ST and D20009ST feature high-leverage design. Rivet is closer to the cutting edge for 46% greater cutting and gripping power than other pliers designs
- Hook bend handle
- Spring-loaded action for self-opening
- Cat. Nos. D201-7CSTA, D213-9STT, 213-9ST, D213-9ST and D2000-9ST feature heavy-duty knurled jaws
- D201-7CSTT and D213-9STT has split tether ring for use with tether device



SPLIT TETHER RING
D201-7CSTT
D213-9STT



NEW!



DEEPER CHANNELS ON KNURL
D201-7CSTA



Plain



Plastic-Dipped

D201-7CSTA

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Knife Length | Handle Color | Handle Finish | Weight |
|------------------------|-------------------|--------------------|-------------------|--------------------|------------------|--------------|---------------|-------------------|
| 201-7CST | 9-1/8" (231.8 mm) | 1-9/32" (32.5 mm) | 1-5/32" (29.4 mm) | 1-9/32" (32.5 mm) | 5/8" (15.9 mm) | Black | Plain | 0.65 lb (0.29 kg) |
| D201-7CST | 9-1/4" (235.0 mm) | 1-9/32" (32.5 mm) | 1-5/32" (29.4 mm) | 1-9/32" (32.5 mm) | 5/8" (15.9 mm) | Blue | Plastic | 0.75 lb (0.34 kg) |
| D201-7CSTA NEW! | 9-1/4" (235.0 mm) | 1-9/32" (32.5 mm) | 1-5/32" (29.4 mm) | 1-9/32" (32.5 mm) | 5/8" (15.9 mm) | Red | Plastic | 0.75 lb (0.34 kg) |
| D201-7CSTT | 9" (228.6 mm) | 1-1/2" (38.1 mm) | 1-1/4" (31.8 mm) | 1-1/2" (38.1 mm) | 5/8" (15.9 mm) | Blue | Plastic | 0.68 lb (0.31 kg) |
| 213-9ST | 9-1/4" (235.0 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Black | Plain | 1.0 lb (0.5 kg) |
| D213-9ST | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Blue | Plastic | 1.1 lb (0.5 kg) |
| D213-9STT | 9-3/8" (238.1 mm) | 2" (50.8 mm) | 1-1/4" (31.8 mm) | 2" (50.8 mm) | 25/32" (19.8 mm) | Blue | Plastic | 1.1 lb (0.5 kg) |

Pliers with heavy-duty cutting knives designed to cut ACSR, screws, nails and most hardened wire

| | | | | | | | | |
|------------|-------------------|--------------------|-------------------|--------------------|------------------|------|----------------|-------------------|
| D2000-7CST | 9-1/4" (235.0 mm) | 1-9/32" (32.5 mm) | 1-5/32" (29.4 mm) | 1-9/32" (32.5 mm) | 5/8" (15.9 mm) | Blue | Plastic | 0.70 lb (0.32 kg) |
| D2000-9ST | 9-3/8" (238.1 mm) | 1-19/32" (40.5 mm) | 1-1/4" (31.8 mm) | 1-19/32" (40.5 mm) | 25/32" (19.8 mm) | Blue | Plastic Dipped | 1.1 lb (0.5 kg) |





Diagonal-Cutting Pliers



MADE IN USA

FORGED STEEL

from Klein's US-made, proprietary blend

Plastic-dipped handles for comfort and ease of identification

Hot-riveted joint ensures smooth action and no handle wobble

Induction-hardened cutting knives for long life

Short jaws and beveled cutting edges permit close cutting of wire

High-Leverage Diagonal-Cutting Pliers

Includes core diagonal-cutting features plus:

- High-leverage design. Rivet is closer to the cutting edge for 36% greater cutting power than other pliers design
- Cat. No. D2000-28GLW and D248-8GLW feature glow in the dark grips to easily locate your tool in dark or low lit areas
- D228-8TT has split tether ring for use with tether device



D228-8TT
SPLIT TETHER RING



D2000-28



Plastic-Dipped



JOURNEYMAN™
Dual-Material

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Cutting Knives | Handle Color | Handle Finish | Weight |
|---|--------------------|------------------|-------------------|------------------|----------------|------------------|----------------|-------------------|
| D228-7 | 7-1/8" (181.0 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 13/16" (20.6 mm) | Standard | Red | Plastic Dipped | 0.54 lb (0.24 kg) |
| D228-8 | 8-1/16" (204.8 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 13/16" (20.6 mm) | Standard | Red | Plastic Dipped | 0.60 lb (0.27 kg) |
| D228-8TT | 8" (203.2 mm) | 1" (25.4 mm) | 1-1/4" (31.8 mm) | 1" (25.4 mm) | Standard | Red | Plastic Dipped | 0.68 lb (0.31 kg) |
| J228-8 | 8-1/8" (206.4 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 13/16" (20.6 mm) | Standard | Red/Black | Journeyman | 0.67 lb (0.30 kg) |
| Pliers with heavy-duty cutting knives designed to cut ACSR, screws, nails and most hardened wire | | | | | | | | |
| D2000-28 | 8-1/16" (204.8 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 13/16" (20.6 mm) | Standard | Light Blue | Plastic Dipped | 0.60 lb (0.27 kg) |
| D200028GLW | 8-1/16" (204.8 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 13/16" (20.6 mm) | Standard | Glow in the Dark | Plastic Dipped | 0.60 lb (0.27 kg) |
| J2000-28 | 8-1/8" (206.4 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 13/16" (20.6 mm) | Standard | Light Blue/Black | Journeyman | 0.67 lb (0.30 kg) |

Heavy-Duty Diagonal-Cutting Pliers

NEW!

Includes core diagonal-cutting features plus:

- Extra-long cutting blades provide greater cutting ability
- Beefier, more reinforced head lasts longer than standard diagonal-cutters
- 2000 series heavy-duty cutting knives cut ACSR, screws, nails and most hardened wire
- Angled blade design for easier access to cut screws and bolts
- High-leverage design has 46% more cutting power
- Dual-material handles provide better grip and added comfort



J2000-59

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Cutting Knives | Handle Color | Handle Finish | Weight |
|----------------------|----------------|------------------|--------------------|----------------|----------------|--------------|---------------|-----------------|
| J2000-59 NEW! | 9" (228.6 mm) | 1-1/4" (31.8 mm) | 1-13/64" (30.6 mm) | 5/8" (15.9 mm) | Standard | Blue/Black | Journeyman™ | 1.0 lb (0.5 kg) |

See page 295 for additional information on warnings.



Diagonal-Cutting Pliers

High-Leverage Diagonal-Cutting Pliers - Angled Head

Includes core diagonal-cutting features plus:

- Angled head design for easy work in confined spaces
- High-leverage design. Rivet is closer to the cutting edge for 36% greater cutting and gripping power than other plier designs
- Cat. No. D248-8GLW features glow in the dark grips to easily locate your tool in dark or low lit areas
- For use on non-ferrous wire only




| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Cutting Knives | Handle Color | Handle Finish | Weight |
|---|--------------------|------------------|-------------------|------------------|----------------|------------------|----------------|-------------------|
| D238-8 | 8-1/16" (204.8 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 13/16" (20.6 mm) | Semi-Flush | Red | Plastic-Dipped | 0.59 lb (0.27 kg) |
| D248-8 | 8-1/16" (204.8 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 13/16" (20.6 mm) | Standard | Red | Plastic-Dipped | 0.60 lb (0.27 kg) |
| D248-8-GLW | 8-1/16" (204.8 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 13/16" (20.6 mm) | Standard | Glow in the Dark | Plastic-Dipped | 0.60 lb (0.27 kg) |
| J248-8 | 8-1/8" (206.4 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 13/16" (20.6 mm) | Standard | Red/Black | Journeyman | 0.61 lb (0.28 kg) |
| Pliers with heavy-duty cutting knives designed to cut ACSR, screws, nails and most hardened wire | | | | | | | | |
| D2000-48 | 8" (203.2 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 13/16" (20.6 mm) | Standard | Blue | Plastic Dipped | 0.60 lb (0.27 kg) |
| D2000-49 | 9" (228.6 mm) | 13/16" (20.6 mm) | 1-1/4" (31.8 mm) | 13/16" (20.6 mm) | Standard | Yellow | Plastic Dipped | 0.64 lb (0.29 kg) |
| J2000-48 | 8-1/8" (206.4 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 13/16" (20.6 mm) | Standard | Light Blue/Black | Journeyman | 0.61 lb (0.28 kg) |

High-Leverage Diagonal-Cutting Pliers - Ironworker's

Includes core diagonal-cutting features plus:

- Angled head design for easy working in confined spaces
- Hooked handle for improved grip
- High-leverage design. Rivet is closer to the cutting edge for 36% greater cutting power than other pliers designs
- Cat. No. D248-9STT has split tether ring for use with tether device



| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Cutting Knives | Handle Color | Handle Finish | Weight |
|-----------|--------------------|------------------|-------------------|------------------|----------------|--------------|----------------|-------------------|
| D248-9ST | 9-3/16" (233.4 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 13/16" (20.6 mm) | Standard | Red | Plastic Dipped | 0.68 lb (0.31 kg) |
| D248-9STT | 9" (228.6 mm) | 1" (25.4 mm) | 1-1/4" (31.8 mm) | 1" (25.4 mm) | Standard | Red | Plastic Dipped | 0.68 lb (0.31 kg) |

High-Leverage Diagonal-Cutting Pliers - Stripping Holes

Includes core diagonal-cutting features plus:

- Cleanly strips 12 and 14 solid AWG wire
- High-leverage design. Rivet is closer to the cutting edge for 36% greater cutting power than other pliers designs



| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Cutting Knives | Handle Color | Handle Finish | Weight |
|----------|--------------------|------------------|-------------------|------------------|----------------|--------------|----------------|-------------------|
| D243-8 | 8-1/16" (204.8 mm) | 13/16" (20.6 mm) | 1-3/16" (30.2 mm) | 13/16" (20.6 mm) | Standard | Red | Plastic-Dipped | 0.60 lb (0.27 kg) |



Diagonal-Cutting Pliers

Heavy-Duty Diagonal-Cutting Pliers - Tapered Nose

Includes core diagonal-cutting features plus:

- Heavier design for all-purpose use
- Tapered nose for easy working in confined areas



D220-7

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Cutting Knives | Handle Color | Handle Finish | Weight |
|--|---------------------|------------------|------------------|------------------|----------------|--------------|----------------|-------------------|
| D220-7 | 7-11/16" (195.3 mm) | 1" (25.4 mm) | 31/32" (24.6 mm) | 1" (25.4 mm) | Standard | Red | Plastic-Dipped | 0.54 lb (0.24 kg) |
| D252-6 | 6-1/8" (155.6 mm) | 13/16" (20.6 mm) | 3/4" (19.1 mm) | 13/16" (20.6 mm) | Standard | Red | Plastic-Dipped | 0.38 lb (0.17 kg) |
| Bell System Type "W" Notches - Slits insulation cleanly | | | | | | | | |
| D252-6SW | 6-1/8" (155.6 mm) | 13/16" (20.6 mm) | 3/4" (19.1 mm) | 13/16" (20.6 mm) | Standard | Red | Plastic-Dipped | 0.33 lb (0.15 kg) |

Standard Diagonal-Cutting Pliers

Includes core diagonal-cutting features plus:

- Tapered nose for easy working in confined areas and close tip cutting
- Trims plastic or printed circuit boards (Cat. D210-6C)
- Cleanly strips 16 AWG solid wire (Cat. No. D240-6)



D245-5

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Cutting Knives | Handle Color | Handle Finish | Weight |
|--|---------------------|------------------|------------------|------------------|----------------|--------------|----------------|-------------------|
| D202-6 | 6-1/8" (155.6 mm) | 13/16" (20.6 mm) | 11/16" (17.5 mm) | 13/16" (20.6 mm) | Standard | Red | Plastic-Dipped | 0.29 lb (0.13 kg) |
| D202-6C | 6-1/8" (155.6 mm) | 13/16" (20.6 mm) | 11/16" (17.5 mm) | 13/16" (20.6 mm) | Standard | Red | Plastic-Dipped | 0.31 lb (0.14 kg) |
| D245-5 | 5-1/16" (128.6 mm) | 11/16" (17.5 mm) | 9/16" (14.3 mm) | 11/16" (17.5 mm) | Standard | Red | Plastic-Dipped | 0.20 lb (0.09 kg) |
| D210-6C | 6-1/8" (155.6 mm) | 13/16" (20.6 mm) | 11/16" (17.5 mm) | 13/16" (20.6 mm) | Semi-Flush | Red | Plastic-Dipped | 0.29 lb (0.13 kg) |
| D240-6 | 6-1/8" (155.6 mm) | 13/16" (20.6 mm) | 11/16" (17.5 mm) | 13/16" (20.6 mm) | Standard | Red | Plastic-Dipped | 0.30 lb (0.14 kg) |
| Bell-System Type "W" & "V" Notches - For quick insulation slitting | | | | | | | | |
| D528V | 5-13/16" (147.6 mm) | 13/16" (20.6 mm) | 9/16" (14.3 mm) | 13/16" (20.6 mm) | Standard | Red | Plastic-Dipped | 0.20 lb (0.09 kg) |
| Telephone Type D-6 "V" Notches - For quick insulation slitting and includes .030" and .045" stripping holes | | | | | | | | |
| 72192 | 6-1/8" (155.6 mm) | 13/16" (20.6 mm) | 3/4" (19.1 mm) | 13/16" (20.6 mm) | Standard | Red | Plastic-Dipped | 0.33 lb (0.15 kg) |

Diagonal-Cutting Electronics Pliers


Midget Diagonal-Cutting Pliers

Includes core diagonal-cutting features plus:

- Sharp pointed nose for precise tip cutting
- Tapered nose for easy working in confined areas and close tip cutting (Cat No. D295-4C, D257-4 & D257-4C)
- Spring loaded for self-opening action (Not available on Cat. No. D257-4)
- Narrow jaw and hinge for delicate work in tight areas (Cat. No. D259-4C & D2445C)
- Miniature jaw for close-quarter work with maximum visibility (Cat. No. D295-4C)



D257-4C



Tapered Nose Standard Jaw Tapered Nose Mini Jaw Pointed Nose Standard Jaw Pointed Nose Narrow Jaw Pointed Nose Extra Narrow Jaw

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Cutting Knives | Handle Color | Handle Finish | Weight |
|----------|--------------------|------------------|------------------|------------------|----------------|--------------|----------------|-------------------|
| D209-4C | 4-1/4" (108.0 mm) | 1/2" (12.7 mm) | 7/16" (11.1 mm) | 1/2" (12.7 mm) | Semi-Flush | Light Blue | Plastic-Dipped | 0.13 lb (0.06 kg) |
| D209-5C | 5-1/16" (128.6 mm) | 11/16" (17.5 mm) | 9/16" (14.3 mm) | 11/16" (17.5 mm) | Semi-Flush | Light Blue | Plastic-Dipped | 0.19 lb (0.09 kg) |
| D244-5C | 5-1/16" (128.6 mm) | 11/16" (17.5 mm) | 1/2" (12.7 mm) | 11/16" (17.5 mm) | Flush | Light Blue | Plastic-Dipped | 0.18 lb (0.08 kg) |
| D259-4C | 4-1/4" (108.0 mm) | 1/2" (12.7 mm) | 13/32" (10.3 mm) | 1/2" (12.7 mm) | Flush | Light Blue | Plastic-Dipped | 0.12 lb (0.05 kg) |
| D257-4 | 4-1/4" (108.0 mm) | 1/2" (12.7 mm) | 7/16" (11.1 mm) | 1/2" (12.7 mm) | Semi-Flush | Light Blue | Plastic-Dipped | 0.12 lb (0.05 kg) |
| D257-4C | 4-1/4" (108.0 mm) | 1/2" (12.7 mm) | 7/16" (11.1 mm) | 1/2" (12.7 mm) | Semi-Flush | Light Blue | Plastic-Dipped | 0.12 lb (0.05 kg) |
| D295-4C | 4-1/4" (108.0 mm) | 1/2" (12.7 mm) | 3/8" (9.5 mm) | 1/2" (12.7 mm) | Flush | Light Blue | Plastic-Dipped | 0.11 lb (0.05 kg) |

See page 295 for additional information on warnings.



Diagonal-Cutting Electronics Pliers

Midget Diagonal-Cutting Pliers - Nickel Ribbon Wire Cutters

Includes core diagonal-cutting features plus:

- Designed to cut nickel ribbon wire
- Nose tip is only 1/32" (0.8 mm) for precise work in confined areas
- Cutting knife tip is 3/16" (5 mm) long for precise cutting
- Spring-loaded action for self-opening



D230-4C

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Cutting Knives | Handle Color | Handle Finish | Weight |
|----------|-------------------|----------------|-----------------|----------------|----------------|--------------|----------------|-------------------|
| D230-4C | 4-1/4" (108.0 mm) | 1/2" (12.7 mm) | 7/16" (11.1 mm) | 1/2" (12.7 mm) | Semi-Flush | Light Blue | Plastic-Dipped | 0.12 lb (0.05 kg) |

Precision Flush Cutter

- Shears wire up to 16 AWG producing a flat, flush cut
- Shear cutting greatly reduces cutting effort and minimizes fly-off
- Molded flared grips for greater tool control
- Steel return spring for increased comfort during repetitive cutting
- Ultra slim profile increases access in confined areas
- Heat treated for increased durability



D275-5

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Cutting Knives | Handle Color | Handle Finish | Weight |
|----------|----------------|-----------------|----------------|-----------------|----------------|--------------|---------------|-------------------|
| D275-5 | 5" (127.0 mm) | 0.45" (11.4 mm) | 0.26" (6.6 mm) | 0.086" (2.2 mm) | Flush | Red | Plastic | 0.11 lb (0.05 kg) |

Diagonal-Cutting Specialty Pliers

Plastic-Cutting Pliers

Includes core diagonal-cutting features plus:

- Precisely cuts injection mold sprues, gates and other plastic
- Adjustable 1/16" hollow-head screw keeps knife-edges from damaging each other (not designed for use on metal)
- Spring-loaded for self-opening action



D227-7C

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Cutting Knives | Handle Color | Handle Finish | Weight |
|----------|---------------------|--------------|------------------|---------------|----------------|--------------|----------------|-------------------|
| D227-7C | 7-11/16" (195.3 mm) | 1" (25.4 mm) | 31/32" (24.6 mm) | 1" (25.4 mm) | Flush | Red | Plastic-Dipped | 0.55 lb (0.25 kg) |



Long-Nose Pliers

Plastic-dipped handles
for comfort and ease of identification

Hot-riveted joint
ensures smooth action
and no handle wobble

Slim head design
for working in
confined areas.



FORGED STEEL

from Klein's US-made,
proprietary blend

All-Purpose Pliers

- Cat. No. J206-8C strips 8-16 AWG solid and 10-18 AWG stranded wire
- Cat. No. J207-8CR strips 10-18 AWG solid and 12-20 AWG stranded wire and crimps non-insulated connectors, lugs and terminals
- Induction-hardened cutting knives for increased wire cutting performance, including hard wire
- Long nose for grabbing and looping wire
- 6-32 and 8-32 screw shearing



J206-8C




CRIMPING FEATURE
J207-8CR

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Diameter | Knife Length | Handle Color | Handle Finish | Weight |
|----------|-------------------|-------------------|--------------|----------------|----------------|----------------|--------------|---------------|-------------------|
| J206-8C | 8-5/8" (219.1 mm) | 2-3/16" (55.6 mm) | 1" (25.4 mm) | 1/2" (12.7 mm) | 1/8" (3.18 mm) | 1/2" (12.7 mm) | Yellow/Black | Journeyman | 0.60 lb (0.27 kg) |
| J207-8CR | 8-5/8" (219.1 mm) | 2-3/16" (55.6 mm) | 1" (25.4 mm) | 1/2" (12.7 mm) | 1/8" (3.18 mm) | 1/2" (12.7 mm) | Yellow/Black | Journeyman | 0.60 lb (0.27 kg) |


Heavy-Duty Long-Nose Pliers - Side-Cutting

Includes core long-nose features plus:

- Induction-hardened cutting knives for long life
- Heavier design for greater cutting power
- Extended handles provide added reach and greater leverage
- Cat. No. D203-8GLW features glow in the dark grips to easily locate your tool in dark or low lit areas



D203-8NCR



12 AWG WIRE STRIPPING
D203-8N
J203-8N



12 AWG WIRE STRIPPING
AND CRIMPING
D203-8NCR



Plastic-Dipped



JOURNEYMAN™
Dual-Material

Refer to the insulated section for insulated pliers.

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Diameter | Knife Length | Handle Color | Handle Finish | Weight |
|------------|--------------------|-------------------|--------------|----------------|----------------|----------------|------------------|----------------|-------------------|
| D203-8 | 8-7/16" (214.3 mm) | 2-5/16" (58.7 mm) | 1" (25.4 mm) | 1/2" (12.7 mm) | 1/8" (3.18 mm) | 5/8" (15.9 mm) | Yellow | Plastic-Dipped | 0.60 lb (0.27 kg) |
| D203-8-GLW | 8-7/16" (214.3 mm) | 2-5/16" (58.7 mm) | 1" (25.4 mm) | 1/2" (12.7 mm) | 1/8" (3.18 mm) | 5/8" (15.9 mm) | Glow in the Dark | Plastic-Dipped | 0.60 lb (0.27 kg) |
| J203-8 | 8-9/16" (217.5 mm) | 2-5/16" (58.7 mm) | 1" (25.4 mm) | 1/2" (12.7 mm) | 1/8" (3.18 mm) | 5/8" (15.9 mm) | Yellow/Black | Journeyman | 0.63 lb (0.29 kg) |
| D203-8N | 8-7/16" (214.3 mm) | 2-5/16" (58.7 mm) | 1" (25.4 mm) | 1/2" (12.7 mm) | 1/8" (3.18 mm) | 5/8" (15.9 mm) | Yellow | Plastic-Dipped | 0.59 lb (0.27 kg) |
| J203-8N | 8-9/16" (217.5 mm) | 2-5/16" (58.7 mm) | 1" (25.4 mm) | 1/2" (12.7 mm) | 1/8" (3.18 mm) | 5/8" (15.9 mm) | Yellow/Black | Journeyman | 0.64 lb (0.29 kg) |
| D203-8NCR | 8-7/16" (214.3 mm) | 2-5/16" (58.7 mm) | 1" (25.4 mm) | 1/2" (12.7 mm) | 1/8" (3.18 mm) | 5/8" (15.9 mm) | Yellow | Plastic-Dipped | 0.61 lb (0.28 kg) |

See page 295 for additional information on warnings.



Long-Nose Pliers


Standard Long-Nose Pliers - Side-Cutting

Includes core long-nose features plus:

- Induction-hardened, long-lasting cutting knives
- Knurled jaws for sure wrapping and looping
- Curved handles provide greater tool control
- Spring-loaded action for self-opening (Cat. Nos. D203-6C, D203-7C)



D203-6C



D203-6H2
19 & 22 AWG
WIRE STRIPPING



Plastic-Dipped



JOURNEYMAN™
Dual-Material

Refer to the insulated section for insulated pliers.

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Diameter | Knife Length | Handle Color | Handle Finish | Weight |
|----------|--------------------|-------------------|------------------|---------------|-----------------|----------------|--------------|----------------|-------------------|
| D203-6 | 6-5/8" (168.3 mm) | 1-7/8" (47.6 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 3/32" (2.38 mm) | 1/2" (12.7 mm) | Yellow | Plastic-Dipped | 0.27 lb (0.12 kg) |
| D203-6C | 6-5/8" (168.3 mm) | 1-7/8" (47.6 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 3/32" (2.38 mm) | 1/2" (12.7 mm) | Yellow | Plastic-Dipped | 0.27 lb (0.12 kg) |
| D203-7 | 7-3/16" (182.6 mm) | 2-7/16" (61.9 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 3/32" (2.38 mm) | 1/2" (12.7 mm) | Yellow | Plastic-Dipped | 0.29 lb (0.13 kg) |
| D203-7C | 7-3/16" (182.6 mm) | 2-7/16" (61.9 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 3/32" (2.38 mm) | 1/2" (12.7 mm) | Yellow | Plastic-Dipped | 0.29 lb (0.13 kg) |
| J203-6 | 6-3/4" (171.5 mm) | 1-7/8" (47.6 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 3/32" (2.4 mm) | 1/2" (12.7 mm) | Yellow/Black | Journeyman | 0.30 lb (0.14 kg) |
| J203-7 | 7-5/16" (185.7 mm) | 2-7/16" (61.9 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 3/32" (2.4 mm) | 1/2" (12.7 mm) | Yellow/Black | Journeyman | 0.33 lb (0.15 kg) |
| D203-6H2 | 6-5/8" (168.3 mm) | 1-7/8" (47.6 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 3/32" (2.4 mm) | 1/2" (12.7 mm) | Yellow | Plastic-Dipped | 0.26 lb (0.12 kg) |

Standard Long-Nose Pliers

Includes core long-nose features plus:

- Knurled jaws for sure wrapping and looping
- Curved handles provide greater tool control
- Spring-loaded action for self-opening (Cat. No. D301-6C)



D301-6

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Diameter | Handle Color | Handle Finish | Weight |
|----------|-------------------|------------------|------------------|---------------|-----------------|--------------|----------------|-------------------|
| D301-6 | 6-5/8" (168.3 mm) | 1-7/8" (47.6 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 3/32" (2.38 mm) | Yellow | Plastic-Dipped | 0.29 lb (0.13 kg) |
| D301-6C | 6-5/8" (168.3 mm) | 1-7/8" (47.6 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 3/32" (2.38 mm) | Yellow | Plastic-Dipped | 0.28 lb (0.13 kg) |

Slim Long-Nose Pliers

Includes core long-nose features plus:

- Longer nose and handles for deeper reach into work
- Spring-loaded for self-opening action
- Curved handles provide greater tool control



D307-5 1/2C

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Diameter | Handle Color | Handle Finish | Weight |
|------------|-------------------|--------------------|----------------|----------------|-----------------|--------------|----------------|-------------------|
| D307-51/2C | 5-5/8" (142.9 mm) | 1-11/16" (42.9 mm) | 1/2" (12.7 mm) | 5/16" (7.9 mm) | 1/32" (.79 mm) | Yellow | Plastic-Dipped | 0.15 lb (0.07 kg) |
| D327-51/2C | 5-5/8" (142.9 mm) | 1-11/16" (42.9 mm) | 1/2" (12.7 mm) | 5/16" (7.9 mm) | 1/16" (1.58 mm) | Dark Blue | Plastic-Dipped | 0.15 lb (0.07 kg) |





Electronics Long-Nose Pliers

Midget Long-Nose Pliers - Slim-Nose

Includes core long-nose features plus:

- Lightweight, slim-nose pliers for precision subminiature assembly work
- Knurled jaws for sure wrapping and looping
- Curved handles provide greater tool control
- Spring-loaded for self-opening action




D322-4 1/2C

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Diameter | Handle Color | Handle Finish | Weight |
|------------|---------------------|-------------------|-----------------|---------------|----------------------------------|--------------|----------------|-------------------|
| D321-41/2C | 4-13/16" (122.2 mm) | 1-1/16" (27.0 mm) | 7/16" (11.1 mm) | 1/4" (6.4 mm) | 1/32" x 1/16" (.79 mm x 1.58 mm) | Light Blue | Plastic-Dipped | 0.13 lb (0.06 kg) |
| D322-41/2C | 4-13/16" (122.2 mm) | 1-1/16" (27.0 mm) | 7/16" (11.1 mm) | 1/4" (6.4 mm) | 1/32" x 1/16" (.79 mm x 1.58 mm) | Light Blue | Plastic-Dipped | 0.13 lb (0.06 kg) |

Long Needle-Nose Pliers

Includes core long-nose features plus:

- Designed for accurate work in hard-to-reach areas
- Knurled jaws for sure wrapping and looping
- Spring-loaded for self-opening action
- Curved handles provide greater tool control
- Cat. No. D355-51/2C features an extra-slim hinge for work in extremely tight spaces



D310-6C

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Diameter | Handle Color | Handle Finish | Weight |
|------------|-------------------|--------------------|------------------|----------------|-----------------|--------------|----------------|-------------------|
| D310-6C | 6-5/8" (168.3 mm) | 1-7/8" (47.6 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 1/16" (1.58 mm) | Yellow | Plastic-Dipped | 0.27 lb (0.12 kg) |
| D318-51/2C | 5-5/8" (142.9 mm) | 1-11/16" (42.9 mm) | 1/2" (12.7 mm) | 5/16" (7.9 mm) | 1/16" (1.58 mm) | Yellow | Plastic-Dipped | 0.13 lb (0.06 kg) |
| D335-51/2C | 5-5/8" (142.9 mm) | 1-11/16" (42.9 mm) | 15/32" (11.9 mm) | 1/4" (6.4 mm) | 1/16" (1.58 mm) | Light Blue | Plastic-Dipped | 0.13 lb (0.06 kg) |

Curved Long-Nose Pliers

Includes core long-nose features plus:

- 70° bent nose for maximum work visibility in confined areas
- Knurled jaws for sure wrapping and looping
- Curved handles provide greater tool control



D302-6

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Diameter | Handle Color | Handle Finish | Weight |
|----------|-------------------|------------------|------------------|---------------|-----------------|--------------|----------------|-------------------|
| D302-6 | 6-3/8" (161.9 mm) | 1-1/2" (38.1 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 3/32" (2.38 mm) | Yellow | Plastic Dipped | 0.30 lb (0.14 kg) |

Midget Curved Chain-Nose Pliers

Includes core long-nose features plus:

- 60° bent nose for maximum work visibility in confined areas
- Easily bends and forms fine wire
- Polished inside jaws and radiused jaw edges prevent nicking wire
- Spring-loaded for self-opening action
- Curved handles provide greater tool control



D320-4 1/2C

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Diameter | Handle Color | Handle Finish | Weight |
|------------|-------------------|--------------|------------------|---------------|-----------------|--------------|----------------|-------------------|
| D320-41/2C | 4-3/4" (120.7 mm) | 1" (25.4 mm) | 13/32" (10.3 mm) | 1/4" (6.4 mm) | 1/16" (1.58 mm) | Light Blue | Plastic-Dipped | 0.13 lb (0.06 kg) |



Telecom Long-Nose Pliers


Long-Nose Pliers - Connector Crimping

Includes core long-nose features plus:

- Crimps UR/UY/UG insulation displacement connectors (IDC) - Scotchlok® type connectors
- Grooved jaws for wire wrapping, looping and twisting
- Cleanly strips 23 to 24 AWG wire
- Hot-riveted joint ensures smooth action and no handle wobble
- Induction-hardened cutting surface for long life



VDV026-049



UR IDC
VDV826-605

UG IDC

UY IDC
VDV826-604

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Diameter | Knife Length | Handle Color | Handle Finish | Weight |
|------------|---------------------|--------------|------------------|---------------|--|-----------------|--------------|----------------|-------------------|
| VDV026-049 | 6-51/64" (172.6 mm) | 2" (50.8 mm) | 45/64" (17.9 mm) | 3/8" (9.5 mm) | 0.095" x 0.125" (2.41 mm x 3.17 mm) | 7/16" (11.1 mm) | Yellow | Plastic Dipped | 0.28 lb (0.13 kg) |

Scotchlok® is a registered trademark of 3M Corporation


Connector Crimping Pliers

Includes core long-nose features plus:

- Crimps and seats UR/UY/UG insulation displacement connectors (IDC) - Scotchlok® type connectors
- Curved handles for greater control
- Induction-hardened side-cutting knives for long life
- Spring-loaded for self-opening action (Cat. No. D234-6C)



D234-6



UR IDC
VDV826-605

UG IDC

UY IDC
VDV826-604

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Knife Length | Handle Color | Handle Finish | Weight |
|----------|---------------------|-------------------|------------------|---------------|----------------|--------------|----------------|-------------------|
| D234-6 | 5-13/16" (147.6 mm) | 1-3/32" (27.8 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 1/2" (12.7 mm) | Yellow | Plastic Dipped | 0.25 lb (0.11 kg) |
| D234-6C | 5-13/16" (147.6 mm) | 1-3/32" (27.8 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 1/2" (12.7 mm) | Yellow | Plastic Dipped | 0.25 lb (0.11 kg) |

Scotchlok® is a registered trademark of 3M.

Standard Long-Nose Pliers - Switchboard Work

Includes core long-nose features plus:

- Cleanly strips 19 & 22 AWG wire
- Induction-hardened, long-lasting cutting knives
- Knurled jaws for sure wrapping and looping
- Curved handles provide greater tool control



D203-6H2

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Diameter | Knife Length | Handle Color | Handle Finish | Weight |
|----------|-------------------|------------------|------------------|---------------|----------------|----------------|--------------|----------------|-------------------|
| D203-6H2 | 6-5/8" (168.3 mm) | 1-7/8" (47.6 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 3/32" (2.4 mm) | 1/2" (12.7 mm) | Yellow | Plastic-Dipped | 0.26 lb (0.12 kg) |





Telecom Long-Nose Pliers

Long-Nose Telephone Work Pliers-Type L1

Includes core long-nose features plus:

- Knurled jaw tips for greater gripping power
- Induction-hardened side-cutting knives for long life
- Convenient 0.030" stripping hole
- Curved handles provide greater tool control



71980

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Diameter | Knife Length | Handle Color | Handle Finish | Weight |
|----------|-------------------|------------------|------------------|---------------|------------------------------------|----------------|--------------|----------------|-------------------|
| 71980 | 6-5/8" (168.3 mm) | 1-7/8" (47.6 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 1/16" x 3/32" (1.6 mm x 2.4 mm) | 1/2" (12.7 mm) | Yellow | Plastic-Dipped | 0.25 lb (0.11 kg) |

Long-Nose Telephone Work Pliers - Stripping

Includes core long-nose features plus:

- Cleanly strips 22 to 24 AWG wire
- Convenient insulation crushing slot
- Curved handles provide greater tool control



D2291

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Diameter | Handle Color | Handle Finish | Weight |
|----------|----------------|------------------|------------------|---------------|---------------------------------|--------------|----------------|-------------------|
| D2291 | 6" (152.4 mm) | 1-1/4" (31.8 mm) | 11/16" (17.5 mm) | 3/8" (9.5 mm) | 1/16" x 3/32" (1.6 mm x 2.4 mm) | Yellow | Plastic-Dipped | 0.25 lb (0.11 kg) |


Special Use Pliers

Conduit Locknut and Reaming Pliers

- Tightens 1/2" (13 mm) and 3/4" (19 mm) EMT or 1/2" (13 mm) rigid locknuts
- Fits liquid tight fittings and caps
- Reams and deburrs both inside and outside of conduit
- Knurled jaws at nose tip pull wire or fish tape
- Machined nose fits snugly into locknut wings



D333-8



| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Point Diameter | Handle Color | Handle Finish | Weight |
|----------|-------------------|------------------|------------------|----------------|----------------|--------------|----------------|-------------------|
| D333-8 | 7-3/4" (196.9 mm) | 1-5/8" (41.3 mm) | 15/16" (23.8 mm) | 1/2" (12.7 mm) | 3/16" (4.8 mm) | Yellow | Plastic-Dipped | 0.55 lb (0.25 kg) |

End-Cutting Pliers

- Wide-throat clearance for clean, even cutting of wire or nails at close range
- High-leverage design provides greater cutting power at the knives than other plier designs
- Extended handles for longer reach and increased leverage



D232-8

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Knife Length | Handle Color | Handle Finish | Weight |
|----------|-------------------|---------------|-------------------|---------------|-------------------|--------------|----------------|-------------------|
| D232-8 | 8-1/2" (215.9 mm) | 3/8" (9.5 mm) | 1-3/16" (30.2 mm) | 3/8" (9.5 mm) | 1-3/16" (30.2 mm) | Red | Plastic-Dipped | 0.71 lb (0.32 kg) |

See page 295 for additional information on warnings.



Pump Pliers

Klaw™ Pump Pliers

- Compact, narrow design for easy work in small or hard-to-reach spaces
- Gripping surfaces with specially hardened teeth for reduced wear and positive gripping
- Extended grips for added comfort
- **Quick-Adjust Pump Pliers:** Push button and quick ratchet feature allows for fast and easy adjustment to any position. (Cat. Nos. D504-10B, D504-12B)



D504-10



| Cat. No. | Overall Length | Jaw Capacity | Handle Color | Handle Finish | Weight |
|---------------------------------------|--------------------|------------------|--------------|----------------|-------------------|
| Quick-Adjust Klaw™ Pump Pliers | | | | | |
| D504-10B | 10-1/8" (257.2 mm) | 2-1/8" (54.0 mm) | Yellow | Plastic-Dipped | 0.79 lb (0.36 kg) |
| D504-12B | 12-1/2" (317.5 mm) | 2-3/4" (69.9 mm) | Yellow | Plastic-Dipped | 1.2 lb (0.5 kg) |
| Classic Klaw™ Pump Pliers | | | | | |
| D504-7 | 7-3/8" (187.3 mm) | 1-3/8" (34.9 mm) | Yellow | Plastic-Dipped | 0.34 lb (0.15 kg) |
| D504-10 | 9-7/8" (250.8 mm) | 2-1/8" (54.0 mm) | Yellow | Plastic-Dipped | 0.81 lb (0.37 kg) |
| D504-12 | 12" (304.8 mm) | 2-3/4" (69.9 mm) | Yellow | Plastic-Dipped | 1.4 lb (0.6 kg) |

Pump Pliers

- Secure tongue and groove design for non-slip grip - even with heavy pressure
- Wide range of versatile jaw positions
- Quick adjust rivet allows one handed, fast and easy adjustment of plier jaws
- TT Series feature split tether ring for securing tool when working at height



D502-6



SPLIT TETHER RING
D502-6TT
D502-10TT
D502-12TT



Plastic-Dipped



JOURNEYMAN™
Dual-Material

| Cat. No. | Overall Length | Jaw Capacity | Handle Color | Handle Finish | Weight |
|-----------------------|--------------------|-------------------|--------------|----------------|-------------------|
| D502-6 | 6-1/2" (165.1 mm) | 7/8" (22.2 mm) | Yellow | Plastic-Dipped | 0.41 lb (0.19 kg) |
| D502-6TT NEW! | 8" (203.2 mm) | 7/8" (22.2 mm) | Yellow | Plastic-Dipped | 0.41 lb (0.19 kg) |
| D502-10 | 10" (254.0 mm) | 1-3/4" (44.5 mm) | Yellow | Plastic-Dipped | 0.97 lb (0.44 kg) |
| D502-10TT NEW! | 11-1/4" (285.8 mm) | 1-3/4" (44.5 mm) | Yellow | Plastic Dipped | 0.95 lb (0.43 kg) |
| D502-12 | 12-1/4" (311.2 mm) | 2-3/8" (60.3 mm) | Yellow | Plastic-Dipped | 1.4 lb (0.6 kg) |
| D502-12TT NEW! | 13" (330.2 mm) | 2-3/8" (60.3 mm) | Yellow | Plastic Dipped | 1.4 lb (0.6 kg) |
| D502-16 | 16-1/4" (412.8 mm) | 4-1/4" (108.0 mm) | Yellow | Plastic-Dipped | 3.2 lb (1.5 kg) |
| J502-10 | 10-1/4" (260.4 mm) | 1-3/4" (44.5 mm) | Yellow/Black | Journeyman | 1.0 lb (0.5 kg) |



Slip-Joint Pliers

Slip-Joint Pliers

- Shear-type cutter for precision wire cutting
- Two versatile jaw positions
- Serrated jaws provide sure-gripping power
- Nickel-chrome plated for long life



D511-6

| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Handle Color | Handle Finish | Weight |
|----------|--------------------|-------------------|-------------------|------------------|--------------|----------------|-------------------|
| D511-6 | 6-9/16" (166.7 mm) | 1-3/16" (30.2 mm) | 1-3/16" (30.2 mm) | 3/8" (9.5 mm) | Blue | Plastic-Dipped | 0.39 lb (0.18 kg) |
| D511-8 | 8-1/16" (204.8 mm) | 1-3/8" (34.9 mm) | 1-1/4" (31.8 mm) | 7/16" (11.1 mm) | Blue | Plastic-Dipped | 0.62 lb (0.28 kg) |
| D511-10 | 9-7/8" (250.8 mm) | 1-3/4" (44.5 mm) | 1-3/8" (34.9 mm) | 15/32" (11.9 mm) | Blue | Plastic-Dipped | 0.83 lb (0.38 kg) |

Slip-Joint Pliers - Hose Clamp

- Quickly installs and removes spring-tension hose clamps
- Grips with either end or side of jaws for work in confined areas
- Nickel-chrome plated for long life



D514-8


| Cat. No. | Overall Length | Jaw Length | Jaw Width | Jaw Thickness | Handle Color | Handle Finish | Weight |
|----------|--------------------|------------------|------------------|-----------------|--------------|----------------|-------------------|
| D514-8 | 8-1/16" (204.8 mm) | 1-3/8" (34.9 mm) | 1-1/4" (31.8 mm) | 7/16" (11.1 mm) | Blue | Plastic-Dipped | 0.61 lb (0.28 kg) |

Pliers Handles

Replacement Klein-Koat™ Pliers Handles

- Plastic material for slip-resistant grip and comfort

| Cat. No. | Size to Fit Pliers | Color | Weight |
|----------|-----------------------------------|-------|-------------------|
| 60 | 6" (152.4 mm) Long | Red | 0.80 oz (22.7 g) |
| 70 | 7" (177.8 mm) Long | Red | 0.10 lb (0.05 kg) |
| 89 | 8" to 9" (203.2 to 228.6 mm) Long | Red | 0.10 lb (0.05 kg) |



70

Replacement Comfort-Grip Pliers Handles

- Klein exclusive slip-reducing pliers handles
- Aerated plastic construction provides firm and resilient cushion



55

| Cat. No. | Size to Fit Pliers | Color | Weight |
|----------|------------------------------------|-------|------------------|
| 55 | 5" and 6-1/2" (127.0 and 165.1 mm) | Red | 0.80 oz (22.7 g) |

