



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



DH366UGK Dh366ugk Eaton Corp

Catalog Number	DH366UGK
Manufacturer	Eaton Corp
Description	Eaton Heavy Duty Single-Throw Non-Fused Safety Switch, Single-Throw, 600 A, Nema 1, Painted Steel, Non-Fusible, Three-Pole, Three-Wire, 200 At 240 Vac TD 3 PH, 400 At 480 Vac TD 3 PH, 500 At 600 Vac TD 3 PH
Weight per unit	130.0 (lbs/each)
Product Category	Non-Fusible Heavy Duty Safety

Features

amperage rating	600
dimensions	14.0700 IN X 25.0100 IN X 51.8200 IN
Material	Painted Steel
media	Yes
Poles	3
Voltage Rating	600 V

Dimensions and Weight

Depth	14.07
Height	51.82
Width	25.01

Descriptions

Description	DH366UGK
extra long description	ETN DH366UGK 600A/3P HD NF Sfty Sw
Features	Eaton's heavy-duty safety switches provide a highly visible means of disconnect to help improve personnel safety and equipment protection. Additionally, they're Ideal for applications where reliable performance, safety, and service continuity are critical.
Long Description	Eaton Heavy duty single-throw non-fused safety switch, Single-throw, 600 A, NEMA 1, Painted steel, Non-Fusible, Three-pole, Three-wire, 200 at 240 Vac TD 3 Ph, 400 at 480 Vac TD 3 Ph, 500 at 600 Vac TD 3 Ph
Product Type	600A/3P HD NF Sfty SW 600V N1

Manufacturer Information

Brand	Eaton
GTIN	00782113207575
Manufacturers Part Number	DH366UGK
UPC	782113207575

Taxonomies, Classifications, and Categories

Type	Non-Fusible Safety Switch
------	---------------------------



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Availability

Status Inactive

Packaging

Carton 1

Weight Per each 130

Uses, Certifications, and Standards

Application Commercial / Institutional Buildings / Structures - Power

..... Distribution and Controls

nema rating 1

standard UL Listed, NEC 230.62 (C) Compliant Barrier