

# Specifications



Photo is representative



## Eaton EHD3030

Eaton Series C complete molded case circuit breaker, F-frame, EHD, Complete breaker, Fixed thermal, Fixed magnetic trip type, Three-pole, 30 A, Load side, 50/60 Hz

### Product specifications

<b>AMPERAGE RATING</b>	30 A
<b>TRIP TYPE</b>	T186
<b>CIRCUIT BREAKER TYPE</b>	EHD
<b>CIRCUIT BREAKER FRAME TYPE</b>	Complete breaker
<b>SERIES</b>	Series C

### General specifications

<b>PRODUCT NAME</b>	Eaton Series C complete molded case circuit breaker	<b>TERMINALS</b>	Load side
<b>CATALOG NUMBER</b>	EHD3030	<b>FRAME</b>	F
<b>UPC</b>	786679317099	<b>FREQUENCY RATING</b>	50/60 Hz
<b>PRODUCT LENGTH/DEPTH</b>	3.38 in	<b>INTERRUPT RATING</b>	14 kAIC at 480 Vac 18 kAIC at 240 Vac
<b>PRODUCT HEIGHT</b>	6 in	<b>NUMBER OF POLES</b>	Three-pole
<b>PRODUCT WIDTH</b>	4.13 in		
<b>PRODUCT WEIGHT</b>	4.5 lb		
<b>WARRANTY</b>	Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.		
<b>CERTIFICATIONS</b>	UL Listed		

# Specifications



Photo is representative



## Eaton EHD3030

Eaton Series C complete molded case circuit breaker, F-frame, EHD, Complete breaker, Fixed thermal, Fixed magnetic trip type, Three-pole, 30 A, Load side, 50/60 Hz

### Product specifications

<b>AMPERAGE RATING</b>	30 A
<b>TRIP TYPE</b>	T186
<b>CIRCUIT BREAKER TYPE</b>	EHD
<b>CIRCUIT BREAKER FRAME TYPE</b>	Complete breaker
<b>SERIES</b>	Series C

### General specifications

<b>PRODUCT NAME</b>	Eaton Series C complete molded case circuit breaker	<b>TERMINALS</b>	Load side
<b>CATALOG NUMBER</b>	EHD3030	<b>FRAME</b>	F
<b>UPC</b>	786679317099	<b>FREQUENCY RATING</b>	50/60 Hz
<b>PRODUCT LENGTH/DEPTH</b>	3.38 in	<b>INTERRUPT RATING</b>	14 kAIC at 480 Vac 18 kAIC at 240 Vac
<b>PRODUCT HEIGHT</b>	6 in	<b>NUMBER OF POLES</b>	Three-pole
<b>PRODUCT WIDTH</b>	4.13 in		
<b>PRODUCT WEIGHT</b>	4.5 lb		
<b>WARRANTY</b>	Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.		
<b>CERTIFICATIONS</b>	UL Listed		