



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



EN2060 20" Hinged Cover W/Lock

Pass & Seymour/Legrand

USA

Catalog Number	EN2060
Manufacturer	Pass & Seymour/Legrand
Description	The 20-Inch Hinged Door Is Designed For Easy Access to Network Gear, Providing A Convenient Solution For Managing Your Structured Wiring Setup. The Flanged Covers Effectively Hide Drywall Openings, Ensuring A Clean and Professional Appearance.
Weight per unit	5.7 (lbs/each)
Product Category	Enclosures & Cabinets

Features

Material	20 Gauge CRS
Shape	Flat

Material, Color, and Finish

Color	Glossy White
Finish	Powder Coat

Dimensions and Weight

Size	21.25"x15.5"x0.19"
------	--------------------

Descriptions

Description	20" HINGED COVER W/LOCK
extra long description	OnQ EN2060 20 HINGED COVER W/LOCK
Features	The 20-inch Hinged Door is designed for easy access to network gear, providing a convenient solution for managing your structured wiring setup. The flanged covers effectively hide drywall openings, ensuring a clean and professional appearance.
Long Description	The 20-inch Hinged Door is designed for easy access to network gear, providing a convenient solution for managing your structured wiring setup. The flanged covers effectively hide drywall openings, ensuring a clean and professional appearance.
Product Type	20 Hinged Cover W/Lock
Special Features	Flanged cover hides drywall opening. Includes hinge hardware and lock and keyset. Sturdy steel construction with durable white powder coat.

Manufacturer Information

Brand	Pass & Seymour/Legrand
GTIN	00804428023098
Manufacturers Part Number	EN2060
UPC	804428023098



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Taxonomies, Classifications, and Categories

Category Description	Residential plates
Type	COVER

Packaging

Carton	1
Weight Per each	5.72

Uses, Certifications, and Standards

Application	Residential
Mounting	Hinged with Lock
standard	ANSI/UL 1863, ANSI/UL 985, ULC-S545, ANSI/UL 1023, CSA-C22.2 No. 144.1 (2006), CAN/CSA-C22.2 No. 182.4-1990