

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



Carton

Weight Per each

EYDX51 1-1/2" Drain Seal

Catalog Number	EYDX51
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Eydx Expanded Fill Sealing Fitting With Drain, Female, Feraloy Iron Alloy and/or Ductile Iron, Vertical Only, Group B Rated, 1-1/2"
Weight per unit	6.9 (lbs/each)
Product Category	Sealing Bodies
Features	
connection	Female Threaded, Female Threaded
dimensions	3.0000 IN X 3.0000 IN X 6.2500 IN
Material, Color, and Finish	
Finish	Untreated
Descriptions	
Description	1-1/2" DRAIN SEAL
extra long description	CRS-H EYDX51 1 1/2 NPT FEM IRN EXPA
Features	Crouse-Hinds series EYDX expanded fill sealing fittings with drains provide 40% wire fill capacity to allow uninterrupted runs in a conduit system. In addition to restricting the passage of gases, vapors or flames from one portion of the electrical installation to another, EYDX sealing fittings prevent accumulation of condensate above the seal. They are installed in vertical conduit runs and at low points in conduit systems.
Long Description	Eaton Crouse-Hinds series EYDX expanded fill sealing fitting with drain, Female, Feraloy iron alloy and/or ductile iron, Vertical only, Group B rated, 1-1/2"
Product Type	1 1/2 NPT Fem Irn Expand Fill Drain Seal
Special Features	With Drain, Vertical Position
Manufacturer Information	
Brand	Eaton
GTIN	00782274943046
Manufacturers Part Number	EYDX51
UPC	782274943046
Taxonomies, Classifications, and C	Categories
Category Description	HAZARDOUS LOCATION FITTINGS
Туре	Expanded fill sealing fitting with drain
Packaging	
O autau	4

1

6.85

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Uses, Certifications, and Standards

Application	Ind Facilities & Factories - Industrial Facilities/Factories - Other
Enclosure	Class I Div 1 2 Group C D, Class II Div 1 2 Group F G, Class III
standard	UL 886, CSA C22.2