



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685



## F32T8SP41U6ECO 28152 U-Bent Flour Lamp

*Ge By Current Lamps*

|                  |  |
|------------------|--|
| Catalog Number   | F32T8SP41U6ECO   |
| Manufacturer     | Ge By Current Lamps  |
| Description      | Ge Ecolux®, 32 WTT, 2700 LM, 4100 KV, 78 Cri, 1 In Diameter, 22.5 In Length, Medium Bi-Pin (G13) Base, 20000 HR Average Life |
| Weight per unit  | 0.7440 (lbs/each)  |
| Product Category | Shape Lamps  |

### Features

|              |                     |
|--------------|---------------------|
| average life | 20000.0             |
| Base         | Medium Bi-Pin (G13) |
| lumens       | 2700.0              |
| Wattage      | 32.0                |

### Material, Color, and Finish

|                             |        |
|-----------------------------|--------|
| color rendering index (cri) | 78.0   |
| color temperature           | 4100.0 |

### Dimensions and Weight

|          |      |
|----------|------|
| Diameter | 1.0  |
| Length   | 22.5 |

### Descriptions

|                        |  |
|------------------------|--|
| Description            | 28152 U-BENT FLOUR LAMP  |
| extra long description | GEL F32T8SP41/U6/ECO 28152 FLUORESC  |
| Long Description       | GE Ecolux®, 32 WTT, 2700 LM, 4100 KV, 78 CRI, 1 IN Diameter, 22.5 IN Length, Medium Bi-Pin (G13) Base, 20000 HR Average Life |
| Product Type           | 28152 Fluorescent  |

### Manufacturer Information

|                           |                      |
|---------------------------|----------------------|
| Brand                     | Ge Traditional Lamps |
| GTIN                      | 00043168281522       |
| Manufacturers Part Number | F32T8SP41/U6/ECO     |
| UPC                       | 043168281522         |

### Packaging

|                 |       |
|-----------------|-------|
| Carton          | 1     |
| Package         | 12    |
| Weight Per each | 0.744 |

### Uses, Certifications, and Standards

|             |              |
|-------------|--------------|
| Application | Full Wattage |
|-------------|--------------|