


ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685





FSS1 FS Box Crouse-Hinds

Catalog Number	FSS1
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Condulet FS Device Box, Shallow, Feraloy Iron Alloy, Single-Gang, S Shape, 1/2"
Weight per unit	2.3 (lbs/each)
Product Category	FS & FD Type Boxes & Covers
tures	
Cable Entry	(1) End

Feat

Cable Entry	(1) End
dimensions	5.1600 IN X 1.8800 IN X 2.7500 IN
Material	Electrogalvanized With Aluminum Acrylic Painted Feraloy Iron
	Alloy

Dimensions and Weight

0'	4 /0 :
\17∩	1 / 7 in
Size	1/2 in
SILC	

Descriptions

Description	FS BOX
extra long description	CRS-H FSS1 1/2 FS &FD SGL GANG CAST
Features	Crouse-Hinds series FS and FD device boxes are installed in non-hazardous area conduit systems to accommodate wiring devices, act as pull boxes or provide openings for taps and splices. They are suitable for use in wet locations when used with gasketed covers. FS and FD device boxes are available in two box depths with a wide variety of gang configurations, hub configurations and hub sizes. They are manufactured in cast iron, aluminum, stainless steel and malleable iron. Malleable iron boxes are also a
Long Description	Eaton Crouse-Hinds series Condulet FS device box, Shallow, Feraloy iron alloy, Single-gang, S shape, 1/2"
Product Type	1/2 FS &FD SGL Gang Cast Device BX
Special Features	Configuration Type FSS, With Mounting Lug, Dimension 2-3/4 In Width X 1-7/8 In Depth X 5-5/32 In Height

Manufacturer Information

Brand	Eaton
GTIN	00782274418605
Manufacturers Part Number	FSS1
UPC	782274418605



standard

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Taxonomies, Classifications, and Ca	tegories
	FS BOXES AND COVERS
Туре	DEVICE BOX
Packaging	
Carton	1
Package	5
	2.34
Uses, Certifications, and Standards	
Application	Ind Facilities & Factories - Industrial Facilities/Factories - Other
Mountina	SURFACE

UL 514, CSA C22.2, Federal Specification W-C-5860