

ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



GUAM69 2" Guam Cond Body&CVR Crouse-Hinds

Catalog Number	GUAM69
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Condulet Gua Conduit Outlet Box With Cover, 5" Cover Opening Diameter, Feraloy Iron Alloy, M Shape, 2"
Weight per unit	10.1 (lhs/pach)

Weight per unit 10.1 (lbs/each)

Product Category Bodies & Covers

Features

(2) Side, (1) Down Cable Entry 6.8100 IN X 5.0900 IN X 6.8100 IN dimensions

Dimensions and Weight

2 in Size

Descriptions

Construction Description extra long description Features	Explosionproof, Dust-Ignitionproof, Raintight 2" GUAM COND BODY&CVR CRS-H GUAM69 2 OUTLET BX 5 DIA CVR Crouse-Hinds series GUA and GUR explosionproof conduit outlet boxes are installed in conduit systems in hazardous areas to protect conductors in threaded rigid conduit, act as pull and splice boxes, change conduit direction, and provide access to conductors for maintenance and future system changes. GUA and GUR outlet boxes are certified for Class I, Division 1, Groups B, C, D and Class II, Division 1, Groups E, F, G. GUA boxes are available in ten different hub arrangements, maximizing
Long Description	flexibility in th Eaton Crouse-Hinds series Condulet GUA conduit outlet box with cover, 5" cover opening diameter, Feraloy iron alloy, M shape, 2"
Product Type	2 Outlet BX 5 Dia CVR For THRD Rigid/Imc

Manufacturer Information

Brand	Eaton
GTIN	00782274466101
Manufacturers Part Number	GUAM69
UPC	782274466101

With Cover, Cover Opening Diameter 5 In

Taxonomies, Classifications, and Categories

Special Features

Category Description	HUB STYLE BOXES (GUAB, GUAT, ETC)
Type	Conduit outlet box with cover



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Pa	CK	aq	IIN	q
		•	,	•

Carton	1	
Weight Per each	10.05	

Uses, Certifications, and Standards

Application	Ind Facilities & Factories - Industrial Facilities/Factories - Other
Mounting	PAD
standard	UL 886, CSA C22.2