

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



IG5352W Comm 20A Side & Back Wired Ig Dup WH Hubbell Wiring Devices

Catalog Number	IG5352W
Manufacturer	Hubbell Wiring Devices
Description	Straight Blade Duplex Receptacle, Isolated Ground, Commercial Grade, 2-Pole 3-Wire Grounding, 20A 125V, 5-20R, Back and Side Wired
Weight per unit	0.1500 (lbs/each)
Product Category	Gen Purpose Recept & Surge Pro
Features	
amperage rating	20
connection	Back and Side Wired Screw Terminals
Current Rating	20
Dielectric Strength	Withstands 2,000V minimum
Material	Nylon
Number of Wires	3-Wire
pallet quantity	9000
Phase	1
Poles	2-Pole
Voltage Rating	125 V
Wattage	2500
Wire Size	#12 to #10
Dimensions and Weight	
Size	3.28 in x 1.57 in x 1.07 in



Elliott **E**lectric **S**upply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Descriptions	
Description extra long description	COMM 20A SIDE & BACK WIRED IG DUP WH HWDK IG5352W COMM 20A SIDE & BACK
Features	In February 1968, Hubbell patented the first isolated ground
	receptacle. Today - when a clean, noise-free ground is more
	important than ever—Hubbell is still setting the standard.
	Hubbell uses insulation barrier construction on many models to
	isolate the ground contacts from the mounting strap. The green
	grounding screw is connected directly to the grounding contacts.
	In this way, ground contacts are separated from the mounting
	strap and also from the conventional grounding system. The
Long Description	isolated ground circ
Long Description	Straight Blade Duplex Receptacle, Isolated Ground, Commercial Grade, 2-Pole 3-Wire Grounding, 20A 125V, 5-20R, Back and Side
	Wired
Product Type	Comm 20A Side & Back Wired Ig Dup WH
Special Features	Isolated Ground
Manufacturer Information	
Brand	WIRING DEVICE-KELLEMS
GTIN	00783585146805
Manufacturers Part Number	IG5352W
series	Hubbell-PRO
UPC	783585146805
Taxonomies, Classifications, and Ca	ategories
Category Description	
Туре	Isolated Ground
Packaging	
Carton	1
Package	10
Weight Per each	0.15
Uses, Certifications, and Standards	
Application	Hubbell-Pro Heavy Duty
environmental conditions	Indoor Dry unless protected by additional means
Mounting	Screw Mount
nema rating	5-20R
standard	Certified to CSA 22.2, No. 42 File 285;Fed. Spec. W-C-596;NEMA [®] WD-6 Compliant;UL Listed to UL498 File No. E2186