



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685



## IG5352W Comm 20A Side & Back Wired Ig Dup WH

*Hubbell Wiring Devices*

|                  |  |
|------------------|--|
| Catalog Number   | IG5352W  |
| Manufacturer     | Hubbell Wiring Devices   |
| Description      | Straight Blade Duplex Receptacle, Isolated Ground, Commercial Grade, 2-Pole 3-Wire Grounding, 20A 125V, 5-20R, Back and Side Wired |
| Weight per unit  | 0.1500 (lbs/each)  |
| Product Category | Gen Purpose Recept & Surge Pro   |

### Features

|                     |                                     |
|---------------------|-------------------------------------|
| amperage rating     | 20                                  |
| connection          | Back and Side Wired Screw Terminals |
| Current Rating      | 20                                  |
| Dielectric Strength | Withstands 2,000V minimum           |
| Material            | Nylon                               |
| Number of Wires     | 3-Wire                              |
| pallet quantity     | 9000                                |
| Phase               | 1                                   |
| Poles               | 2-Pole                              |
| Voltage Rating      | 125 V                               |
| Wattage             | 2,500                               |
| Wire Size           | #12 to #10                          |

### Dimensions and Weight

|      |                             |
|------|-----------------------------|
| Size | 3.28 in x 1.57 in x 1.07 in |
|------|-----------------------------|



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.  
75964-0000, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685

## Descriptions

|                        |   |
|------------------------|---|
| Description            | COMM 20A SIDE & BACK WIRED IG DUP WH  |
| extra long description | HWDK IG5352W COMM 20A SIDE & BACK   |
| Features               | In February 1968, Hubbell patented the first isolated ground receptacle. Today - when a clean, noise-free ground is more important than ever—Hubbell is still setting the standard. Hubbell uses insulation barrier construction on many models to isolate the ground contacts from the mounting strap. The green grounding screw is connected directly to the grounding contacts. In this way, ground contacts are separated from the mounting strap and also from the conventional grounding system. The isolated ground circ |
| Long Description       | Straight Blade Duplex Receptacle, Isolated Ground, Commercial Grade, 2-Pole 3-Wire Grounding, 20A 125V, 5-20R, Back and Side Wired  |
| Product Type           | Comm 20A Side & Back Wired Ig Dup WH  |
| Special Features       | Isolated Ground   |

## Manufacturer Information

|                           |                       |
|---------------------------|-----------------------|
| Brand                     | WIRING DEVICE-KELLEMS |
| GTIN                      | 00783585146805        |
| Manufacturers Part Number | IG5352W               |
| series                    | Hubbell-PRO           |
| UPC                       | 783585146805          |

## Taxonomies, Classifications, and Categories

|                      |                        |
|----------------------|------------------------|
| Category Description | Commercial receptacles |
| Type                 | Isolated Ground        |

## Packaging

|                 |      |
|-----------------|------|
| Carton          | 1    |
| Package         | 10   |
| Weight Per each | 0.15 |

## Uses, Certifications, and Standards

|                          |  |
|--------------------------|--|
| Application              | Hubbell-Pro Heavy Duty   |
| environmental conditions | Indoor Dry unless protected by additional means  |
| Mounting                 | Screw Mount  |
| nema rating              | 5-20R  |
| standard                 | Certified to CSA 22.2, No. 42 File 285;Fed. Spec. W-C-596;NEMA® WD-6 Compliant;UL Listed to UL498 File No. E2186 |