

## Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

JDL12 12A 600V CI Edison Fuses	ass J Time Delay Fuse
Catalog Number	JDL12
Manufacturer	Ediana Europa
Description	Eaton Edison Series JDL Fuse, Time-Delay Current-Limiting Fuse,
· · · · · P · · · · ·	Non-Indicating, 12 A, Class J, 200 Kaic, Standard, 10, 600 V
Weight per unit	C C
Product Category	
atures	
amperage rating	12 A
amps	12
class	
dimensions	
Fuse Type	Class J Time Delay Fuses
interrupt rating	
media	
Voltage	600V
Voltage Rating	600 V
escriptions	
Description	12A 600V CLASS J TIME DELAY FUSE
extra long description	MOR T626-JDL12 Class J Time Delay F
Features	Edison's UL Class J fuse products are offered in both
	Dual-Element Time-Delay (JDL) and Fast-Acting (JFL) types. Both
	types have 200,000 amp interrupting rating at 600Vac RMS Sym amps. Their small physical size and high performance characteristics makes Class J fuses ideal for any space-limited
	applications. Edison's JFL fuses are best suited for the protection of non-inductive loads such as resistive heating and lighting circuits.
Long Description	Eaton Edison series JDL fuse, Time-delay current-limiting fuse, Non-indicating, 12 A, Class J, 200 kAIC, Standard, 10, 600 V
Product Type	Class J Time Delay Fuses 600V 12a
Special Features	Non-Indicating
anufacturer Information Brand	Eaton
GTIN	
GTIN Manufacturers Part Number	00782634630159
UPC	JDL12 782634630159



## ELLIOT ELECTRIC SUPPLY Mar Deliver Lower Cost Quality Products, & Personal Service 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

## Taxonomies, Classifications, and Categories

Category Description	Fuses & Fuse Accessories	
Туре	FUSE	
Packaging		
Carton		
Package	10	
Weight Per each	0.1	
Llaga Cantifications and Stand		

## Uses, Certifications, and Standards

Application	Datacenters - Facilities: Critical Power
standard	UL Listed, CSA Certified, RoHS Compliant, CE Marked