ELLIOTT ELECTRIC SUPPLY
We Deliver...Lower Cost, Quality Products, & Personal Service
2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



JDL175 Low Peak Class J TD Fuse

Edison Fuses

Catalog Number	JDL175
Manufacturer	Edison Fuses
Description	Eaton Edison Series JDL Fuse, Time-Delay Current-Limiting Fuse, Non-Indicating, 175 A, Class J, 200 Kaic, Standard, 5, 600 V
Weight per unit	0.8000 (lbs/each)
Product Category	Dual Element

Features

amperage rating	175
dimensions	5.7500 IN X 1.6300 IN X 1.6300 IN
Fuse Class	Class J
interrupt rating	200 kAIC
Voltage Rating	600 V

Descriptions

extra long description	EFSE JDL175 UL CLASS J TIME DELAY 6
Features	Edison's UL Class J fuse products are offered in both Dual-Element Time-Delay (JDL) and Fast-Acting (JFL) types. Both types have 200,000 amp interrupting rating at 600Vac RMS Sym amps. Their small physical size and high performance characteristics makes Class J fuses ideal for any space-limited applications. Edison's JFL fuses are best suited for the protection of non-inductive loads such as resistive heating and lighting circuits.
Long Description	Eaton Edison series JDL fuse, Time-delay current-limiting fuse, Non-indicating, 175 A, Class J, 200 kAIC, Standard, 5, 600 V
Product Type	Ul Class J Time Delay 600
Special Features	Non-Indicating

Manufacturer Information

Brand	Eaton
GTIN	00782634803539
Manufacturers Part Number	JDL175
UPC	782634803539

Taxonomies, Classifications, and Categories

Category Description	Fuses & Fuse Accessories
Type	FUSE

Availability

Status	Inactive

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Packaging

Carton	1
Weight Per each	0.8

Uses, Certifications, and Standards

Application	Datacenters - Facilities: Critical Power
standard	CSA Certified,UL Listed,RoHS Compliant,CE Marked