



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



K250300A 2-1/2" & 3" Con. Cover Appleton/Oz Gedney

Catalog Number	K250300A
Manufacturer	Appleton/Oz Gedney
Description	Form 85 Unilets Blank Cover With Screw, Hub Size: 2-1/2 - 3 In, Form: 85, Mounting: Screw-In, Material: Stamped Aluminum, Finish: Natural Aluminum, Standard: UI 514A, UI 514B, UI File Number E2527, Csa C22.2 No. 18.3, Csa 065183, Nema FB-1, For Form 85 Unilet Conduit Outlet Bodies
Weight per unit	0.3850 (lbs/each)
Product Category	Alum

Features

Form	85
------	----

Material, Color, and Finish

Finish	Natural Aluminum
--------	------------------

Dimensions and Weight

Hub Size	2-1/2 - 3
----------	-----------

Descriptions

Description	2-1/2-3IN ALUM COVER
extra long description	APP K250&300-A 2-1/2 & 3 COVER FOR
Long Description	Form 85 UNILETS Blank Cover With Screw, Hub Size: 2-1/2 - 3 IN, Form: 85, Mounting: Screw-In, Material: Stamped Aluminum, Finish: Natural Aluminum, Standard: UL 514A, UL 514B, UL File Number E2527, CSA C22.2 No. 18.3, CSA 065183, NEMA FB-1, For Form 85 Unilet Conduit Outlet Bodies
Product Type	2-1/2 & 3 Cover For Form 35
Special Features	Domed to provide extra wiring space;Stainless steel fastening screws;Wiring capacity: 18 CU-IN as per NEC 314.16(A)

Manufacturer Information

Brand	Appleton
GTIN	00781381471701
Manufacturers Part Number	K250&300-A
UPC	781381471701

Taxonomies, Classifications, and Categories

Category Description	Fuses & Fuse Accessories
Type	Blank Cover With Screw

Availability

Status	Inactive
--------	----------



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Packaging

Carton	1
Package	5
Weight Per each	0.385

Uses, Certifications, and Standards

Application	For Form 85 Unilet Conduit Outlet Bodies
Mounting	Screw-In
standard	UL 514A, UL 514B, UL File Number E2527, CSA C22.2 No. 18.3, CSA 065183, NEMA FB-1