



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685



KTLED82PH8CSED 8.5W Led 2PIN CFL Repl 3K/35K/4K Hor BLST Bypass *Keystone Technologies*

| | |
|------------------|---|
| Catalog Number | KTLED82PH8CSED |
| Manufacturer | Keystone Technologies |
| Description | 8.5W, 2-Pin Compact Led Lamp, Horizontal Orientation, G24D Base, 3000/3500/4000K Color Select |
| Weight per unit | 0.0104 (lbs/each) |
| Product Category | Lighting |

Features

| | |
|-----------------|----------|
| Ballast Type | N/A |
| beam angle | 120 |
| Circuit Type | N/A |
| Input Voltage | 120-277V |
| ip rating | N/A |
| lumens | N/A |
| Nominal Length | N/A |
| Nominal Size | N/A |
| Number of Lamps | N/A |
| Output Current | N/A |
| Output Voltage | N/A |
| Sensor Type | N/A |
| Wattage | 8.5 |
| Wire Type | N/A |

Material, Color, and Finish

| | |
|-----------------------------|-------|
| Base Type | G24d |
| color rendering index (cri) | 80-89 |
| color temperature | N/A |
| housing color | N/A |

Descriptions

| | |
|------------------------|---|
| Construction | N/A |
| Description | 8.5W LED 2PIN CFL REPL 3K/35K/4K HOR BLST BYPASS |
| extra long description | Key KT-LED82P-H-8CSE-D 8.5W, 2-pin |
| Long Description | 8.5W, 2-pin Compact LED Lamp, Horizontal Orientation, G24d Base, 3000/3500/4000K Color Select |
| Product Type | 8.5W, 2-Pin Compact Led Lamp, Horizontal Orientation, G24D B |

Manufacturer Information

| | |
|---------------------------|--------------------|
| Brand | Keystone |
| GTIN | 00843654137674 |
| Manufacturers Part Number | KT-LED82P-H-8CSE-D |
| UPC | 843654137674 |



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr.
75964-0000, TX Nacogdoches
Phone: 936-569-7941
Fax: 936-560-4685

Taxonomies, Classifications, and Categories

Category Description LED PLUG-IN (REPLACEMENT FOR CFL BIAX LAMPS)

Packaging

Carton 1

Package 24

Weight Per each 0.0104

Uses, Certifications, and Standards

Energy Star N