

ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941

We Deliver...Lower Cost, Quality Products, & Personal Service

Fax: 936-560-4685



LB75 2-1/2" Alu LB SR5 Cond Body Crouse-Hinds

LB75 Catalog Number Crouse-Hinds Manufacturer

Conduit Outlet Body, Epoxy Powder Painted (Body); Natural Description

> (Gasket), 2-1/2 In Trade Size, Threaded/Set Screw Connection, 71.2 Cu.In Capacity, 90 ° Angle, 2-1/2 In Hub Size, 4.44 In Width,

3.4 LB/Ea

Weight per unit 3.4 (lbs/each)

Alum Product Category

Features

connection Threaded / Set Screw

13.1400 IN X 4.4400 IN X 5.7500 IN dimensions

Form Series 5

Material, Color, and Finish

Color Gray

Dimensions and Weight

Height 5.75 Hub Size 2-1/2 in Length 13.14

Descriptions

2-1/2" ALU LB SR5 COND BODY Description

extra long description MIDWEST LB75 2 1/2 RGD LB COND BODY

Eaton's Crouse-Hinds Division Series 5 die cast copper-free **Features**

aluminum conduit bodies, covers and gaskets are available for use with rigid or EMT conduit (with set screw). Conduit bodies are available in trade sizes 1/2" to 4", in the most popular conduit body shapes (C, LB, LL, LR, T) and 1/2" to 2" in TB and X shapes. The Series 5 family is available as components or pre-packaged in various configurations as a SnapPack assembly. In addition, Series 5 is completely interchangeable with other

manufacturer

Manufacturer Information

Brand Eaton **GTIN** 00784564140074 **UPC** 784564140074

Taxonomies, Classifications, and Categories

Category Description FORM 5 CONDULETS, COVERS, & GASKETS Conduit outlet body Type



ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

P	a	C	K	a	g	I	n	g

Carton	1	
Weight Per each	3.4	

Uses, Certifications, and Standards

Application	Commercial / Institutional Buildings / Structures - Commercial /		
	Institutional Buildings / Structures - Other		
Enclosure	Condulet		
Mounting	Conduit		
standard	UL, cUL		