Specifications



Photo is representative



Eaton LKN-15

Eaton Bussmann series LKN fuse link, 250V, 15A, Class H, K5

General specifications	
PRODUCT NAME	Eaton Bussmann series LKN fuse link
CATALOG NUMBER	LKN-15
UPC	051712130158
EAN	5027590223416
PRODUCT LENGTH/DEPTH	0.001 in
PRODUCT HEIGHT	0.001 in
PRODUCT WIDTH	0.001 in
PRODUCT WEIGHT	0.5 lb
WARRANTY	Not Applicable
COMPLIANCES	RoHS Compliant



Product specifications	
ТҮРЕ	Non Current-limiting, renewable
SPECIAL FEATURES	Super Lag, Time Lag
APPLICATION	Industrial and commercial structures
AMPERAGE RATING	15 A
CLASS	Class K5 Class H
FUSE INDICATOR	Non-indicating
VOLTAGE RATING	250 V

Resources	
CATALOGS	Bussmann series complete full line catalog no. 1007 LKN-15~SUPER LAG RENEWABLE LINK
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - LKN-15

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com Follow us on social media to get the latest product and support information.











Specifications



Photo is representative



Eaton LKN-15

Eaton Bussmann series LKN fuse link, 250V, 15A, Class H, K5

General specifications	
PRODUCT NAME	Eaton Bussmann series LKN fuse link
CATALOG NUMBER	LKN-15
UPC	051712130158
EAN	5027590223416
PRODUCT LENGTH/DEPTH	0.001 in
PRODUCT HEIGHT	0.001 in
PRODUCT WIDTH	0.001 in
PRODUCT WEIGHT	0.5 lb
WARRANTY	Not Applicable
COMPLIANCES	RoHS Compliant



Product specifications	
ТҮРЕ	Non Current-limiting, renewable
SPECIAL FEATURES	Super Lag, Time Lag
APPLICATION	Industrial and commercial structures
AMPERAGE RATING	15 A
CLASS	Class K5 Class H
FUSE INDICATOR	Non-indicating
VOLTAGE RATING	250 V

Resources	
CATALOGS	Bussmann series complete full line catalog no. 1007 LKN-15~SUPER LAG RENEWABLE LINK
SPECIFICATIONS AND DATASHEETS	Eaton Specification Sheet - LKN-15

PROJECT NAME:
PROJECT NUMBER:
PREPARED BY:
DATE:



Eaton Corporation plc Eaton House 30 Pembroke Road Dublin 4, Ireland Eaton.com Follow us on social media to get the latest product and support information.









