

Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



LL300M 3" LL FM5 Conduit Body Crouse-Hinds

Catalog Number	LL300M
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Condulet Form 5 Conduit Outlet Body, Malleable Iron, LL Shape, 3"
Weight per unit	13.7 (lbs/each)
Product Category	Bodies & Covers
Features	
dimensions	13.8700 IN X 4.7500 IN X 5.8700 IN
Form	Form 5
Material, Color, and Finish	
Finish	Hot Dip Galvanized
Dimensions and Weight	
Height	4.75
Hub Size	3 in
Length	13.87
Width	5.87
Descriptions	
Description	3" LL FM5 CONDUIT BODY
extra long description	CRS-H LL300M 3 FORM 5 LL COND BODY
Features	Form 5 malleable iron conduit bodies, covers and gaskets from Eaton's Crouse-Hinds Division are used in conduit systems to act as pull outlets for conductors being installed, provide openings for making splices and taps in conductors, make 90 degree bends in conduit runs, and provide access to conductors for maintenance and future system changes. Form 5 conduit bodies are manufactured in trade sizes 1/2" to 4", and are interchangeable with Appleton Form 35 conduit bodies. They are also available with a h
Long Description	Eaton Crouse-Hinds series Condulet Form 5 conduit outlet body, Malleable iron, LL shape, 3"
Product Type	3 Form 5 LL Cond Body Malleable
Special Features	Weight 1437 Lb per 100



Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Manufacturer Information

Brand	EATON CROUSE-HINDS SERIES
GTIN	00782274756202
Manufacturers Part Number	LL300M
UPC	782274756202
Taxonomies, Classifications, and Cate	egories
Category Description	FORM 5 CONDULETS, COVERS, & GASKETS
Туре	Conduit outlet body
Packaging	
Carton	1
Weight Per each	13.7
Uses, Certifications, and Standards	
Application	Commercial / Institutional Buildings / Structures - Commercial / Institutional Buildings / Structures - Other
standard	UL 514B, CSA C22.2, CUL