

ELLIOTT ELECTRIC SUPPLY Ma Deliver Lower Cost. Quality Products, & Personal Service 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



LPCC1610 Low Peak CC TD Bussmann Fuses

Catalog Number	LPCC1610
Manufacturer	Bussmann Fuses
Description	Eaton Bussmann Series Class CC Fuse, LP-CC, Time-Delay,
	Dual-Element Current Limiting Fuse, 1.6 A, Rejection Style Fuse
	Interrupting Rating Of 200 Ka At 600 Vac and 20 Ka At 300 VDC
Weight per unit	
Product Category	Current Limiting
atures	
amperage rating	1.6 A
class	Class CC
connection	
dimensions	0.4100 IN X 0.4100 IN X 1.5000 IN
element	Dual
interrupt rating	200 kAIC at 600 Vac20 kAIC at 300 Vdc
Material	Melamine Tube
media	Yes
Response Time	12 S at 200%
Voltage Rating	600 Vac, 300 Vdc
mensions and Weight	
Size	13/32 In Diameter X 1-1/2 In Length
escriptions	
Description	LOW PEAK CC TD
extra long description	BUSS LP-CC-1-6/10 LOW PEAK CC TIME
Features	Bussmann's Class CC fuses set the standard in Class CC fuse
	performance in the industry. Recognized for their superior
	performance, Bussmann has the right product for your circuit
	and equipment protection needs. These branch circuit rated,
	600v, 200,000a IR fuses offer exceptional protection in the
	smallest package of any UL class of fuses. Choose from the
	ultimate protection provided by our Low Peak LP-CC fuses, the
	time delay of our FNQ-R's for your control transformer and
	similar control applications or
Long Description	Eaton Bussmann Series Class CC fuse, LP-CC, time-delay,
	dual-element current limiting fuse, 1.6 A, rejection style fuse,
	interrupting rating of 200 kA at 600 Vac and 20 kA at 300 Vdc
Product Type	Low Peak CC Time Delay
Special Features	Rejection Style



Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Manufacturer Information

Brand	COOPER BUSSMANN
GTIN	00051712180481
Manufacturers Part Number	LP-CC-1-6/10
UPC	051712180481
Taxonomies, Classifications, and Cate	egories
Category Description	MIDGET FUSES
Туре	FUSE
Packaging	
Carton	10
Weight Per each	0.02
Uses, Certifications, and Standards	
Application	Ind Facilities & Factories - Facility: Safety and Security Systems
standard	UL Listed ,CSA Certified,CE Marked,RoHS Compliant