

# ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



### LTB150 1-1/2" STR LT Conn

Crouse-Hinds	
Catalog Number	LTB150
Manufacturer	Crouse-Hinds
Description	Eaton Crouse-Hinds Series Liquidator Liquidtight Connector, FMC
	Straight, Insulated, Malleable Iron, 1-1/2"
Weight per unit	0.0385 (lbs/each)
Product Category	Liquid Tight Fittings
Features	
connection	Threaded
dimensions	2.3800 IN X 2.4400 IN X 2.4400 IN
installation type	THREADED
Material, Color, and Finish	
Color	MALLEABLE IRON
Descriptions	
Description	1-1/2" STR LT CONN
extra long description	MIDWEST LTB150 1 1/2 LT CONN INSULA
Features	Liquidtight fittings from Eaton's Crouse-Hinds Division are
	designed to protect conductors from mechanical damage due to
	vibration and movement while sealing out cutting oils, coolants,
	water, and dust. Typical applications include the wiring of
	machine tools, motors, transformers, food processing
	equipment, robotics, air conditioning units and illuminated signs.
	To meet any customer preference, Crouse-Hinds series
	liquidtight fittings are available in a variety sizes, configurations and materials, inclu
Long Description	Eaton Crouse-Hinds series Liquidator liquidtight connector, FMC,
	Straight, Insulated, Malleable iron, 1-1/2"
Product Type	1 1/2 LT Conn Insulated
Manufacturer Information	
Brand	EATON CROUSE-HINDS SERIES
GTIN	00784564311504
Manufacturers Part Number	LTB150
UPC	784564311504
Taxonomies, Classifications, and (	Categories
Category Description	METALLIC FITTINGS
т	L'a CHE la constant

#### Taxo

Category Description	METALLIC FITTINGS
Туре	Liquidtight connector

#### **Trade Size**

1 1/2 IN Trade Size



standard

## ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

Packaging	
Carton	1
Package	2
Weight Per each	0.0385
Uses, Certifications, and Standar	rds
Application	Commercial / Institutional Buildings / Structures - Commercial /
	Institutional Buildings / Structures - Other

UL 467, UL 514B, CSA C22.61