

Elliott **E**lectric **S**upply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



LTB30090 3" 90D LT Conn Crouse-Hinds

Catalog Number	LTB30090		
Manufacturer	Crouse-Hinds		
Description	Eaton Crouse-Hinds Series Liquidator Liquidtight Connector, FMC,		
	90° Angle, Insulated, Malleable Iron, 3"		
Weight per unit	12.1 (lbs/each)		
Product Category	Liquid Tight Fittings		
Features			
connection	Threaded		
dimensions	10.9400 IN X 4.1900 IN X 10.9400 IN		
installation type	THREADED		
Material, Color, and Finish			
Color	MALLEABLE IRON		
Descriptions			
Description	3" 90D LT CONN		
extra long description	MIDWEST LTB30090 3 LT 90 DEGREE CON		
Features	Liquidtight fittings from Eaton's Crouse-Hinds Division are		
	designed to protect conductors from mechanical damage due to		
	vibration and movement while sealing out cutting oils, coolants,		
	water, and dust. Typical applications include the wiring of		
	machine tools, motors, transformers, food processing		
	equipment, robotics, air conditioning units and illuminated signs.		
	To meet any customer preference, Crouse-Hinds series		
	liquidtight fittings are available in a variety sizes, configurations		
Long Description	and materials, inclu Eaton Crouse-Hinds series Liquidator liquidtight connector, FMC,		
	90° angle, Insulated, Malleable iron, 3"		
Product Type	3 LT 90 Degree Conn Insulated		
Manufacturer Information	<u></u>		
Brand			
GTIN	EATON CROUSE-HINDS SERIES		
Manufacturers Part Number	00784564913005 LTB30090		
UPC	784564913005		
Taxonomies, Classifications, and	-		
Category Description			
Туре	Liquidtight connector		
Trade Size			
Trade Size	3 in		



Elliott Electric Supply

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

_		-
Dool	100	ina
Pac	Kau	па
	3	

i ackaying	
Carton	1
Weight Per each	12.1499
Uses, Certifications, and Standard	ds
Application	Commercial / Institutional Buildings / Structures - Commercial /
	Institutional Buildings / Structures - Other
standard	UL 467, UL 514B, CSA C22.111