




Outlet and Switch Boxes

Masonry Boxes

2-1/2" Deep x 3-3/4" High With Concentric Knockouts (Non-Gangable)

NEC:
Listed for Ordinary Locations

	Width (Inches)	Wiring Cubic Inch Capacity	Concentric Knockout Description			Weight per 100 kg (lb)	Catalog Number
			Sides	Ends	Bottom		
 **1–13/16" Wide, Welded, Single gang**	1-13/16	15.5	(4) 1/2" – 3/4"	(2) 1/2" – 3/4"	(2) 1/2" – 3/4"	29.94 (66.0)	**M1-250**
 **3–5/8" Wide, Welded, Two gang**	3-5/8	31.0	(4) 1/2" – 3/4"	(4) 1/2" – 3/4"	(4) 1/2" – 3/4"	52.62 (116.0)	**M2-250**
 **5–7/16" Wide, Welded; Three gang**	5-7/16	46.5	(4) 1/2" – 3/4"	(6) 1/2" – 3/4"	(6) 1/2" – 3/4"	63.50 (140.0)	**M3-250**
 **7–3/8" Wide, Welded, Four gang**	7-3/8	67.0	(4) 1/2" – 3/4"	(8) 1/2" – 3/4"	(4) 1/2" – 3/4"	72.57 (160.0)	**M4-250**
Low Voltage Partitions 		0.0	For 2-1/2" 2- and 3-Gang Masonry Boxes			7.26 (16.0)	**LVP-250**






© July 2017

Outlet and Switch Boxes

Masonry Boxes

3-1/2" Deep x 3-3/4" High with Concentric Knockouts (Non-Gangable)

NEC:
Listed for Ordinary Locations

	Depth (Inches)	Wiring Cubic Inch Capacity	Knockout Description			Weight per 100 kg (lb)	Catalog Number
			Sides	Ends	Bottom		
 **1–13/16" Wide, Welded Single gang**	1-13/16	22.0	(4) 1/2" – 3/4"	(4) 1/2" – 3/4"	(2) 1/2" – 3/4"	39.01 (86.0)	**M1-350**
 **3–5/8" Wide, Welded Two gang**	3-5/8	44.0	(4) 1/2" – 3/4"	(8) 1/2" – 3/4"	(4) 1/2" – 3/4"	57.15 (126.0)	**M2-350**
 **5–7/16" Wide, Welded Three gang**	5-7/16	66.0	(4) 1/2" – 3/4"	(12) 1/2" – 3/4"	(6) 1/2" – 3/4"	73.94 (163.0)	**M3-350**
	7-3/8	92.0	(4) 1/2" – 3/4"	(16) 1/2" – 3/4"	(4) 1/2" – 3/4"	90.72 (200.0)	**M4-350**
Low Voltage Partitions 		0.0	For 3-1/2" 2-, 3- and 4-Gang Masonry Boxes			10.89 (24.0)	**LVP-350**

Visit our website at **www.emerson.com** or contact us at **(800) 621-1506**.
© July 2017






EMERSON

Outlet and Switch Boxes

Masonry Boxes

2-1/2" Deep x 3-3/4" High With Concentric Knockouts (Non-Gangable)

NEC:
Listed for Ordinary Locations

	Width (Inches)	Wiring Cubic Inch Capacity	Concentric Knockout Description			Weight per 100 kg (lb)	Catalog Number
			Sides	Ends	Bottom		
 **1–13/16" Wide, Welded, Single gang**	1-13/16	15.5	(4) 1/2" – 3/4"	(2) 1/2" – 3/4"	(2) 1/2" – 3/4"	29.94 (66.0)	**M1-250**
 **3–5/8" Wide, Welded, Two gang**	3-5/8	31.0	(4) 1/2" – 3/4"	(4) 1/2" – 3/4"	(4) 1/2" – 3/4"	52.62 (116.0)	**M2-250**
 **5–7/16" Wide, Welded; Three gang**	5-7/16	46.5	(4) 1/2" – 3/4"	(6) 1/2" – 3/4"	(6) 1/2" – 3/4"	63.50 (140.0)	**M3-250**
 **7–3/8" Wide, Welded, Four gang**	7-3/8	67.0	(4) 1/2" – 3/4"	(8) 1/2" – 3/4"	(4) 1/2" – 3/4"	72.57 (160.0)	**M4-250**
Low Voltage Partitions 		0.0	For 2-1/2" 2- and 3-Gang Masonry Boxes			7.26 (16.0)	**LVP-250**






© July 2017

Outlet and Switch Boxes

Masonry Boxes

3-1/2" Deep x 3-3/4" High with Concentric Knockouts (Non-Gangable)

NEC:
Listed for Ordinary Locations

	Depth (Inches)	Wiring Cubic Inch Capacity	Knockout Description			Weight per 100 kg (lb)	Catalog Number
			Sides	Ends	Bottom		
 **1–13/16" Wide, Welded Single gang**	1-13/16	22.0	(4) 1/2" – 3/4"	(4) 1/2" – 3/4"	(2) 1/2" – 3/4"	39.01 (86.0)	**M1-350**
 **3–5/8" Wide, Welded Two gang**	3-5/8	44.0	(4) 1/2" – 3/4"	(8) 1/2" – 3/4"	(4) 1/2" – 3/4"	57.15 (126.0)	**M2-350**
 **5–7/16" Wide, Welded Three gang**	5-7/16	66.0	(4) 1/2" – 3/4"	(12) 1/2" – 3/4"	(6) 1/2" – 3/4"	73.94 (163.0)	**M3-350**
	7-3/8	92.0	(4) 1/2" – 3/4"	(16) 1/2" – 3/4"	(4) 1/2" – 3/4"	90.72 (200.0)	**M4-350**
Low Voltage Partitions 		0.0	For 3-1/2" 2-, 3- and 4-Gang Masonry Boxes			10.89 (24.0)	**LVP-350**

Visit our website at **www.emerson.com** or contact us at **(800) 621-1506**.
© July 2017

EMERSON