



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

3804 South Street  
75964-7263, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685



## **MPP+7X7 3M Fire Barrier Moldable Putty Pads MPP+, 7 INX7 In** *Minnesota Mining (3M)*

|                  |   |
|------------------|---|
| Catalog Number   | MPP+7X7   |
| Manufacturer     | Minnesota Mining (3M)   |
| Description      | Moldable Putty Pad, Elastomer; Length 7 Inch; Width 6 Inch; Standard Package 20; 3M[T] Brand; Thickness 1/8 Inch; Includes A Handle |
| Weight per unit  | 0.3300 (lbs/each)   |
| Product Category | Tools - Paint, Chemicals, Etc.  |

### **Features**

|          |           |
|----------|-----------|
| Material | ELASTOMER |
|----------|-----------|

### **Dimensions and Weight**

|        |        |
|--------|--------|
| Length | 7 INCH |
| Width  | 7 INCH |

### **Descriptions**

|                        |   |
|------------------------|---|
| Additional Information | THICKNESS 1/8 INCH; INCLUDES A HANDLE   |
| Commodity Description  | Tools - Paint, Chemicals, Etc.  |
| Description            | 3M FIRE BARRIER MOLDABLE PUTTY PADS MPP+, 7 INX7 IN   |
| Long Description       | MOLDABLE PUTTY PAD, ELASTOMER; LENGTH 7 INCH; WIDTH 6 INCH; STANDARD PACKAGE 20; 3M[T] BRAND; THICKNESS 1/8 INCH; INCLUDES A HANDLE |
| Product Type           | Moldable Putty Pad  |

### **Manufacturer Information**

|                           |                       |
|---------------------------|-----------------------|
| Brand                     | Minnesota Mining (3M) |
| GTIN                      | 00051115165092        |
| Manufacturers Part Number | MPP+7INX7             |
| Model                     | MPP+                  |
| UPC                       | 051115165092          |

### **Taxonomies, Classifications, and Categories**

|                      |                                  |
|----------------------|----------------------------------|
| Category Description | Jackets, Boots, Shirts, Workwear |
|----------------------|----------------------------------|

### **Packaging**

|                  |             |
|------------------|-------------|
| Carton           | 20          |
| Standard Package | 20 PER CASE |
| Weight Per each  | 0.33        |

### **Uses, Certifications, and Standards**

|          |             |
|----------|-------------|
| Approval | UL, CUL, FM |
|----------|-------------|

# Pillows and Putty

## 3M™ Fire Barrier Self-Locking Pillows



Self-contained, highly intumescent pillows are designed to firestop a wide variety of through-penetrations including cable trays, conduit and blank openings. Interlocking strips hold pillows securely together yet release easily for retrofit or reuse—just remove and replace pillows as needed.

- No wire mesh reduces safety issues
- Easy to install, easy to remove and reuse
- No cutting and no mess—just lock pillows together, compress and place (use 3M™ Fire Barrier Moldable Putty+ around edges to ensure proper seal)
- No graphite
- Excellent aging properties
- Available in 2" x 4" x 9" (small), 2" x 6" x 9" (medium) and 3" x 6" x 9" (large) pillow sizes
- Provides up to 3-hour UL Listed systems (in up to a 540 square inch opening)

## 3M™ Fire Barrier Pillows




Stackable and conformable firestop pillows for new and retrofit projects.

- No wire mesh or graphite
- Excellent aging properties

- Available in 2" x 4" x 9" (small), 2" x 6" x 9" (medium) and 3" x 6" x 9" (large) pillow sizes
- Provides up to 3-hour UL Listed systems (in up to a 540 square inch opening)

## 3M™ Fire Barrier Moldable Putty+



3M Fire Barrier Moldable Putty+ is designed for use as a one-part, 100% solids intumescent firestop that restores the integrity of fire-rated building construction.

- Ideal for construction gaps, cable, insulated pipe, electrical conduit and metal pipe
- Designed to provide up to a 4-hour fire rating
- UL-classified for telecommunications applications (interduct, fiber optic and cables)
- Remains pliable and flexible
- Won't dry out or crumble
- Convenient pad and stix form
- Non-halogen formula
- Reenterable
- Adheres to all common building surfaces including metal and plastic electrical boxes
- Available in both 4S and 5S electrical box sizes
- Provides draft and cold smoke seal even before temperature increases
- Intumescent and expands to form a hard char that prevents the transmission of hot gases and fire
- Great for building maintenance applications

## Specifications and Ordering Information for 3M™ Fire Barrier Pillows and Putty

| Product                                  | UPC (051115-) | Size  | Volume                | Case Qty. |
|--|---------------|---|-----------------------|-----------|
| <b>FIRE BARRIER PILLOWS</b>              |               |   |                       |           |
| FB 249 Pillow                            | 16508-5       | 1/8" x 4" x 8" (3,2 x 102 x 203 mm)         | N/A                   | 24        |
| FB 269 Pillow                            | 16531-3       | 2" x 6" x 9"                                | N/A                   | 16        |
| FB 369 Pillow                            | 16532-0       | 3" x 6" x 9"                                | N/A                   | 20        |
| <b>FIRE BARRIER SELF-LOCKING PILLOWS</b> |               |   |                       |           |
| SLP-Small                                | 16578-3       | 2" x 4" x 9"                                | N/A                   | 24        |
| SLP-Medium                               | 16579-0       | 2" x 6" x 9"                                | N/A                   | 16        |
| SLP-Large                                | 16580-6       | 3" x 6" x 9"                                | N/A                   | 20        |
| <b>MOLDABLE PUTTY PADS AND STIX</b>      |               |   |                       |           |
| MPP+ 4" x 8"                             | 16508-5       | 1/8" x 4" x 8" (3,2 x 102 x 203 mm)         | 4 in. <sup>3</sup>    | 100 each  |
| MPP+ 7" x 7"                             | 16509-2       | 1/8" x 7" x 7" (3,2 x 178 x 178 mm)         | 6.12 in. <sup>3</sup> | 20 each   |
| MPP+ 9.5" x 9.5"                         | 16510-8       | 1/8" x 9.5" x 9.5" (3,2 x 241,3 x 241,3 mm) | 11.3 in. <sup>3</sup> | 20 each   |
| MP+ Stix                                 | 16526-9       | 1.5" x 11" (40,6 x 279 mm)                  | 21.2 in. <sup>3</sup> | 10 each   |
| MP+ Stick                                | 16561-0       | 1.4" x 6" (183 mm)                          | N/A                   | 12 each   |

Put heat  
in its  
place





# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

3804 South Street  
75964-7263, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685



## **MPP+7X7 3M Fire Barrier Moldable Putty Pads MPP+, 7 INX7 In** *Minnesota Mining (3M)*

|                  |   |
|------------------|---|
| Catalog Number   | MPP+7X7   |
| Manufacturer     | Minnesota Mining (3M)   |
| Description      | Moldable Putty Pad, Elastomer; Length 7 Inch; Width 6 Inch; Standard Package 20; 3M[T] Brand; Thickness 1/8 Inch; Includes A Handle |
| Weight per unit  | 0.3300 (lbs/each)   |
| Product Category | Tools - Paint, Chemicals, Etc.  |

### **Features**

|          |           |
|----------|-----------|
| Material | ELASTOMER |
|----------|-----------|

### **Dimensions and Weight**

|        |        |
|--------|--------|
| Length | 7 INCH |
| Width  | 7 INCH |

### **Descriptions**

|                        |   |
|------------------------|---|
| Additional Information | THICKNESS 1/8 INCH; INCLUDES A HANDLE   |
| Commodity Description  | Tools - Paint, Chemicals, Etc.  |
| Description            | 3M FIRE BARRIER MOLDABLE PUTTY PADS MPP+, 7 INX7 IN   |
| Long Description       | MOLDABLE PUTTY PAD, ELASTOMER; LENGTH 7 INCH; WIDTH 6 INCH; STANDARD PACKAGE 20; 3M[T] BRAND; THICKNESS 1/8 INCH; INCLUDES A HANDLE |
| Product Type           | Moldable Putty Pad  |

### **Manufacturer Information**

|                           |                       |
|---------------------------|-----------------------|
| Brand                     | Minnesota Mining (3M) |
| GTIN                      | 00051115165092        |
| Manufacturers Part Number | MPP+7INX7             |
| Model                     | MPP+                  |
| UPC                       | 051115165092          |

### **Taxonomies, Classifications, and Categories**

|                      |                                  |
|----------------------|----------------------------------|
| Category Description | Jackets, Boots, Shirts, Workwear |
|----------------------|----------------------------------|

### **Packaging**

|                  |             |
|------------------|-------------|
| Carton           | 20          |
| Standard Package | 20 PER CASE |
| Weight Per each  | 0.33        |

### **Uses, Certifications, and Standards**

|          |             |
|----------|-------------|
| Approval | UL, CUL, FM |
|----------|-------------|

# Pillows and Putty

## 3M™ Fire Barrier Self-Locking Pillows



Self-contained, highly intumescent pillows are designed to firestop a wide variety of through-penetrations including cable trays, conduit and blank openings. Interlocking strips hold pillows securely together yet release easily for retrofit or reuse—just remove and replace pillows as needed.

- No wire mesh reduces safety issues
- Easy to install, easy to remove and reuse
- No cutting and no mess—just lock pillows together, compress and place (use 3M™ Fire Barrier Moldable Putty+ around edges to ensure proper seal)
- No graphite
- Excellent aging properties
- Available in 2" x 4" x 9" (small), 2" x 6" x 9" (medium) and 3" x 6" x 9" (large) pillow sizes
- Provides up to 3-hour UL Listed systems (in up to a 540 square inch opening)

## 3M™ Fire Barrier Pillows




Stackable and conformable firestop pillows for new and retrofit projects.

- No wire mesh or graphite
- Excellent aging properties

- Available in 2" x 4" x 9" (small), 2" x 6" x 9" (medium) and 3" x 6" x 9" (large) pillow sizes
- Provides up to 3-hour UL Listed systems (in up to a 540 square inch opening)

## 3M™ Fire Barrier Moldable Putty+



3M Fire Barrier Moldable Putty+ is designed for use as a one-part, 100% solids intumescent firestop that restores the integrity of fire-rated building construction.

- Ideal for construction gaps, cable, insulated pipe, electrical conduit and metal pipe
- Designed to provide up to a 4-hour fire rating
- UL-classified for telecommunications applications (interduct, fiber optic and cables)
- Remains pliable and flexible
- Won't dry out or crumble
- Convenient pad and stix form
- Non-halogen formula
- Reenterable
- Adheres to all common building surfaces including metal and plastic electrical boxes
- Available in both 4S and 5S electrical box sizes
- Provides draft and cold smoke seal even before temperature increases
- Intumescent and expands to form a hard char that prevents the transmission of hot gases and fire
- Great for building maintenance applications

## Specifications and Ordering Information for 3M™ Fire Barrier Pillows and Putty

| Product                                  | UPC (051115-) | Size  | Volume                | Case Qty. |
|--|---------------|---|-----------------------|-----------|
| <b>FIRE BARRIER PILLOWS</b>              |               |   |                       |           |
| FB 249 Pillow                            | 16508-5       | 1/8" x 4" x 8" (3,2 x 102 x 203 mm)         | N/A                   | 24        |
| FB 269 Pillow                            | 16531-3       | 2" x 6" x 9"                                | N/A                   | 16        |
| FB 369 Pillow                            | 16532-0       | 3" x 6" x 9"                                | N/A                   | 20        |
| <b>FIRE BARRIER SELF-LOCKING PILLOWS</b> |               |   |                       |           |
| SLP-Small                                | 16578-3       | 2" x 4" x 9"                                | N/A                   | 24        |
| SLP-Medium                               | 16579-0       | 2" x 6" x 9"                                | N/A                   | 16        |
| SLP-Large                                | 16580-6       | 3" x 6" x 9"                                | N/A                   | 20        |
| <b>MOLDABLE PUTTY PADS AND STIX</b>      |               |   |                       |           |
| MPP+ 4" x 8"                             | 16508-5       | 1/8" x 4" x 8" (3,2 x 102 x 203 mm)         | 4 in. <sup>3</sup>    | 100 each  |
| MPP+ 7" x 7"                             | 16509-2       | 1/8" x 7" x 7" (3,2 x 178 x 178 mm)         | 6.12 in. <sup>3</sup> | 20 each   |
| MPP+ 9.5" x 9.5"                         | 16510-8       | 1/8" x 9.5" x 9.5" (3,2 x 241,3 x 241,3 mm) | 11.3 in. <sup>3</sup> | 20 each   |
| MP+ Stix                                 | 16526-9       | 1.5" x 11" (40,6 x 279 mm)                  | 21.2 in. <sup>3</sup> | 10 each   |
| MP+ Stick                                | 16561-0       | 1.4" x 6" (183 mm)                          | N/A                   | 12 each   |

Put heat  
in its  
place

