



# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

3804 South Street  
75964-7263, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685



## **MPP+7X7 3M Fire Barrier Moldable Putty Pads MPP+, 7 INX7 In** *Minnesota Mining (3M)*

Catalog Number	MPP+7X7
Manufacturer	Minnesota Mining (3M)
Description	Moldable Putty Pad, Elastomer; Length 7 Inch; Width 6 Inch; Standard Package 20; 3M[T] Brand; Thickness 1/8 Inch; Includes A Handle
Weight per unit	0.3300 (lbs/each)
Product Category	Tools - Paint, Chemicals, Etc.

### **Features**

Material	ELASTOMER
----------	-----------

### **Dimensions and Weight**

Length	7 INCH
Width	7 INCH

### **Descriptions**

Additional Information	THICKNESS 1/8 INCH; INCLUDES A HANDLE
Commodity Description	Tools - Paint, Chemicals, Etc.
Description	3M FIRE BARRIER MOLDABLE PUTTY PADS MPP+, 7 INX7 IN
Long Description	MOLDABLE PUTTY PAD, ELASTOMER; LENGTH 7 INCH; WIDTH 6 INCH; STANDARD PACKAGE 20; 3M[T] BRAND; THICKNESS 1/8 INCH; INCLUDES A HANDLE
Product Type	Moldable Putty Pad

### **Manufacturer Information**

Brand	Minnesota Mining (3M)
GTIN	00051115165092
Manufacturers Part Number	MPP+7INX7
Model	MPP+
UPC	051115165092

### **Taxonomies, Classifications, and Categories**

Category Description	Jackets, Boots, Shirts, Workwear
----------------------	----------------------------------

### **Packaging**

Carton	20
Standard Package	20 PER CASE
Weight Per each	0.33

### **Uses, Certifications, and Standards**

Approval	UL, CUL, FM
----------	-------------

# Pillows and Putty

## 3M™ Fire Barrier Self-Locking Pillows



Self-contained, highly intumescent pillows are designed to firestop a wide variety of through-penetrations including cable trays, conduit and blank openings. Interlocking strips hold pillows securely together yet release easily for retrofit or reuse—just remove and replace pillows as needed.

- No wire mesh reduces safety issues
- Easy to install, easy to remove and reuse
- No cutting and no mess—just lock pillows together, compress and place (use 3M™ Fire Barrier Moldable Putty+ around edges to ensure proper seal)
- No graphite
- Excellent aging properties
- Available in 2" x 4" x 9" (small), 2" x 6" x 9" (medium) and 3" x 6" x 9" (large) pillow sizes
- Provides up to 3-hour UL Listed systems (in up to a 540 square inch opening)

## 3M™ Fire Barrier Pillows




Stackable and conformable firestop pillows for new and retrofit projects.

- No wire mesh or graphite
- Excellent aging properties

- Available in 2" x 4" x 9" (small), 2" x 6" x 9" (medium) and 3" x 6" x 9" (large) pillow sizes
- Provides up to 3-hour UL Listed systems (in up to a 540 square inch opening)

## 3M™ Fire Barrier Moldable Putty+



3M Fire Barrier Moldable Putty+ is designed for use as a one-part, 100% solids intumescent firestop that restores the integrity of fire-rated building construction.

- Ideal for construction gaps, cable, insulated pipe, electrical conduit and metal pipe
- Designed to provide up to a 4-hour fire rating
- UL-classified for telecommunications applications (interduct, fiber optic and cables)
- Remains pliable and flexible
- Won't dry out or crumble
- Convenient pad and stix form
- Non-halogen formula
- Reenterable
- Adheres to all common building surfaces including metal and plastic electrical boxes
- Available in both 4S and 5S electrical box sizes
- Provides draft and cold smoke seal even before temperature increases
- Intumescent and expands to form a hard char that prevents the transmission of hot gases and fire
- Great for building maintenance applications

## Specifications and Ordering Information for 3M™ Fire Barrier Pillows and Putty

Product	UPC (051115-)	Size	Volume	Case Qty.
<b>FIRE BARRIER PILLOWS</b>				
FB 249 Pillow	16508-5	1/8" x 4" x 8" (3,2 x 102 x 203 mm)	N/A	24
FB 269 Pillow	16531-3	2" x 6" x 9"	N/A	16
FB 369 Pillow	16532-0	3" x 6" x 9"	N/A	20
<b>FIRE BARRIER SELF-LOCKING PILLOWS</b>				
SLP-Small	16578-3	2" x 4" x 9"	N/A	24
SLP-Medium	16579-0	2" x 6" x 9"	N/A	16
SLP-Large	16580-6	3" x 6" x 9"	N/A	20
<b>MOLDABLE PUTTY PADS AND STIX</b>				
MPP+ 4" x 8"	16508-5	1/8" x 4" x 8" (3,2 x 102 x 203 mm)	4 in. <sup>3</sup>	100 each
MPP+ 7" x 7"	16509-2	1/8" x 7" x 7" (3,2 x 178 x 178 mm)	6.12 in. <sup>3</sup>	20 each
MPP+ 9.5" x 9.5"	16510-8	1/8" x 9.5" x 9.5" (3,2 x 241,3 x 241,3 mm)	11.3 in. <sup>3</sup>	20 each
MP+ Stix	16526-9	1.5" x 11" (40,6 x 279 mm)	21.2 in. <sup>3</sup>	10 each
MP+ Stick	16561-0	1.4" x 6" (183 mm)	N/A	12 each

Put heat  
in its  
place





# ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

3804 South Street  
75964-7263, TX Nacogdoches  
Phone: 936-569-7941  
Fax: 936-560-4685



## **MPP+7X7 3M Fire Barrier Moldable Putty Pads MPP+, 7 INX7 In** *Minnesota Mining (3M)*

Catalog Number	MPP+7X7
Manufacturer	Minnesota Mining (3M)
Description	Moldable Putty Pad, Elastomer; Length 7 Inch; Width 6 Inch; Standard Package 20; 3M[T] Brand; Thickness 1/8 Inch; Includes A Handle
Weight per unit	0.3300 (lbs/each)
Product Category	Tools - Paint, Chemicals, Etc.

### **Features**

Material	ELASTOMER
----------	-----------

### **Dimensions and Weight**

Length	7 INCH
Width	7 INCH

### **Descriptions**

Additional Information	THICKNESS 1/8 INCH; INCLUDES A HANDLE
Commodity Description	Tools - Paint, Chemicals, Etc.
Description	3M FIRE BARRIER MOLDABLE PUTTY PADS MPP+, 7 INX7 IN
Long Description	MOLDABLE PUTTY PAD, ELASTOMER; LENGTH 7 INCH; WIDTH 6 INCH; STANDARD PACKAGE 20; 3M[T] BRAND; THICKNESS 1/8 INCH; INCLUDES A HANDLE
Product Type	Moldable Putty Pad

### **Manufacturer Information**

Brand	Minnesota Mining (3M)
GTIN	00051115165092
Manufacturers Part Number	MPP+7INX7
Model	MPP+
UPC	051115165092

### **Taxonomies, Classifications, and Categories**

Category Description	Jackets, Boots, Shirts, Workwear
----------------------	----------------------------------

### **Packaging**

Carton	20
Standard Package	20 PER CASE
Weight Per each	0.33

### **Uses, Certifications, and Standards**

Approval	UL, CUL, FM
----------	-------------

# Pillows and Putty

## 3M™ Fire Barrier Self-Locking Pillows



Self-contained, highly intumescent pillows are designed to firestop a wide variety of through-penetrations including cable trays, conduit and blank openings. Interlocking strips hold pillows securely together yet release easily for retrofit or reuse—just remove and replace pillows as needed.

- No wire mesh reduces safety issues
- Easy to install, easy to remove and reuse
- No cutting and no mess—just lock pillows together, compress and place (use 3M™ Fire Barrier Moldable Putty+ around edges to ensure proper seal)
- No graphite
- Excellent aging properties
- Available in 2" x 4" x 9" (small), 2" x 6" x 9" (medium) and 3" x 6" x 9" (large) pillow sizes
- Provides up to 3-hour UL Listed systems (in up to a 540 square inch opening)

## 3M™ Fire Barrier Pillows




Stackable and conformable firestop pillows for new and retrofit projects.

- No wire mesh or graphite
- Excellent aging properties

- Available in 2" x 4" x 9" (small), 2" x 6" x 9" (medium) and 3" x 6" x 9" (large) pillow sizes
- Provides up to 3-hour UL Listed systems (in up to a 540 square inch opening)

## 3M™ Fire Barrier Moldable Putty+



3M Fire Barrier Moldable Putty+ is designed for use as a one-part, 100% solids intumescent firestop that restores the integrity of fire-rated building construction.

- Ideal for construction gaps, cable, insulated pipe, electrical conduit and metal pipe
- Designed to provide up to a 4-hour fire rating
- UL-classified for telecommunications applications (interduct, fiber optic and cables)
- Remains pliable and flexible
- Won't dry out or crumble
- Convenient pad and stix form
- Non-halogen formula
- Reenterable
- Adheres to all common building surfaces including metal and plastic electrical boxes
- Available in both 4S and 5S electrical box sizes
- Provides draft and cold smoke seal even before temperature increases
- Intumescent and expands to form a hard char that prevents the transmission of hot gases and fire
- Great for building maintenance applications

## Specifications and Ordering Information for 3M™ Fire Barrier Pillows and Putty

Product	UPC (051115-)	Size	Volume	Case Qty.
<b>FIRE BARRIER PILLOWS</b>				
FB 249 Pillow	16508-5	1/8" x 4" x 8" (3,2 x 102 x 203 mm)	N/A	24
FB 269 Pillow	16531-3	2" x 6" x 9"	N/A	16
FB 369 Pillow	16532-0	3" x 6" x 9"	N/A	20
<b>FIRE BARRIER SELF-LOCKING PILLOWS</b>				
SLP-Small	16578-3	2" x 4" x 9"	N/A	24
SLP-Medium	16579-0	2" x 6" x 9"	N/A	16
SLP-Large	16580-6	3" x 6" x 9"	N/A	20
<b>MOLDABLE PUTTY PADS AND STIX</b>				
MPP+ 4" x 8"	16508-5	1/8" x 4" x 8" (3,2 x 102 x 203 mm)	4 in. <sup>3</sup>	100 each
MPP+ 7" x 7"	16509-2	1/8" x 7" x 7" (3,2 x 178 x 178 mm)	6.12 in. <sup>3</sup>	20 each
MPP+ 9.5" x 9.5"	16510-8	1/8" x 9.5" x 9.5" (3,2 x 241,3 x 241,3 mm)	11.3 in. <sup>3</sup>	20 each
MP+ Stix	16526-9	1.5" x 11" (40,6 x 279 mm)	21.2 in. <sup>3</sup>	10 each
MP+ Stick	16561-0	1.4" x 6" (183 mm)	N/A	12 each

Put heat  
in its  
place

