

ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



UPC

N225SS6 BLTD 1/2"-13 Spring Nut Cooper B-Line/Cable Tray

| 9 | |
|-----------------------------|--|
| Catalog Number | N225SS6 |
| Manufacturer | Cooper B-Line/Cable Tray |
| Description | Eaton B-Line Series Spring Nut, 0.85"HX2"LX1.31"W, Stainless Steel Type 316, 1/2"-13 Bolt Size, 250 LBS Load Rating, 1500 LBS Load Rating |
| Weight per unit | 0.1100 (lbs/each) |
| Product Category | Channel & Strut Fittings |
| eatures | |
| dimensions | 2.0000 IN X 1.3100 IN X 0.8500 IN |
| Material | 316 Stainless Steel |
| Material, Color, and Finish | |
| Finish | STAINLESS STEEL TYPE 316 |
| Dimensions and Weight | |
| Size | 1/2 In-13 TPI |
| escriptions | |
| Also Known As | Boingie Nut |
| | Spring Nut (Strut) |
| Description | BLTD 1/2"-13 SPRING NUT |
| extra long description | B-LINE N225SS6 SPRING NUT, 1/2"-13, |
| Features | For a complete strut offering, Eaton offers a full line of B-Line series channel nuts, u-bolts and all threaded rod that are essential to any strut assembly. This line also includes a number of innovative solutions that help installers save time and materials on the job-site. |
| Long Description | Eaton B-Line series spring nut, 0.85"Hx2"Lx1.31"W, Stainless steel type 316, 1/2"-13 bolt size, 250 lbs load rating, 1500 lbs load rating |
| Product Type | Spring Nut, 1/2"-13, 3/8" Nut, SSL |
| Special Features | Thickness 1/2 In, Weight 11.6 Lb per 100 |
| Manufacturer Information | |
| Brand | Eaton |
| GTIN | 00781011403461 |
| Manufacturers Part Number | N225 SS6 1/2 |

781011403461



standard

ELLIOTT ELECTRIC SUPPLY 2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

| Taxonomies, Classifications, and Cate | |
|---------------------------------------|---|
| Category Description | SPRING NUTS & TWIRL NUTS |
| Туре | Spring Nut |
| Packaging | |
| Carton | 1 |
| Package | 100 |
| Weight Per each | 0.11 |
| Uses, Certifications, and Standards | |
| Application | Generation - Conventional Energy - Conventional EnergyCommercial / Institutional Buildings / Structures - Commercial / Institutional Buildings / Structures - OtherDatacenters - IT Space: Enterprise / Server Room / Network ClosetCommercial / Institutional Buildings / Structures - Commercial/Inst Bldg Strctures - AftermarketOther IT and Datacom - Other InfrastructuresUtilityResidential Bldgs & Facilities - Residential Bldgs & Facilities - OtherWater and Wastewater Systems - Water and Wastewater Systems - Oth |

Not Applicable