

## ELLIOTT ELECTRIC SUPPLY

We Deliver...Lower Cost, Quality Products, & Personal Service

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685



Weight Per each

## **QBGFEP1040 Bolt On GFCB W/PCB 10KAIC 30A 30MA Trip** Eaton Corp

EBEKA	
Catalog Number	QBGFEP1040
Manufacturer	Eaton Corp
Description	Quicklag Industrial Ground Fault Thermal-Magnetic Circuit Breaker, Single-Pole, 30 Ma Trip Sensitivity, 40A, 10 Kaic, 120V, Bolt-On Mounting
Weight per unit	1.4 (lbs/each)
Product Category	On Circuit Breakers
eatures	
dimensions	6.0000 IN X 3.5000 IN X 1.0000 IN
interrupt rating	10
Poles	1
Voltage Rating	120 V
Descriptions	
Description	BOLT ON GFCB W/PCB 10KAIC 30A 30MA TRIP
extra long description	ETN QBGFEP1040 BOLT ON GFCB W/PCB 1
Features	Eaton has a wide selection of UL rated miniature circuit breakers for loadcenters, fuseboxes, or similar devices. Each pole provide steel frame calibration and arc chutes with 5 - 100A continuous in one-, two-, and three-pole designs. A full-range of accessories expand customization options, including various mounting and ring tung termination options.
Long Description	Quicklag Industrial Ground Fault Thermal-Magnetic Circuit Breaker, Single-pole, 30 mA Trip Sensitivity, 40A, 10 kAIC, 120V, Bolt-on mounting
Product Type	Bolt On GFCB W/PCB 10KAIC 30A 30MA Trip
Special Features	30 mA Trip Sensitivity
/lanufacturer Information	
Brand	Eaton
GTIN	00786679117293
Manufacturers Part Number	QBGFEP1040
UPC	786679117293
axonomies, Classifications, and (	Categories
	Fault Sensing Breakers (AFCI/GFCI)
Туре	GFCI circuit breakers
Packaging	
Carton	1
Waight Dar and	1 /

1.4

2310 N. Stallings Dr. 75964-0000, TX Nacogdoches Phone: 936-569-7941 Fax: 936-560-4685

## Uses, Certifications, and Standards

es, cei lilications, and sta	iliuai us
Application	Generation - Renewable Energy - Alternative EnergyMarine
	Vessels and Equipment - Marine Vessels and Equipment -
	OtherDatacenters - IT Space: CI and Hyper
	ConvergedOtherGeneration - Conventional Energy - Conventional
	Energy
standard	UL 943